



SCHOOL OF PUBLIC HEALTH
THE UNIVERSITY OF HONG KONG
香港大學公共衛生學院

MIND

THE GAP?

Projecting demand
and supply for
healthcare professionals




Table of Contents

| | Page |
|---|-----------|
| List of Tables | v |
| List of Figures | vi |
| List of Appendices | ix |
| 1 INTRODUCTION | 1 |
| 2 SETTING THE SCENE | 2 |
| 2.1 MODELS FOR POLICY LEVEL PLANNING | 2 |
| 2.1.1 <i>Need-based models</i> | 2 |
| 2.1.2 <i>Demand/utilisation-based models</i> | 2 |
| 2.1.3 <i>Benchmarking</i> | 3 |
| 2.1.4 <i>Trend analysis</i> | 3 |
| 2.2 LEARNING FROM INTERNATIONAL ORGANISATIONS | 3 |
| 2.2.1 <i>World Health Organisation</i> | 3 |
| 2.2.2 <i>Organisation for Economic Cooperation and Development (OECD)</i> | 5 |
| 2.3 LEARNING FROM OVERSEAS JURISDICTIONS | 6 |
| 2.3.1 <i>Australia</i> | 6 |
| 2.3.2 <i>Canada</i> | 7 |
| 2.3.3 <i>Japan</i> | 8 |
| 2.3.4 <i>The Netherlands</i> | 8 |
| 2.3.5 <i>New Zealand</i> | 9 |
| 2.3.6 <i>Scotland</i> | 10 |
| 2.3.7 <i>Singapore</i> | 11 |
| 2.3.8 <i>United Kingdom</i> | 11 |
| 2.3.9 <i>United States</i> | 12 |
| 2.4 LEARNING FROM COMMONLY ADOPTED TECHNICAL APPROACHES | 13 |
| 2.5 LEARNING FROM LOCAL EXPERIENCE IN WORKFORCE PLANNING | 16 |
| 2.5.1 <i>Department of Health</i> | 16 |
| 2.5.2 <i>Hospital Authority</i> | 16 |
| 2.5.3 <i>Hong Kong Academy of Medicine</i> | 17 |
| 2.5.4 <i>Independent manpower planning and policy reviews</i> | 18 |
| 2.6 IMPLICATIONS FOR THE HONG KONG MANPOWER PROJECT | 18 |
| 3 PROJECTING DOCTOR DEMAND | 21 |

| | | |
|----------|---|-----------|
| 3.1 | MODELLING DOCTOR DEMAND | 21 |
| 3.1.1 | <i>Empirically observed historical (EOH) approach</i> | 22 |
| 3.1.1.1 | Support vector machine (SVM) | 22 |
| 3.1.1.2 | Regression-based method (RBM) | 23 |
| 3.1.2 | <i>Macroeconomic scenario drive (MSD) approach</i> | 24 |
| 3.1.2.1 | Constant growth rate | 25 |
| 3.1.2.2 | Historical growth rate | 25 |
| 3.1.2.3 | Capped growth rate | 26 |
| 3.1.3 | <i>Adjusting for under-reporting</i> | 26 |
| 3.1.4 | <i>Capping rates</i> | 27 |
| 3.2 | PARAMETERS FOR DEMAND MODEL PROJECTIONS | 29 |
| 3.3 | MODEL COMPARISON | 30 |
| 3.4 | DEMAND INDICATORS | 33 |
| 3.4.1 | <i>Average length of stay (acute care and long stay patients)</i> | 33 |
| 3.4.2 | <i>Discharge rates (day case, acute care, long stay)</i> | 33 |
| 3.4.3 | <i>Outpatient visit rates</i> | 49 |
| 3.4.4 | <i>Total bed-days</i> | 82 |
| 3.5 | CONVERTING HEALTHCARE UTILISATION TO FULL TIME EQUIVALENTS (FTEs) | 92 |
| 3.5.1 | <i>Public Sector – Hospital Authority</i> | 92 |
| 3.5.2 | <i>Public sector – Department of Health</i> | 96 |
| 3.5.3 | <i>Private sector</i> | 96 |
| 4 | PROJECTING DOCTOR SUPPLY | 98 |
| 4.1 | MODELS FOR DOCTOR SUPPLY | 98 |
| 4.2 | DETERMINANTS OF SUPPLY: PROJECTING STOCK AND FLOW | 100 |
| 4.2.1 | <i>Total number of registrants</i> | 100 |
| 4.2.2 | <i>Number clinically active</i> | 100 |
| 4.2.2.1 | No longer in medical practice but not retired | 101 |
| 4.2.2.2 | Natural attrition/retirement | 101 |
| 4.2.2.3 | Otherwise unavailable | 102 |
| 4.3 | SUPPLY EXTERNALITIES | 103 |
| 4.3.1 | <i>Workforce participation and differential work capacity</i> | 103 |
| 4.4 | CONVERTING WORKFORCE SUPPLY TO FULL TIME EQUIVALENTS (FTEs) | 104 |
| 4.5 | DOCTOR SUPPLY PROJECTION FROM 2012-2041 | 105 |

| | | |
|----------|--|------------|
| 5 | GAP ANALYSIS..... | 107 |
| 5.1 | METHOD..... | 108 |
| 5.1.1 | <i>Annual number of FTE.....</i> | <i>108</i> |
| 5.1.2 | <i>Year-on-year FTE</i> | <i>108</i> |
| 5.1.3 | <i>Annual incremental FTE</i> | <i>108</i> |
| 5.2 | BASE CASE SCENARIO | 108 |
| 5.3 | CAVEATS AND FUTURE WORK..... | 109 |
| 6 | COMPARISON OF 2012-2041 AND 2015-2064 PROJECTIONS | 112 |
| 7 | REFERENCES..... | 115 |

List of Tables

| | |
|--|-----|
| Table 2.1 Projection methods, demand and supply parameters for manpower projection models by healthcare professionals | 15 |
| Table 3.1 Demand model variables, parameterisation and data sources | 29 |
| Table 3.2 Grouping of Department of Health clinical service units | 30 |
| Table 3.3 Comparison of EOH-SVM, MSD-constant growth, MSD-historical growth rate estimation errors..... | 31 |
| Table 3.4 Comparison of the linear and exponential RBM utilisation projections mean squared error (MSE) for selected demand/utilisation variables..... | 32 |
| Table 3.5 2008 doctor hours distribution for five major specialties in the public sector (Source: Hospital Authority)..... | 94 |
| Table 3.6 Workload coefficients in Approach 1 for public sector FTE conversion | 95 |
| Table 3.7 Workload coefficients in Approach 2 for FTE conversion - public sector..... | 96 |
| Table 3.8 Workload coefficients in Approach 1 for private sector FTE conversion..... | 98 |
| Table 4.1 Doctor supply projection 2015-2040 | 106 |
| Table 5.1 Projecting doctor FTE gap: Base case utilisation to FTE conversion | 107 |
| Table 5.2 Base case: projected year-on-year supply-demand gap (SVM Approach 2) [*a negative number indicates surplus]..... | 111 |
| Table 5.3 Base case: projected annual incremental supply-demand gap (SVM Approach 2) [*a negative number indicates surplus]..... | 111 |
| Table 6.1 Best guestimate: projected year-on-year supply-demand gap (assuming retirement =>65 years of age) [*a negative number indicates surplus] | 114 |
| Table 6.2 Best guestimate: projected annual incremental supply-demand gap (assuming retirement =>65 years of age) [*a negative number indicates surplus] | 114 |

List of Figures

| | |
|--|----|
| Figure 2.1 (reproduced from WHO original) WHO concepts for linking healthcare workforce requirements and supply projections (7)..... | 5 |
| Figure 3.1 Approaches to estimating doctor demand | 21 |
| Figure 3.2 Under-reporting adjustment of THS outpatient visit data | 27 |
| Figure 3.3 Comparison of Hong Kong and OECD acute care in-patient hospital discharge rates (152,153) | 28 |
| Figure 3.4 Comparison of Hong Kong and OECD doctor outpatient visit rates (152,153) | 28 |
| Figure 3.5(a) Projected number of public sector day case discharges (by SVM) (2005-2041) | 34 |
| Figure 3.6(a) Projected annual public sector day case discharge rates (by SVM) (2005-2041) | 35 |
| Figure 3.7(a) Projected number of public sector acute care in-patient discharges (by SVM) (2005-2041)..... | 37 |
| Figure 3.8(a) Projected annual public sector acute care in-patient discharge rates (by SVM) (2005-2041)..... | 38 |
| Figure 3.9(a) Projected number of public sector long stay discharges (by SVM) (2005-2041) | 40 |
| Figure 3.10(a) Projected annual public sector long stay discharge rates (by SVM) (2005-2041) | 41 |
| Figure 3.11(a) Projected number of private sector day case discharges (by SVM) (2005-2041) | 43 |
| Figure 3.12(a) Projected annual private sector day case discharge rates (by SVM) (2007-2041) | 45 |
| Figure 3.13(a) Projected number of private sector acute care in-patient discharges (by SVM) (2007-2041)..... | 46 |
| Figure 3.14(a) Projected annual private sector acute care in-patient discharge rates (by SVM) (2007-2041)..... | 48 |
| Figure 3.15(a) Projected number of public sector general outpatient visits (by SVM) (2005-2041) | 50 |
| Figure 3.16(a) Projected annual public sector general outpatient visit rates (by SVM) (2005-2041) | 52 |
| Figure 3.17(a) Projected number of public sector specialist outpatient visits (by SVM) (2005-2041) | 53 |
| Figure 3.18(a) Projected annual public sector specialist outpatient visit rates (by SVM) (2005-2041)..... | 55 |
| Figure 3.19(a) Projected number of private sector outpatient visits (by SVM) (2005-2041)..... | 56 |
| Figure 3.20(a) Projected annual private sector outpatient visit rates (by SVM) (2005-2041) | 58 |
| Figure 3.21(a) Projected number of public sector accident and emergency department attendances (by SVM) (2005-2041)..... | 60 |

| | |
|--|-----|
| Figure 3.22(a) Projected annual public sector accident and emergency department attendance rates (by SVM) (2005-2041)..... | 61 |
| Figure 3.23(a) Projected number of DH outpatient attendances: Child Assessment Service and Student Health Service (by SVM) (2005-2041)..... | 64 |
| Figure 3.24(a) Projected annual DH outpatient attendance rates: Child Assessment Service and Student Health Service (by SVM) (2005-2041)..... | 65 |
| Figure 3.25(a) Projected number of DH outpatient attendances: Maternal and Child Health Centres (by SVM) (2005-2041)..... | 67 |
| Figure 3.26(a) Projected annual DH outpatient attendance rates: Maternal and Child Health Centres (by SVM) (2005-2041)..... | 68 |
| Figure 3.27(a) Projected number of DH outpatient attendances: Elderly Health Service (by SVM) (2005-2041)..... | 70 |
| Figure 3.28(a) Projected annual DH outpatient attendance rates: Elderly Health Service (by SVM) (2005-2041)..... | 71 |
| Figure 3.29(a) Projected number of DH outpatient attendances: Methadone Clinics (by SVM) (2005-2041)..... | 73 |
| Figure 3.30(a) Projected annual DH outpatient attendance rates: Methadone Clinics (by SVM) (2005-2041)..... | 74 |
| Figure 3.31(a) Projected number of DH outpatient attendances: Social Hygiene Service, Special Prevention Programme and TB & Chest Service (by SVM) (2005-2041) | 76 |
| Figure 3.32(a) Projected annual DH outpatient attendance rates: Social Hygiene Service, Special Prevention Programme and TB & Chest Service (by SVM) (2005-2041) | 77 |
| Figure 3.33(a) Projected number of DH outpatient attendances: Port Health (by SVM) (2005-2041) | 79 |
| Figure 3.34(a) Projected annual DH outpatient attendance rate: Port Health (by SVM) (2005-2041) | 80 |
| Figure 3.35(a) Projected number of public sector acute care in-patient bed-days (by SVM) (2005-2041)..... | 82 |
| Figure 3.36(a) Projected annual public sector acute care in-patient bed-days rates (by SVM) (2005-2041)..... | 84 |
| Figure 3.37(a) Projected number of public sector long stay bed-days (by SVM) (2005-2041) | 85 |
| Figure 3.38 (a) Projected annual public sector long stay bed-day rates (by SVM) (2005-2041) | 87 |
| Figure 3.39(a) Projected number of private sector acute care bed-days (by SVM) (2005-2041) | 88 |
| Figure 3.40(a) Projected annual private sector acute care bed-day rates (by SVM) (2007-2041) | 90 |
| Figure 4.1 Doctor supply model for Hong Kong | 99 |
| Figure 4.2 ‘No longer in medical practice but not retired’ projections by sex 2012-2025. (DH Healthcare Manpower Survey for Doctors)..... | 101 |

| | |
|--|-----|
| Figure 4.3 ‘Natural attrition/retirement’ projections for men by age, 2012-2041 | 102 |
| Figure 4.4 ‘Natural attrition/retirement’ projections for women by age, 2012-2041 | 102 |
| Figure 4.5 ‘Otherwise unavailable’ projections by sex, 2012-2025 | 103 |
| Figure 4.6 Distribution of doctors by healthcare sector in 2009 (DH HMS for Doctors 2009) (Proportions do not add up due to missing data) | 104 |
| Figure 4.7 The overall projected supply of FTE doctors by sector from 2012-2041 | 105 |
| Figure 5.1 Projected number of FTE doctors: Base case supply and demand (SVM Approach 2, Shaded area: 5th-95th percentile). | 109 |
| Figure 5.2 Year-on-year FTE gap: Base case demand model (SVM Approach 2, Shaded area: 5th-95th percentile) | 110 |
| Figure 5.3 Annual incremental FTE gap: Base case demand model (SVM Approach 2, Shaded area: 5th-95th percentile) | 110 |
| Figure 6.1 Historical and projected number of doctor FTEs: Base case supply and omnibus scenario demand (Shaded area: 5th-95th percentile). | 112 |
| Figure 6.2 Year-on-year FTE gap: Omnibus scenario demand model (Shaded area: 5th-95th percentile) | 113 |
| Figure 6.3 Annual incremental FTE gap: Omnibus scenario demand model (Shaded area: 5th- 95th percentile) | 113 |

List of Appendices

| | |
|---|-----|
| Appendix A(i): Summary of manpower planning and forecasting models (Australia, Canada, Netherlands)..... | 124 |
| Appendix A(ii): Summary of manpower planning and forecasting models (New Zealand, Scotland, United Kingdom) | 128 |
| Appendix A(iii): Summary of manpower planning and forecasting models (Japan, Singapore, USA) | 131 |
| Appendix B: Manpower planning literature by healthcare professional group | 134 |

1 Introduction

Manpower or workforce planning, which is defined as “ensuring that the right people are available to deliver the right services to the right people at the right time” (1), is believed to be the appropriate approach to tackling the allocative and technical efficiency issues associated with the ‘production’ function of healthcare. Human resources for health (HRH) planning and forecasting is an important strategic objective in many countries and often reflects an increasing mismatch between the need/demand for and supply of healthcare professionals at regional as well as national levels.

Historically, HRH forecasting has been weakly linked to national health policies and population health needs. It was based on the assumption that more healthcare input produced better health, and was done by modelling supply, demand and need for manpower independently (2-4).

HRH forecasting is extremely complex and often framed by healthcare financing models and resources allocated to healthcare, service delivery models, the level and mix of healthcare services, controls on the volume and appropriateness of clinical activity, productivity, elasticity of supply, work-force complementarity and substitution (3, 5). Comprehensive forecasting models combine economic concepts with determinants of health, the peculiarities of the medical environment, and training time lags (6).

Modelling is an essential tool for manpower projections. Depending on the underlying assumptions, the models adopted may be deterministic or stochastic. Deterministic models are used when the outcome is certain, whereas stochastic models allow for uncertainty and flexibility in the model and deliver different results over multiple runs. Over time stochastic models are believed to reveal the most likely outcome, but they are more computational involved, use complex programming, and present analytical challenges. There are, however, also methodological limitations in these stochastic models including the lack of easily accessible clinical, administrative and provider databases for modelling, as well as conceptual challenges. Many of these models are of variable quality, and/or project only for (a) specific diseases(s) or professional group only. The quantity and quality of the data will directly determine how accurately the model reflects the real situation and therefore the reliability of the projections (7).

Considering the many factors that shape projection models (e.g. availability and quality of data, assumptions regarding characteristics of population change and growth, developments in medical technology, and/or clinical practice) selecting the model structure and attributes most suitable for the setting is essential. A number of projection models are described in the formal academic and grey literature; however, a comprehensive “gold standard” that fits all situations equally well remains elusive. There is little consensus on the best methods for estimating healthcare manpower in the literature. The most common approaches include workforce-population ratios, need-based, demand/utilisation-based, and supply models (8). Each method has its strengths and limitations and requires many compromises, simplifications, and assumptions.

2 Setting the scene

2.1 Models for policy level planning

2.1.1 Need-based models

Need-based models allow for estimates of true population need by considering changes in health status and efficacy of healthcare services (3, 8, 9) while adjusting for population size and characteristics including age, sex, household income, risk behaviour, and self-perceived health. These models project healthcare deficits as well as healthcare service need (both professional staff or quality of service to an optimum standard). As need-based approaches have greater data demands than approaches based on supply or utilisation, epidemiological data is an important limiting factor. For these models, detailed information on the efficacy of individual medical services for specific medical conditions is required (8). Although need-based models usually cannot account for historically unmet need they can avoid perpetuating existing inequity and inefficiency within the healthcare delivery system, a common problem with other forecasting models, however, the assumption that healthcare resources will be used in accordance with relative levels of need is seldom verified.

2.1.2 Demand/utilisation-based models

Demand/utilisation models are built on service utilisation data (8), under the assumption that healthcare workload remains constant over time, and population growth directly leads to increased workload (4, 9). Demand models commonly include 1) estimates of healthcare demand or at least historical utilisation patterns (most frequently by diagnosis), 2) anticipated

change in practice patterns, 3) the impact of current and emerging technologies, and 4) policy change. The projections are often limited to age and sex although other characteristics of the population, market conditions, institutional arrangements, and patterns of morbidity may be included. Previous demand models have often assumed that doctors were required for all demanded service, current demand was appropriate, age and sex specific resource requirements were constant; and demographic change was predictable over time (8).

2.1.3 Benchmarking

Benchmarks refer to a current best estimate of a reasonable workforce. These estimates are valid for comparison only if communities and healthcare planning are comparable, i.e. adjusted for key demographic, health and health system parameters. Estimates of manpower requirements are based on healthcare worker-to-population ratios and current healthcare services. For such models to be relevant adjustments for differences in population demography, population health, health insurance, productivity and health system organization are important (8).

2.1.4 Trend analysis

Based on aggregate level, and time series historical data, trend analysis uses observed historical population growth and ageing trends for predicting future trends. It is a macro simulation based on the extrapolation of past trends. Trend analysis is often useful for projecting likely growth particularly in the private sector (7, 10). These models assume 1) a causal relationship between economic growth and the number of doctors per capita, 2) that future requirements will reflect current requirements (e.g. the current level, mix, and distribution of providers are sufficient), 3) productivity remains constant, and 4) demographic profiles (such as population growth) are consistent with observed trends (8, 11). Some argue these models have ‘labour myopia’ and should be revised to include determinants of doctor productivity and elasticity of labour supply for different provider groups (5). These models do not consider the evolution of the demand for care.

2.2 Learning from international organisations

2.2.1 World Health Organisation

The mission of the Department of Human Resources for Health, World Health Organisation (WHO), is to “provide equitable access for all people to an adequately trained, skilled, and supported health workforce to contribute towards the attainment of the highest possible level

of health” (12). The strategic direction of the department is to provide technical and administrative coordination through several priority programmes one of which is the Health Workforce Information and Governance team. This team provides countries and other healthcare partners policy and planning advice, and technical support in the form of tools, guidelines, norms and standards on health workforce assessment, planning, monitoring and evaluation (7, 13-21). The WHO has identified three fundamental principles associated with the integration of healthcare service and the development of health personnel (13). First, the planning, production, and management functions for HRH must go together. Second, human resources are to serve the needs of the health system. Third, the health system must serve the people’s needs. The WHO has developed a conceptual framework for HRH projection which pulls all these activities together. It consists of 4 different phases including: 1) situation analysis, 2) planning, 3) implementation, and 4) monitoring and evaluation (22). While the HRH framework is applicable in all countries, its application will be influenced by elements specific to the country context. Figure 2.1 provides the outline adopted by the WHO to identify the mechanism by which balance in the requirements (demand for healthcare provision) and the supply can be achieved.

The WHO uses simulation as the tool to assess the potential impact of various strategies on change in the model outcomes. Both deterministic and stochastic processes can be applied to this model. Typically the variables included in these models are demographic growth and change; health policy and related legislation; technological change; burden of disease; service and provider utilisation; relevant service quality standards; organisational efficiency; skills mix; individual provider performance; public demand and expectations; and availability and means of financing. The most commonly used approaches to project workforce requirements are workforce-to-population; health-needs; service-demand; and service targets methods. Each has its advantages and disadvantages. Although supply side projections are relatively less complex and simpler, careful accounting is needed to ensure all relevant and available workers are included in the estimates. Aspects to consider are the capacity to produce healthcare workers, the different types of healthcare workers needed for future work, loss rates due to retirement, and emigration, death or pre-retirement leaving.




Figure 2.1 (reproduced from WHO original) WHO concepts for linking healthcare workforce requirements and supply projections (7)

2.2.2 Organisation for Economic Cooperation and Development (OECD)

The Health Division of the Directorate for Employment, Labor and Social Affairs of the OECD advises countries on how to meet future demand for health professionals and help countries improve health workforce planning (23). With a focus on doctors and nurses, the OECD has identified trends shaping the current and future health workforce in member states over the past decades in cross-country reports (24) and country-specific health system reviews (25). Both a prolonged increase in the supply of doctors and nurses across member states was identified. Factors identified as influencing the change in demand for doctors and nurses were increasing incomes, changing medical technology, and population ageing. Supply factors influencing the growth rate for doctors were controls on entry into medical school, for nurses capping the number of hospital beds, and for both professions: immigration, emigration, and changes in productivity (26). Factors likely to impact the shape and potential shortage of the future health workforce were: workforce ageing, feminisation, expectations of younger generations in terms of work-life balance, increasing specialisation,

and changes in delivery of service such as an increase in day case treatment, and overall declining length of stay (26).

The OECD has also explored specific issues such as the impact of skill-mix and policy change on the health workforce (27), staff shortages (28), and strategies on how to adapt supply to a growing demand within particular workforce specialties (29).

The extensive work undertaken by the WHO and the OECD, and the development of manpower planning and forecasting tools by these organisations, are useful guides for manpower projections in Hong Kong. They provide an excellent source of benchmarking tools in the area of health manpower planning for both developing and developed countries.

2.3 Learning from overseas jurisdictions

To learn from international approaches to workforce planning, nine jurisdictions were selected for review – Australia (30), Canada (31), Japan (32), The Netherlands (33), New Zealand (34), Scotland (35), Singapore (36), United Kingdom (37), and the United States (38, 39) to determine: 1) strategies for national level manpower planning and forecasting; 2) methods used to project population level healthcare professional demand and supply, and 3) methods to improve workforce productivity and capability. **Appendix A (i), (ii) and (iii)** illustrates the context, framework, methods, and assumptions guiding these manpower planning and forecasting models. These jurisdictions were selected for the maturity of their manpower planning models, and comparability of workforce issues to Hong Kong.

2.3.1 Australia

Set up by the Council of Australian Governments and reporting to the Australian Health Ministers' Advisory Council, Health Workforce Australia (HWA) is responsible for projecting the healthcare manpower requirements in Australia, and advising and informing governing bodies on the dynamic changes in the healthcare workforce (30). HWA has adopted a 'models of care' approach based on competencies required for the delivery of the best healthcare. The HWA projects manpower requirements based on the expected change in model parameters (such as changes in immigration, innovation/technology, healthcare and health system reform, as well as skills or roles of healthcare professionals) through scenarios analyses.

The HWA 2025 healthcare workforce projection for midwives, registered and enrolled nurses used a stock and flow supply model and applied a constant linear growth rate model to calculate demand (40). Supply model parameters included graduates, immigration of nurses, no longer available for nursing practice, training time, and hours worked. The demand model parameters included total hospital bed-days by population growth, service related groups (similar to Diagnostic Related Groups), total number of aged care packages by population growth aged 70 years and over, service utilisation, total number of projected births, and total number of projected Registered Nurse (RN)/ Enrolled Nurse (EN) full time equivalent (FTE)¹ by population ratio (40).

The HWA adopted a similar model for the November 2012 projection of medical specialties. The stock and flow supply model parameters included workforce headcount, demographic characteristics, number of graduates and medical fellows, immigration of overseas specialists, lost to medical practice, FTE benchmarks, training time, and number of hours worked (40). The demand model parameters were service utilisation by sex and five-year age cohort, public/private hours worked, services related groups and enhanced service related groups. Diagnosis groups were used to assign medical services to medical specialties and sub-specialties (41) and to adjust for complexity of care (proxy for severity of illness). The assumption being that higher complexity inherently drives manpower requirements. These models derive estimates from a baseline year and assume a consistent linear future trend in healthcare need and technological change.

2.3.2 Canada

Prior to 2003, healthcare workforce planning in Canada was undertaken by each jurisdiction or province independently and did not address pan-Canadian supply and demand. In seven of the ten provinces, historical patterns of health service utilisation and health human resource supply, as proxies for public sector demand and supply, were used to project healthcare manpower requirements. The remaining three provinces adopted a need-based approach. Since 2003, Health Canada (a department of the federal government) has worked with the provinces and territories to improve coordination in and develop a conceptual model for human health resource planning (42). The proposal includes a stock and flow model for supply and a need-based model using utilisation of curative and preventive services (43).

¹ **Full-time equivalent (FTE)** is a standardized measure of time at work for an employed person. An FTE of 1.0 indicates a full-time worker, whereas FTE of 0.5 signals half-time.

More specifically, most jurisdictions calculated health workforce supply using parameters such as new local and non-local registrants, attrition, and employment status (44). Although many parameters were available to project manpower demand and supply, most of the provinces used historical trends (age and sex stratified) to project future healthcare workforce requirements (44). The newer projection models adopt additional supply-side parameters such as education, immigration, and career patterns (44). Overall, Canadian healthcare manpower demand models project FTE requirements on current utilisation patterns including parameters such as changes in the total population size and age-sex structure. Only two jurisdictions report including parameters such as socio-economic characteristics in the models or addressing the impact of externalities such as change in healthcare policy.

Although Health Canada is coordinating healthcare manpower planning and forecasting, as with most other health care issues, healthcare manpower regulation and registration, planning and forecasting remains the jurisdiction of the provinces. While there are similarities and commonalities between provinces, the models as developed and applied are broadly applicable only to the province of origin.

2.3.3 Japan

The Ministry of Health, Labour and Welfare (Japan) projects the supply and demand for healthcare personnel (45). The 7th Projection of Estimated Supply and Demand for Nursing Personnel was prepared in 2010, estimated a shortfall of 15,000 nurses in 2016 (46). The supply parameters included current employment status by year, local and international graduates, re-employment and retirement. The demand parameters included service utilisation by hospitals, clinics, maternity clinics, long-term care facilities, social welfare facilities, health centres and municipal facilities; educational institutions, workplaces, and schools (46). Currently, the full report of the 7th Projection of Estimated Supply and Demand for Nursing Personnel is not released, thus more specific methods are not publicly available. Historical trends were used to quantify but not project the demand for other healthcare professionals, such as doctors, dentists and pharmacists (46).

2.3.4 The Netherlands

The Netherlands Institute for Health Services Research (NIVEL) is an independent organisation with manpower planning as a particular area of research (47). NIVEL deployed stock and flow methods to project supply and demand for healthcare professionals (48).

Parameters used in their supply model included working capacity, primary activity, graduates, drop-out rates, expected age of retirement, working hours and task delegation (48). The supply model also incorporated the flow of medical professionals by sex in and out of the healthcare market and projected total FTE. The demand model (a three-part model) used simulation methods to project service utilisation on demographic and epidemiological developments (48). Part 1 established the baseline supply and demand of healthcare professionals by FTE adjusted by gender (49). The manpower gap between the supply and demand was then estimated. Part 2 projected supply and demand FTE requirements for the target year by projecting parameters such as demographic change, and the inflow and outflow of health professionals (49). Part 3 compared the expected manpower supply by FTE from labour market returns with projected FTE supply in three scenarios (49). The base scenario used trend analysis to forecast the impact of demographic change on the demand for healthcare. The first scenario included parameters such as epidemiological, socio-cultural and technical developments as well as, efficiency change, horizontal substitution and working hours per FTE in the demand model. The second scenario considered the impact of vertical substitution on demand (49).

Although a comprehensive methodology has been used for healthcare manpower planning in the Netherlands, the models generally draw on a subjective interpretation of the demand (expert opinion determines unmet demand).

2.3.5 New Zealand

In New Zealand, Health Workforce New Zealand (HWNZ) has the overall responsibility for planning and development of the health workforce, ensuring that staffing issues are aligned with planning on the delivery of services, and that New Zealand's healthcare workforce is fit for purpose (50). Currently, HWNZ is undergoing workforce service review with the objective of determining future health workforce requirements in 13 areas: aged care, anaesthesia, eye health, palliative care, musculoskeletal diseases, gastroenterology, youth health, diabetes, mental health, rehabilitation, mother and baby, healthcare for the Maori, and healthcare for Pacific Islanders (50). The HWNZ has used trend analysis and predicted service utilisation to determine future requirements.

The HWNZ has projected healthcare manpower (51) from the Health Workforce Information Programme. The supply model projection used a dynamic supply model to calculate

headcount and FTE from historical trends of new graduates, return rates, and retirements rates. Model parameters included current workforce inflow and outflow, age, sex, ethnicity, and occupation (51). The demand model included the following parameters population growth, age, sex, ethnicity, change in service, change in the care model, and the impact of current and emerging technologies (51). HWNZ contends that due to the shift toward population based healthcare delivery, the total population health needs and achievements are of particular importance in the forecast for demand.

The projection models rely heavily on trend analysis and linear regression to estimate manpower requirements. While simple models can provide a quick snapshot of current needs of population they lack the dynamic variation in scenarios and may misrepresent the demand for healthcare.

2.3.6 Scotland

NHS Scotland Workforce section of Information Services Division has used trend analysis to assess the supply and demand of medical, dental, nursing and midwifery, allied health professions, health science, ambulance staff, psychology, and pharmacy workforce (52). Parameters such as changing demography, and service utilisation, were used for the demand models and, workforce dynamics, workforce inflows and outflows for the supply models (53).

Three methods, dynamic models (stock and flow), healthcare professional-to-population ratio, demand/utilisation-based models were used to project healthcare professional supply and demand. The model parameters included service utilisation, service delivery, changing models of care, workforce skill mix (roles and competencies), integration and engagement of the workforce across the professions, health and social care, and care by sector (primary, secondary and tertiary) attendance rate, treatment rates, and for dentists average quantity of treatment per dentist per year (54, 55).

The supply model adopts stock and flow methods, that are commonly used by many other countries. The demand/utilisation-based models, while more sophisticated, require extensive and complex data, are susceptible to larger measurement error than projections based on population ratios (53).

2.3.7 Singapore

The National Manpower Council of the Singapore Ministry of Manpower is the decision-making body for the National Manpower Planning Framework (56). The Council has adopted an approach, where the future demand for healthcare manpower is based on trend analysis of population demographics and current healthcare workforce supply (57). In 2009-2011, the overall supply of doctors, registered nurses, enrolled nurses, dentists, pharmacists and optometrists increased across the board (58). As at 2012, Singapore had 10,225 doctors, (doctor-to-population ratio of 1:520), 60% of whom work in the public sector (58); 34,507 nurses and midwives (nurse-to-population ratio of 1:150). Strategies to manage the in- and out-flows of healthcare professionals (i.e. doctor, specialist, nurse) and to recruit more internationally qualified healthcare professionals from developed countries have been put in place to reduce workload demand. Included in this approach is the talent outreach programme (36). The Healthcare 2020 Masterplan healthcare demand and workforce planning projection parameters (57) included population growth and ageing, education, healthcare sector productivity and change in healthcare worker role (i.e. role extension), immigration of foreign healthcare workers and changes in the service delivery model. The supply model includes education and training of local professionals, and the recruitment of non-local graduates.

The available data from the Ministry of Health are total number of healthcare professionals by sectors (i.e. private and public sectors), and the professional-to-population ratio or vice versa (58). No full-time equivalent information was considered are given. For some healthcare professionals, professional-to-doctors ratio was used in the trend analysis.

2.3.8 United Kingdom

The Centre for Workforce Intelligence (CWI) provides advice and information to health and social care systems on workforce planning and development in the United Kingdom (37). CWI works closely with various organisations such as the NHS Information Centre, the medical Royal Colleges, and other regulatory bodies to access the highest quality, accurate and timely data for healthcare manpower planning (37). The CWI has focused on the supply of various health professions, (medical, dental, nursing, midwifery, and other allied health professionals). CWI released several reports in 2012 on technological, economic, environmental, political, social, and ethical factors that they consider/use in their supply and demand projection models (59, 60). Parameters used in the stock and flow model for medical

and dental supply include current workforce, workforce participation, working time spent delivering service, active workforce, number of entering and returning to workforce, immigration, attrition, emigration, those not available for work at present, and retirement or other attrition. Parameters for the demand models include population size and characteristics, disease prevalence, level of need, and amount of service delivered by doctors and dentists (61). Baseline need was measured by types of care (acute, long-term or primary), and age sex subgroups. Population need was projected for each type of care using indicators such as number of general practitioner (GP) visits per type of care, or bed-days per type of care (61).

The CWI has adopted a need-based model where need was proxied by type of care. This approach assumes that ‘type of care’ appropriately reflects manpower requirements and that all care is in the ‘formal’ care sector. However, such a model cannot account for the multidisciplinary nature of patient care or for the complex determinants of the location of or patient placement for care (e.g., patients not discharged due to insufficient home care places or social services)

2.3.9 United States

The Health Resources and Services Administration (HRSA) and the National Center for Health Workforce Analysis of the US Department of Health and Human Services are the primary federal agencies for developing the tools to project the supply and demand for healthcare professionals in the US (62, 63). HRSA has released reports for doctors (by sub-specialty), registered nurses (RN), licensed practical nurses (LPN), pharmacy, dentistry, public health and clinical laboratory workforce (64). The stock and flow supply model parameters included licence renewal, retirement, death, disability, local and international graduates, productivity, career change and projected FTE. Specific to RNs, the model captures the progression from one educational level to another, and their interstate migration (65).

The demand model used a utilisation-based approach and included parameters such as service utilisation, demographics, insurance coverage/healthcare payment system, patterns of care delivery, technology, healthcare regulation, and workload measures such as inpatient days, visits, and nursing facility residents. Care delivery patterns were expressed as healthcare professional-to-population ratios by specialty and population segment defined by age, sex, geographical location, and insurance type. The demand model projected FTE’s by service

sector (65). The manpower gap between the supply and demand was expressed as an FTE ratio (65). The supply models used trend analysis and stock and flow methods. Supply model parameters included graduates, male-female ratio, death, retirement and projected FTE or FTE-to-population ratio.

HRSA has developed numerous models by healthcare professional groups and identified the core model parameters. The HRSA models could be improved by incorporating explicit measures of externalities in the model parameters.

2.4 Learning from commonly adopted technical approaches

Although a demand/utilisation-based approach was the most frequently used manpower projection method, need-based methods, trend analysis, and benchmarking (healthcare professional to population ratio) were also used. Demand/utilisation-based models for doctors, dentists, nurses and pharmacists project FTE based on service utilisation and have usually included the following parameters, hospital admissions and patient visits, utilisation weighted patient diagnosis, outpatient visits, treatment, population growth and age distribution, economic indicators, geographic factors, insurance status, and staffing intensity. For pharmacists the parameters have included the number of prescriptions filled, growth in prescription volume for pharmacists, direct-to-consumer marketing and Aggregate Demand Index (a measure of unmet demand at the population level). Many of the projection models were stratified by service sector. Data was derived from aggregate data from annual reports, historical utilisation data and doctor – population ratios. Model validity and reliability was compromised by data availability and quantity. A positive linear relationship between population and economic growth, healthcare utilisation and demand was assumed by most.

Model assumptions were often tested by scenario analysis including change in 1) supply (e.g. number of graduates, registered practitioners, or entrants to higher education, number of training places, migration, retirement rates, changes in funding, reimbursement and recruitment), 2) productivity and efficiency (activity rates), 3) population demographics, 4) burden of disease health and healthcare utilisation, 5) economic development, and 6) patient/staff satisfaction. The lack of normative standards defining work and productivity was a major impediment to workload analysis. Manpower requirements were most often expressed in FTE.

While methods for modelling manpower demand for other healthcare professionals (i.e., not doctors) are not as well developed, utilisation, service delivery, expected service growth and number of vacant positions were used to project FTE requirements. Some models based demand projections on subjective assessment of demand, workload and productivity. Scenarios, testing change in population demographics, service utilisation, service provision or practice structure, disease incidence and prevalence, and norms of care were used to assess the projection performance.

Existing supply models have used stock and flow methods to project headcount or FTE. These models have included parameters also used by supranational agencies (WHO and OECD) and national models. These included age, sex, number of graduates, number of registered doctors, attrition (retirement, immigration, or emigration), and practice location. Adjusted trend analysis and straight-line projections have been used for physiotherapist manpower supply projections. The models projected manpower requirements by headcount, FTE or by healthcare professional-to-population ratio.

Table 2.1 summarises projection methods, demand and supply parameters for manpower projection models by healthcare professionals (doctors, dentists, nurses, Chinese Medicine Practitioners (CMP), pharmacists (Pharm), chiropractors (Chiro), medical laboratory technologists (MLT), occupational therapists (OT), optometrists (Opt), physiotherapists (PT), radiographers (Radio), and dental hygienists (DentH). See **Appendix B** for the full list of healthcare manpower planning and forecasting publications.

Table 2.1 Projection methods, demand and supply parameters for manpower projection models by healthcare professionals

| | Model methods | Demand parameters | Supply parameters |
|---|--|--|---|
| Doctors (11, 66-77) | Supply: stock and flow, trend analysis Demand: regression-based physician density model, demand/utilisation-based model, need-based model, benchmarking | Age, Gender, Population density, Consultation length, Number of consultations or procedures, Morbidity, Mortality, Life expectancy, Fertility rate, Literacy, GDP; GNI, Health expenditure, Insurance status, Epidemiology, Inputs of other types of professionals, | Age, Sex, Population growth, Retirement, Death, Migration, Re-entrants, Movement between occupations, Graduates, Work location, Working hours, Level of service, Intensity of work, |
| Dentists (78-91) | Supply: stock and flow Demand: demand/utilisation-based model, need-based model | Population projection, Income of population, Socio-demographic characteristics, Projected utilisation increase, Decayed, missing and filled teeth rates, Prostheses rates, Rates of edentulousness, Rates for other dental procedures, Dental attendance pattern, Patterns of disease, Dentist-to-population ratio | Retirement, Death, Graduates, Migration, Number of new dental schools, Number of other dental professionals, Population estimates, Gender ratio, Working hour, Productivity |
| Nurses (65, 92-111) | Supply: stock and flow, trend analysis, benchmarking Demand: benchmarking, demand/utilisation-based model, trend analysis, need-based model | Bed capacity/ occupancy rate, Working hours, Staffing intensity, Utilisation of services, Insurance status, Population growth and aging, Per capita income, Burden of disease and injury, Surgical intervention, Race/ethnicity classification, Area of practice, Nurse-to-physician ratio, Staff norms, Turnover rates, Vacancy rates | Graduates, Re-entrant, Retirement; Illness, disability and death, Working hour, Migration, Population, Education, Age, Sex, Career change, Maternity, Renewal rate |
| Chinese Medicine Practitioners | No specific published manpower planning and projection models | | |
| Pharmacists (112-126) | Supply: stock and flow Demand: trend analysis, benchmarking, demand/utilisation-based model | Graduation rates, Population growth and aging, Expiring drug patents, Prescription volume, Role extension, Pharmacist-to-technician ratio, Pharmacist-to-population ratio, Direct-to-consumer marketing, Insurance coverage, Therapy improvement | Age, Male: Female ratio, Working hours, Graduates, Migration, Retirement, Death, Workload, Productivity. |
| Chiropractors (127-130) | Supply: stock and flow; supply description Demand: need-based model | Patient visits per week, Number of services per chiropractic user, Chiropractic use per capita, Change in technology, Change in patterns of the diseases, Prevalence of back and neck symptoms | Age, Sex , Education, Number of graduates, Geographic variation |
| Medical Laboratory Technologists (131,132) | Supply: trend analysis; stock and flow Demand: demand/utilisation model | Time units per activity, Number of laboratory tests per FTE, Population characteristics, Technology improvements | Number of graduates, Working hours, Examination pass rates, Field of practice, MLT post vacancy rate |
| Occupational Therapists (133-136) | Supply: stock and flow Demand: demand/utilisation model | Current OT employment data, Number of vacancies (in FTE), Hospital and home care average growth rate, | New graduates, Attrition and retention rate |
| Optometrists (137-141) | Supply: stock and flow | Diagnosis and service hours Population growth | Age, Sex, Number of registered optometrists, Local and non-local graduates, Mortality, |

| | | | |
|-----------------------------------|--|---|---|
| | Demand: trend analysis; demand/utilisation model | | retirement, or emigration |
| Physiotherapists (142-145) | Supply: stock and flow Demand: trend analysis; need-based model | Population growth, Increase in personal healthcare expenditure, Personal health insurance, Number of in-patient, outpatient and home-bound Patient visits | Number of current vacant posts, Retirement and attrition, New graduates, New registrants, Registration renewals. |
| Radiographers (146,147) | Supply: stock and flow Demand: trend analysis; demand/utilisation | Service utilisation By procedures By modality, (e.g. CT, MRI, ultrasound and therapeutic procedures) Population demographics and growth | Age, Number of graduates, Retirement and other attrition, Training attrition, Working hours (full-time or part-time), Field of practice |
| Dental Hygienists | No specific published manpower planning and projection models | | |

2.5 Learning from local experience in workforce planning

2.5.1 Department of Health

The Department of Health (DH) has conducted Health Manpower Surveys (HMS) for healthcare professional groups with registration in Hong Kong since 1980. The surveys aim to provide up-to-date information on the characteristics and employment status of healthcare personnel working in Hong Kong. The data, compiled into aggregate health manpower statistics, aids the understanding the dynamics of healthcare professional manpower supply. However these are essentially repeated cross sectional surveys with no prospective predictive function or objective, thus cannot inform future needs without further analytical processing.

2.5.2 Hospital Authority

In Hong Kong, much of the current manpower planning and forecasting for public sector has been planned within the HA, which adopted an integrated approach in projecting its future healthcare workforce requirement. The process starts with an overall assessment on the future service demand which covers a comprehensive spectrum of HA services, ranging from in-patient, day-patient to outpatient, ambulatory and community services as well as clinical supporting specialty services. The service demand projection uses age- and specialty-specific service utilisation rates in a given year as the base year and took into account anticipated changes resulting from various factors. The HA model included population growth and ageing, changes in the service delivery model and utilisation pattern, medical technology advancement, and the development of new services.

To estimate the required doctor manpower, the projected service demand by specialty is translated into work-related time units (man-hours) for doctors. Together with respective

specialty-specific clinical coordinating committees, the average time required for doctors to carry out other work-related tasks is estimated. Future doctor manpower requirement is then determined by assuming some specialty-specific parameters such as on- and off-site call, coaching, training and documentation, and community service. A similar work profile analysis is conducted for nurses in close collaboration with nurse representatives, and identified key nursing components of general and psychiatric work within different clinical settings.

Besides the additional demand generated by projected service growth, the future manpower requirement also considers replacement demand generated by staff turnover including retirement. Additional demand also takes into account manpower shortfall at the baseline. The HA manpower planning and projection model has provided a service level model, based on historical data. The model incorporates the impact of realised change in service delivery on future manpower requirements. While the HA provides a substantial proportion of in-patient and outpatient care to the population the model cannot represent all healthcare need (as proxied by utilisation) within the population. A comparison of the HA model and the territory wide model as presented in the report is not possible at this juncture.

2.5.3 Hong Kong Academy of Medicine

During the past decade, the Hong Kong Academy of Medicine, through the respective specialist Colleges, has reviewed medical manpower planning to determine the demand for different medical specialities and the requirements for training posts. Throughout the review a number of important externalities pertinent to manpower planning including the dynamics of the private and public interface, patient culture and expectations, and healthcare policy were identified. Individual colleges submitted estimates for manpower demand based on caseload or overseas benchmarks and provided input on the specific factors expected to influence future manpower need in their subspecialty (148). Individual colleges have found it difficult to project specialist manpower demand primarily due to difficulties in estimating the impact of the shift in practice location between the public and private sectors, medical tourism, changing technology, and areas of practice. The Academy acknowledges the limitation of assessing need from the medical perspective only and the difficulties in accurately determining demand, however, the recommendations put forward provide valuable input to manpower planning and forecasting in Hong Kong.

2.5.4 Independent manpower planning and policy reviews

The Business Professionals Federation of Hong Kong (BPF) healthcare manpower planning report of September 2010 recommends a more scientifically based and inclusive approach to manpower planning than what had been done previously (149). The report lists three essential planning ingredients for effective planning: 1) administrative data of past and present manpower resources, 2) research personnel equipped with skills and modelling tools to undertake dynamic projections, and 3) collaboration of all stakeholders.

In June 2012, HKGolden50 an independent not-for-profit research organisation, published their fourth report “How to Create A World-Class Medical System” with the aim to “alert our community that despite our World Class standard in Western and Chinese medicine our healthcare system is on the brink of breaking down due to insufficient hardware and personnel coupled with surging local and foreign demand for our quality medical services” (150). Based on HA data (i.e. public in-patient data only) the authors predicted a rapidly increasing (2% a year) shortage in doctors (150). Factors influencing this shortage are suggested to include 1) surging healthcare service demand deriving from population ageing, population growth, and medical tourism (demand for private healthcare from mainland China), and 2) stagnation supply due to retirement, declining competency due to the loss of senior staff, generation gap, feminisation of the work force, high entry barriers for overseas-qualified doctors, and insufficient support staff (nurses and administrative staff).

2.6 Implications for the Hong Kong manpower project

Many manpower-planning challenges have been previously identified in our review of work already completed. These include: 1) persistent manpower shortages and mal-distribution of the healthcare workforce, 2) population ageing, 3) rising incidence of chronic diseases, 4) lack of resources for medical training, 5) lack of cooperation within and between institutions, and 6) poor reliability and credibility of current manpower forecasting models.

The country level models identified lack consensus on the methodological approach for healthcare manpower planning and forecasting, and illustrated data-related problems including a lack of standardisation in variable parameterising; limited access to the quantity and quality of the data required; limited information on productivity, workload, and utilisation; and limited information on treatment efficacy and effectiveness. These models used routine administrative data (utilisation or financial data), or data from specialised surveys, and/or applied a predetermined set of assumptions in the demand/utilisation models.

Many country level models were deterministic and lacked the flexibility to examine the dynamic relationships between manpower supply and patient outcomes. In addition, the linear analysis adopted by many was problematic due to the underlying non-linearity of the data. More current manpower planning models used system dynamic methods, considered need, supply and demand simultaneously, projected manpower requirements from multiple perspectives and provided a more complete estimate of future manpower requirements. There was little evidence (in both qualitative and quantitative terms) of the impact (or evaluation) of these human resource-planning strategies on healthcare practice.

Models that did not specify benchmark standards or methods to determine the relationship between the volume of service/ number of patients and the number of staff were unable to robustly estimate the number of staff required for specific activities. Induced demand (as measured by utilisation data and doctor defined diagnosis in demand models) was a characteristic problem of manpower planning and forecasting and was a major limitation of the current country level manpower planning and forecasting models world-wide and locally.

In Hong Kong, population ageing, rising incidence of non-communicable disease, and historical healthcare utilisation patterns is related to rapidly increasing demand for healthcare service. Elsewhere, changing patterns of referral, location of service delivery (public and private), technology, scope of practice (including complementarity and substitution between healthcare professionals), feminisation of the workforce and healthcare policy (such as extended personal insurance coverage, increased in public healthcare benefits) and service delivery regulation (such as the recommendations of the Review Committee on Regulation of Pharmaceutical Products) have been implicated with increased demand for healthcare service (151). The increased demand arising from the mainland visa-free tourist policy are expected to increase future manpower demand. Economic and healthcare policy (i.e. Closer Economic Partnership Arrangement II (CEPA)), changing population demography, inter-regional and inter-sectoral (public/private) movement of healthcare professionals and patients, and medical tourism are expected to increase future healthcare demand and further complicate manpower projection.

Manpower projection is a highly data intense activity. Although public sector in-patient and outpatient data suitable for manpower projections is readily available, a substantial

proportion of patient care occurs in the private sector, where data is less complete, more complex or simply unavailable. Such an environment necessitates manpower projection models that are adaptable to changing parameters and model structures.

3 Projecting doctor demand

The overall model for Hong Kong doctor manpower projection comprises two sub models, the utilisation model and the supply model. Building on an endogenous, historically-informed base case scenario (where current utilisation (proxying demand) and supply are assumed to be in equilibrium), this model can be adopted to adjust for the impact of externalities such as: 1) de novo (i.e. exogenous) additional new hospital capacity (new public and private hospital in-patient beds) over and above endogenous historical growth and 2) the proposed new Health Protection Scheme. The difference between the demand and supply projections (in terms of total FTE numbers, accumulative and annual incremental FTE from 2012 -2041) is the manpower ‘gap’ or ‘surplus/shortfall’.

3.1 Modelling doctor demand

After a thorough literature review, assessing the suitability to the local context and exploratory analyses with the various possible projection modes, three approaches for projecting healthcare utilisation are shortlisted for further consideration, the ‘empirically observed historical’ (EOH), the ‘macroeconomic scenario driven’ (MSD) and the ‘Andersen-type’ (Andersen) approach within a ‘top down’ and ‘bottom up’ framework (Figure 3.1). Given the lack of required data elements for the Andersen approach, namely detailed individual-level data on predisposing and enabling factors as well as panel studies locally, the two ‘top down’ approaches are eventually executed.




Figure 3.1 Approaches to estimating doctor demand

Support vector machine (neural network analysis), regression-based method, and stock and flow method, are variously deployed to project the required number of doctors as a function of healthcare demand/utilisation and doctor supply to 2041. The projections are stratified by service type (in-patient and outpatient) and by service location (public or private sector).

3.1.1 Empirically observed historical (EOH) approach

The EOH projection model expresses utilisation as the product of population P and utilisation rate R :

$$\text{Utilisation } z(y) \text{ at year } y = \sum_a \sum_s P(a, s, y) \times R(a, s, y)$$

where $P(a, s, y)$ is the population age-, sex-specific groups (a, s) at year y , and $R(a, s, y)$ is the utilisation rate by age-, sex-specific groups (a, s) at year y . Census and Statistics Department population projections are used for the projected $P(a, s, y)$, historical data inform the computation of $R(a, s, y)$.

3.1.1.1 Support vector machine (SVM)

SVM² is used to estimate the utilisation rate of each age-, sex-specific group at a given year.

SVM is a kernel-based neural network that maps an input x to an output y where w_i is the weight and B is the bias term by the following expression:

$$y = \sum_i w_i \kappa(x_i, x) + B$$

As compared with linear and exponential regression models, SVM has the flexibility to ‘evolve’ an optimal structure according to historical data. A Gaussian radial basis kernel i.e. $\kappa(x, y) = \exp(C\|x - y\|)$ is used as it is the ‘universal approximator’. The structure is well regularised, and the generalisation ability of the network is maximized.

SVM *learn* the utilisation rate pattern from historical data expressed as:

² Artificial neural networks (ANN) and specifically the Support Vector Machine (SVM) used for these projections are able to predict the complex relationships driving utilisation. Support vector machine (SVM) is a supervised learning method that analyses data and recognizes data patterns in the historical data. As such this artificial intelligence predicts for each given variable the corresponding outcome. SVM was chosen for the projection as it will ‘evolve’ an optimal structure and estimate the service utilisation of a given individual based on characteristics such as age, and sex.

$$\begin{bmatrix} a_1, s_1, y_1 | r_1 \\ a_2, s_2, y_2 | r_2 \\ a_3, s_3, y_3 | r_3 \\ \vdots \end{bmatrix}$$

where r_i is the utilisation rate of age-, sex-specific group (a_i, s_i) at year y_i . A specific network construction algorithm is designed to evolve the structural parameters $\{w_i\}$ and B . The trained SVM projects the utilisation rate $R(a, s, y)$ of an age-, sex-specific group (a, s) at projection year $y = 2012, 2013, \dots$ using the following equation:

$$R(a, s, y) = \sum_i w_i \exp \left(- \frac{(a - a_i)^2 + (s - s_i)^2 + (y - y_i)^2}{2\sigma^2} \right) + B$$

The utilisation volume at year y is computed as:

$$\sum_{a, s} R(a, s, y) \times P(a, s, y)$$

where $P(a, s, y)$ is the population size of the age-sex group (a, s) at year y .

3.1.1.2 Regression-based method (RBM)

In the RBM approach, $R(a, s, y)$ is estimated by Poisson regression, which assumes:

$$\begin{aligned} N(a, s, y) &\sim \text{Poisson}(O(a, s, y)R(a, s, y)) \\ \log R(a, s, y) &= \alpha(a, s) + \beta(a, s)y \end{aligned}$$

where $N(a, s, y)$ denotes the utilisation volume and $O(a, s, y)$ is an offset term in age group a , sex s , and year y . For the projection of all utilisation measures except average length of stay, the population of age group a , sex s , and year y are used for the offset term $O(a, s, y)$. For the projection of average length of stay, the offset term is the number of discharges. Since $\log R(a, s, y)$ is a linear function of y , $R(a, s, y)$ is an exponential function of y all age- and sex-specific demand variables are included in the Poisson regression. For utilisation measures where there are clear differences in slopes across age-, sex-specific groups (including public and private day case, acute care in-patient discharge and average length of stay (ALOS), as well as HA general outpatient (GOP), specialist outpatient (SOP), accident and emergency (A&E), and private outpatient visits), the projections have age-, sex-specific

intercepts and slopes. For all other utilisation measures (public long stay discharge and average length of stay, as well as all DH service visits), the age-, sex-specific intercepts and slopes are constrained to be the same across age and sex groups.

In sensitivity analyses, the Poisson regression projections are compared with projections based on a linear trend. As utilisation rates in linear trend projections may drop below 0, linear projections are used only for utilisation rates that show an increasing trend. The utilisation rate increase is assumed to be the same across all age-, sex-specific groups for SOP, A&E, private outpatient, and all DH visit rates projections lest projections for individual age and sex groups reach zero.

A weighted linear regression is deployed, where the population in age group a , sex s , and year y are used as weights (i.e., $P(a, s, y)$). The following function is minimised with respect to $\alpha(a, s)$ and $\beta(a, s)$.

$$\sum_{a,s,y} P(a, s, y) (R(a, s, y) - \alpha(a, s) - \beta(a, s)y)^2$$

Projections of rates are given as:

$$\hat{R}(a, s, y) = \alpha(a, s) + \beta(a, s)y$$

The weights are needed to ensure the estimated age, sex, and year-specific rates $\hat{R}(a, s, y)$ are consistent with the observed rates $R(a, s, y)$.

3.1.2 Macroeconomic scenario drive (MSD) approach

As in the EOH-RBM approach, the MSD approach expresses utilisation as the product of population P and utilisation rate R :

$$\text{Utilisation } z(y) \text{ at year } y = \sum_a \sum_s P(a, s, y) \times R(a, s, y)$$

where $P(a, s, y)$ is the age-, sex-specific population (a, s) at year y , and $R(a, s, y)$ is the age-, sex-specific utilisation rate (a, s) at year y . Population projections of the Census and Statistics Department are used for $P(a, s, y)$. $R(a, s, y)$ is estimated as follows:-

$$R(a, s, y) = R(a, s, 2011) \times (1 + x)^{y-2011}$$

Three methods (constant growth, historical growth, and capped growth) are used to calibrate healthcare utilisation trends against observed data.

3.1.2.1 Constant growth rate

The constant growth rate method sets ‘excess healthcare price/cost inflation’³ growth at 0.2% public sector and 1% for the private sector, consistent with the international literature and to a previous local exercise (152). The public sector growth rate for each variable is benchmarked to the OECD (1999)(153). As the OECD reports utilisation growth rates of 0.4% per year, the model assumes a growth rate of 0.2% (154) because half of the growth is due to the net growth in the utilisation rate while the other half is assumed to be due to demographic changes.

Private sector growth rates are benchmarked to OECD (1999)(153) data for the United States and Switzerland, as these two countries predominantly provide healthcare in the private, albeit regulated, sector. The OECD reports an annual growth of 2.7% and 2.4% for the United States and Switzerland respectively. As the healthcare in Hong Kong is equally shared between the public and private sector, the utilisation growth rate in the private sector is assumed to be 1% (154).

3.1.2.2 Historical growth rate

For the historical growth rate method, ‘excess healthcare price/cost inflation’ x is estimated from the public and private hospital in-patient discharges and outpatient visits in Hong Kong. To estimate x , the following function is minimised:

$$\sum_y |N(y) - z(y)|$$

³ The ‘excess healthcare price/cost inflation’ method is based on the United Kingdom Treasury’s Wanless projection method which requires health expenditure to be broken down by age, sex, unit cost and activity level (i.e. volume in terms of healthcare utilisation). The projections take into account aspects of medical inflation (that is medical inflation over and above per capita Gross Domestic Product growth), changes in the utilisation of healthcare services as a result of demographic change, and total health care expenditure (activity levels multiplied by projected unit costs). This comprises two components medical price increase and per capita volume growth according to Huber’s review of health expenditure among OECD countries in 1999.

where $N(y)$ is the utilisation volume (number of public and private sector in-patient discharge and outpatient visits) and $z(y)$ is the estimated utilisation volume for that year:

$$z(y) = \sum_a \sum_s P(a, s, y) \times R(a, s, y)$$

$$R(a, s, y) = R(a, s, 2011) \times (1 + x)^{y-2011}$$

3.1.2.3 Capped growth rate

As it may be inappropriate to assume ever exponentially increasing utilisation rates, the capped growth rate method is applied to the projection of discharge rates and outpatient (SOP and GOP) visit rates, such that rates would not indefinitely grow exponentially as follows:

$$R(a, s, y) = R(a, s, 2011) \times \underbrace{\left(\frac{w}{1 + e^{-\alpha(y-y_0-\mu)}} + B \right)}_{\text{sigmoid function}}$$

where $R(a, s, 2011)$ is the age-, sex-specific utilisation rate for the baseline year 2011.

For average length of stay projections, a biased exponential function is used rather than the sigmoid function to prevent the projection falling below zero.

$$ALOS(a, s, y) = ALOS(a, s, 2011) \times \underbrace{e^{-\alpha(y-\mu)}}_{\text{biased exponential function}} + B$$

The parameters w , α , μ and B are estimated by optimising the objective function:

$$\sum_y |N(y) - z(y)|$$

as in the historical growth rate model.

3.1.3 Adjusting for under-reporting

THS under-reporting rates for outpatient visits for the public and private sector are estimated for the THS 2002, 2005, 2008, and using routine HA and private hospital outpatient visits data (Figure 3.2). Due to data unavailability, estimates of under-reporting rates for private

sector outpatient visits is not possible. Private sector under-reporting rates are assumed to be the same as for HA outpatient visits.




Figure 3.2 Under-reporting adjustment of THS outpatient visit data

3.1.4 Capping rates

The RBM gives exponential rate increases across all utilisation variables. This leads to projections that are too extreme to be realistic beyond the first few years. To address this problem, age-, sex-specific utilisation rates are allowed to continue until 2016 after which they are held constant (i.e. capped) for the rest of the projection period. The discharge and outpatient visit rate caps are benchmarked to the historical OECD utilisation trend data (OECD 2012) (154).

To set the discharge rate cap, the current OECD acute care in-patient discharge rate for Hong Kong (178 discharges/1000 person-year (152)) is compared to OECD individual country trends (Figure 3.3). Hong Kong discharge rate increase is benchmarked to the 90th percentile of the 2011 OECD countries discharge rate (237 discharges/1000 person-year) (representing an average discharge rate increase of 33%). Based on historical data Hong Kong will reach this estimated discharge rate by 2016, after which the discharge rate increase is capped.




Figure 3.3 Comparison of Hong Kong and OECD acute care in-patient hospital discharge rates (152,153)

Similarly for outpatient visit rates, the doctor visit rate as published by the OECD for HK (2011) (11.2 visits per person-year (152)) is benchmarked against OECD individual country trends (highest rate 13.1 visits per person per year in Japan) (Figure 3.4). Based on this comparison, Hong Kong outpatient visit rates are expected to increase by 17% and will reach this target by 2016. The outpatient visit rate is capped after 2016.




Figure 3.4 Comparison of Hong Kong and OECD doctor outpatient visit rates (152,153)

3.2 Parameters for demand model projections

For the public sector, all HA age-, sex-specific in-patient discharge records (2004 to 2011; including day case, A&E, acute care in-patient and long stay) and all age-, sex-specific outpatient visits (for general and specialist outpatients, 2005-2011) and DH service attendances (2005-2011) are available for the healthcare utilisation projections. For the public sector model only data from 2005 are used as the data prior to these years would have been unduly influenced by organisational change within the HA and by the SARS epidemic. Table 3.1 specifies the variables, parameterisation and data sources. Attendances for DH clinical service units are age-, sex-specific and grouped by service type (Table 3.2).

Table 3.1 Demand model variables, parameterisation and data sources

| Variables | Parameterisation ² | Data source |
|--|-------------------------------------|---|
| Population to be served | | |
| Resident population | Age- sex-stratified | C&SD 1999 through 2011 |
| Population forecast | Age- sex-stratified | C&SD population projections 2012 - 2041 |
| In-patient | | |
| <i>Number of day cases</i> | | |
| Public sector | Age- sex-stratified | HA records 2005-2011 |
| Private sector ¹ | Age- sex-stratified | Hong Kong private hospitals 2007-2011 ¹ |
| <i>Number of acute discharges</i> | | |
| Public sector | Age- sex-stratified | HA records 2005-2011 |
| Private sector ¹ | Age- sex-stratified | Hong Kong private hospitals 2007-2011 ¹ |
| <i>Number of long stay discharges</i> | | |
| Public sector | Age- sex-stratified | HA records 2005-2011 |
| <i>Number of acute care bed-days</i> | | |
| Public sector | Age- sex-stratified | HA records 2005-2011 |
| Private sector ¹ | Age- sex-stratified | Hong Kong private hospitals 2007-2011 ¹ |
| <i>Number of long stay bed-days</i> | | |
| Public sector | Age- sex-stratified | HA records 2005-2011 |
| Outpatient | | |
| Number of visits (HA GOP/ SOP and A&E) | Age- sex-stratified | HA records 2005-2011 |
| DH service unit attendances | Age- sex-stratified by service unit | Department of Health 2005-2011 THS 2005-2009, 2011 adjusted for under reporting using HA outpatients records 2005-2011 |
| Number of visits (Private) | Age- sex-stratified | |

¹Private hospitals: Evangel Hospital, Hong Kong Adventist Hospital, Hong Kong Baptist Hospital, Hong Kong Central Hospital, Hong Kong Sanatorium and Hospital, Matilda International Hospital, Precious Blood Hospital, St Paul's Hospital, St Teresa's Hospital, Tsuen Wan Adventist Hospital, Union Hospital, The Canossa Hospital

²All data were stratified by age and sex groups in 5-year age categories.

Table 3.2 Grouping of Department of Health clinical service units

| Group |
|--|
| Group 1: Child Assessment Service and Student Health Service |
| Group 2: Maternal and Child Health Centres |
| Group 3: Elderly Health Service |
| Group 4: Methadone Clinics |
| Group 5: Social Hygiene Service, Special Prevention Programme and TB & Chest Service |
| Group 6: Port Health |

For the private sector, private hospital age-, sex-specific in-patient discharge records (2007-2011: including day case and acute care in-patient) are used as utilisation trends and data available prior to 2007 were of inconsistent quality. Age-, sex-specific outpatients visits from the THS 2005, 2008, 2009 and 2011 are used for the private sector outpatient utilisation projections with adjustment for underreporting.

3.3 Model comparison

The top down methods (EOH and MSD), with relatively fewer data requirements, are based on the expectation that simple, aggregate models provide more reliable and reproducible healthcare utilisation projections. Further consistent, comprehensive data (number of observations and data-points) are available for the public sector. Much less reliable data are available for the private sector. The performance of a model is represented by the sum of absolute rate error $E(\theta, u)$:

$$E(\theta, u) = \sum_{a,s,y} |\widetilde{M}_u(a, s, y|\theta) - R_u(a, s, y)|$$

where $E(\theta, u)$ is the sum of absolute rate error of model $\theta \in \{\text{EOH-SVM, MSD-constant growth rate, MSD-historical growth rate}\}$ on utilisation rate u

$\widetilde{M}_u(a, s, y|\theta)$ is the estimated utilisation rate on u of age-sex group (a,s) at year y by model θ

$R_u(a,s,y)$ is the actual utilisation rate on u of age-sex group (a,s) at year y .

Note that the index y in the formulate of $E(\theta, u)$ has different range for different utilisation measures: $y \in \{2005, 2006, \dots, 2011\}$ for public sector and private outpatient utilisation; and $y \in \{2007, 2008, \dots, 2011\}$ for private sector inpatient utilisation. Table 3.3 lists the estimation error of EOH-SVM, MSD-constant growth rate and MSD-historical growth rate. The EOH-SVM models give a better model fit than the MSD models (Table 3.3). The EOH-

SVM estimation errors are smaller than those for the MSD-constant growth or MSD-historical growth rate models.

Table 3.3 Comparison of EOH-SVM, MSD-constant growth, MSD-historical growth rate estimation errors

| | EOH-SVM | MSD – constant growth rate | MSD – historical growth rate |
|--|---------|----------------------------|------------------------------|
| Day case discharge rate (public) | 0.93 | 7.56 | 1.53 |
| Acute care in-patient discharge rate (public) | 0.82 | 3.83 | 2.05 |
| Acute care in-patient bed day rate (public) | 7.29 | 44.65 | 17.19 |
| Long stay discharge rate (public) | 0.03 | 0.08 | 0.05 |
| Long stay bed day rate (public) | 11.09 | 28.42 | 20.21 |
| SOP visit rate | 3.67 | 8.09 | 8.08 |
| GOP visit rate | 4.04 | 16.95 | 10.06 |
| A&E attendance rate | 2.26 | 5.30 | 4.69 |
| Day case discharge rate (private) | 0.18 | 0.57 | 0.48 |
| Acute care in-patient discharge rate (private) | 0.11 | 0.42 | 0.33 |
| Acute care in-patient bed day rate (private) | 1.06 | 2.45 | 2.28 |
| Private outpatient rate | 99.03 | 252.69 | 251.94 |

In a sensitivity analysis, as would be expected, the EOH-RBM linear based model gives projections that are less steep than the Poisson model (which assumes an exponential trend) however, the data do not support a linear trend more than an exponential trend. The mean squared error is smaller for most utilisation measures projected by the RBM-Poisson model (Table 3.4). To avoid negative values, age-, sex-specific utilisation measures in the RBM linear model, share the same intercepts and slopes.

Table 3.4 Comparison of the linear and exponential RBM utilisation projections mean squared error (MSE) for selected demand/utilisation variables.

| Demand/utilisation variables | Natural scale | | Log scale | |
|--|---------------|---------------|---------------|---------------|
| | Linear | Exponential | Linear | Exponential |
| Public day cases | 25.8 | 18.0 | 0.0038 | 0.0026 |
| Public specialist outpatient visits | 700 | 522 | 0.0014 | 0.0007 |
| Public general outpatient visits | 1189 | 830 | 0.0038 | 0.0017 |
| Accident and Emergency visits | 165.4 | 125.8 | 0.0021 | 0.0016 |
| Private day cases | 1.63 | 1.76 | 0.0029 | 0.003 |
| Private acute care in-patient discharges | 6.13 | 6.69 | 0.0028 | 0.0013 |
| Private outpatient visits | 771405 | 561993 | 0.032 | 0.026 |
| DH Student and child services | 1022 | 982 | 1.21 | 0.09 |
| DH Port Health Office | 0.20 | 0.18 | 0.18 | 0.05 |

SVM models have the ability to generalize, learn from examples, adapt to situations based on historical data and generalize patterns from historical data in response to unknown situations. SVM implicitly detects complex nonlinear relationships between independent and dependent variables. When responding to nonlinearity between the predictor variables and the corresponding outcomes, the model automatically adjusts its structure to reflect these nonlinearities. The predictor variables in SVM undergo multiple nonlinear transformations and can thereby potentially model much more complex nonlinear relationships than RBM.

Regression models can also be used to model complex nonlinear relationships. However, these models require an explicit search for these relationships by the model developer and these may not be known or well understood. Appropriate transformations may not always be available for improving model fit, and significant nonlinear relationships may go unrecognized by model developers.

When complex data and relationships are involved, as compared to RBM, SVM would in theory at least, and empirically shown by the model fit statistics above, provide a more robust projection outcome, more flexibly integrates complex data into the model, and is not dependent on a pre-determined hypotheses about the relationships between model variables. For these reasons, the EOH-SVM approach has been used for all model projections in the report.

3.4 Demand indicators

3.4.1 Average length of stay (acute care and long stay patients)

Average length of stay (ALOS) (total bed-days by age-, sex-specific discharges) is separately calculated for public acute care in-patients and long stay patients, and private acute care in-patients. Age-, sex-specific ALOS for acute care in-patients (length of stay (LOS) > 1 day, excluding long stay⁴ episodes) is determined from HA in-patient discharge records (2004-2011) and private hospital in-patient discharge records (2007-2011). Age-, sex-specific ALOS for long stay in-patients (those designated officially as long stay episodes) is determined from HA in-patient discharge records (2004-2011).

3.4.2 Discharge rates (day case, acute care, long stay)

The discharge rates are based on HA (2004-2011) and private hospital in-patient (2007-2011) discharge records. All age-, sex-specific in-patient (day case (LOS ≤ 1 day), acute care (LOS > 1 day excluding long stay episodes) and long stay (those designated officially as such) discharges are included.

The number of public hospital day cases (Figure 3.5(a)), acute care in-patient (Figure 3.7(a)) and long stay discharges (Figure 3.9(a)) although projected to increase throughout the period the increase is most notable in day case discharges. After adjusting for population demographics discharge rates for day cases increase but acute care in-patient and long stay discharge rates decrease (Figure 3.6(a), 3.8(a) and 3.10(a)). Increased utilisation rates in public sector day cases are observed for both sexes in the 55+ year age groups (Figure 3.5 (b-c)); however, women have more variable discharge rate changes throughout the adult years (Figure 3.5(c), 3.7(c) and 3.9(c)). In contrast, the projected number of acute care in-patient and long stay discharges for older men and women increase (Figures 3.7(b-c), Figures 3.9(b-c) and Figures 3.10(b-c)).

⁴ Long stay episodes fulfil one of the following criteria: discharge specialty denoted by HA as either “infirmity”, “mentally handicapped”, or “psychiatry AND total length of stay > 90 days




Figure 3.5(a) Projected number of public sector day case discharges (by SVM) (2005-2041)




Figure 3.5(b) Projected number of public sector age-specific day case discharges (by SVM) – male (2005-2041)




Figure 3.5(c) Projected number of public sector age-specific day case discharges (by SVM) – female (2005-2041)




Figure 3.6(a) Projected annual public sector day case discharge rates (by SVM) (2005-2041)




Figure 3.6(b) Projected annual public sector day case average discharge rates (by SVM) - male (2005-2041)




Figure 3.6(c) Projected annual public sector day case average discharge rates (by SVM) – female (2005-2041)




Figure 3.7(a) Projected number of public sector acute care in-patient discharges (by SVM) (2005-2041)




Figure 3.7(b) Projected number of public sector age-specific acute care in-patient discharges (by SVM) – male (2005-2041)




Figure 3.7(c) Projected number of public sector age-specific acute care in-patient discharges (by SVM) – female (2005-2041)




Figure 3.8(a) Projected annual public sector acute care in-patient discharge rates (by SVM) (2005-2041)




Figure 3.8(b) Projected annual public sector acute care in-patient average discharge rates (by SVM) - male (2005-2041)




Figure 3.8(c) Projected annual public sector acute care in-patient average discharge rates (by SVM) – female (2005-2041)




Figure 3.9(a) Projected number of public sector long stay discharges (by SVM) (2005-2041)




Figure 3.9(b) Projected number of public sector age-specific long stay discharges – male (2005-2041)




Figure 3.9(c) Projected number of public sector age-specific long stay discharges – female (2005-2041)




Figure 3.10(a) Projected annual public sector long stay discharge rates (by SVM) (2005-2041)




Figure 3.10(b) Projected annual public sector long stay average discharge rates (by SVM) – male (2005-2041)




Figure 3.10(c) Projected annual public sector long stay average discharge rates (by SVM) - female (2005-2041)

In contrast to the public sector, the number of private sector day cases (Figure 3.11(a)) and acute care in-patient discharges (Figure 3.13(a)) increase and then plateau from 2020. Similarly private sector day case and acute care inpatient population-adjusted discharge rates increase to 2020 and then plateau (Figure 3.12(a) and 3.14(a)). Higher male vs. female private sector day case discharge rates at both ends of the age spectrum are observed (Figure 3.12(b-c)). The increased day case discharges in the 35-65 year age groups for both sexes may suggest increased ability to pay for private acute care hospitalisation in these age groups (Figure 3.11(b-c)). In the private sector, increases in acute care in-patient discharges and discharge rates adjusted for population demographics are observed for the 0-5 year age groups and women of childbearing age (suggests an increase in the use of private hospitals for births) (Figure 3.13(b-c) and 3.14(b-c)).




Figure 3.11(a) Projected number of private sector day case discharges (by SVM) (2005-2041)




Figure 3.11(b) Projected number of private sector age-specific day case discharges (by SVM) – male (2005-2041)




Figure 3.11(c) Projected number of private sector age-specific day case discharges (by SVM) – female (2005-2041)




Figure 3.12(a) Projected annual private sector day case discharge rates (by SVM) (2007-2041)




Figure 3.12(b) Projected private sector average day case discharge rates (by SVM) - male (2007-2041)




Figure 3.12(c) Projected private sector average day case discharge rates (by SVM) - female (2007-2041)




Figure 3.13(a) Projected number of private sector acute care in-patient discharges (by SVM) (2007-2041)




Figure 3.13(b) Projected number of private sector age-specific acute care in-patient discharges (by SVM) – male (2007-2041)




Figure 3.13(c) Projected number of private sector age-specific acute care in-patient discharges (by SVM) – female (2007-2041)




Figure 3.14(a) Projected annual private sector acute care in-patient discharge rates (by SVM) (2007-2041)




Figure 3.14(b) Projected private sector average acute care in-patient discharge rates (by SVM) - male (2007-2041)




Figure 3.14(c) Projected private sector average acute care in-patient discharge rates (by SVM) – female (2007-2041)

3.4.3 Outpatient visit rates

HA A&E, general and specialist outpatient visit records per year (2004-2011) and DH service unit attendances (2005-2011) are used to project age-, sex-specific public sector outpatient visit rates. Due to the limited number of data points for private sector outpatient visits (THS data for 2005, 2008, 2009 and 2011) outpatient visit rates for 2006, 2007, and 2010 are estimated using the observed public (HA, excluding A&E and DH) : private outpatient visit proportion as follows:-

$$\begin{aligned}
 &\text{Number of private outpatient visits } (a, s, y) \\
 &= \text{Number of HA outpatient visits } (a, s, y) \\
 &\times \text{Ratio of private to public outpatient visit } (\text{THS}(y), a, s)
 \end{aligned}$$

The ratio of private to public outpatient visits for years 2006, 2007, and 2010 (for which no THS was available) were estimated by interpolating from the ratios estimated from THS 2005, 2008, 2009, and 2011. Only HA outpatient visits are included as DH service attendances are seriously under-reported in the THS data. Private sector outpatient visits include solo practice clinics (single practitioner), group practice clinics (multiple practitioners

of single or multiple specialties), private hospital outpatient clinics, institutional clinics (charitable organization and ‘exempted’ clinics), university/tertiary institution clinics and Family Planning Association of Hong Kong clinics.

General and Specialist Outpatient Clinics

The number of GOP visits increase slowly (Figure 3.15(a)), however after adjustment for population demographics the GOP visit rates decrease reflecting the supply ceiling (lack of capacity to provide more service) in the public sector (Figure 3.16(a)). The public sector SOP number of visits and visit rates (after adjustment for population demographics) increase slowly (Figure 3.17(a) and 3.18(a)). There are more GOP and SOP visits for older women vs. men (Figure 3.15(b-c), 3.17(b-c)). The visits rates for older women vs. men are also higher (Figure 3.16(b-c) and 3.18(b-c)). In contrast, the number of private sector outpatient visits (Figure 3.19(a)) and visit rates increase and plateau from 2025 (Figure 3.20(a)). Women of child-bearing age have many more private sector visits than men (Figure 3.19(b-c)). However, the private sector outpatient analysis should be interpreted with caution as the data for the private sector projections is less reliable than that for the public sector as these are based on interpolated estimates of the THS data.




Figure 3.15(a) Projected number of public sector general outpatient visits (by SVM) (2005-2041)




Figure 3.15(b) Projected number of public sector age-specific general outpatient visits (by SVM) – male (2005-2041)




Figure 3.15(c) Projected number of public sector age-specific general outpatient visits (by SVM) – female (2005-2041)




Figure 3.16(a) Projected annual public sector general outpatient visit rates (by SVM) (2005-2041)




Figure 3.16(b) Projected public sector general outpatient average visit rates (by SVM) - male (2005-2041)




Figure 3.16(c) Projected public sector general outpatient average visit rates (by SVM) - female (2005-2041)




Figure 3.17(a) Projected number of public sector specialist outpatient visits (by SVM) (2005-2041)




Figure 3.17(b) Projected number of public sector age-specific specialist outpatient visits (by SVM) - male (2005-2041)




Figure 3.17(c) Projected number of public sector age-specific specialist outpatient visits (by SVM) - female (2005-2041)




Figure 3.18(a) Projected annual public sector specialist outpatient visit rates (by SVM) (2005-2041)




Figure 3.18(b) Projected annual public sector specialist outpatient average visit rates (by SVM) - male (2005-2041)




Figure 3.18(c) Projected annual public sector specialist outpatient average visit rates (by SVM) - female (2005-2041)




Figure 3.19(a) Projected number of private sector outpatient visits (by SVM) (2005-2041)




Figure 3.19(b) Projected number of private sector age-specific outpatient visits (by SVM) - male (2005-2041)




Figure 3.19(c) Projected number of private sector age-specific outpatient visits (by SVM) - female (2005-2041)




Figure 3.20(a) Projected annual private sector outpatient visit rates (by SVM) (2005-2041)




Figure 3.20(b) Projected annual private sector outpatient average visit rates (by SVM) - male (2005-2041)




Figure 3.20(c) Projected annual private sector outpatient average visit rates (by SVM) - female (2005-2041)

Accident and Emergency Department

Although the total number of Accident and Emergency Department (A&E) attendances increase rapidly (Figure 3.21(a)), after adjustment for population demographics the attendance rate increase is less steep (Figure 3.22(a)). There are few male vs. female differences in the number of age-specific attendances (Figure 3.21(b-c)). However the attendance rate adjusted for population demographics is higher among younger and older males than females (Figure 3.22(b-c)).




Figure 3.21(a) Projected number of public sector accident and emergency department attendances (by SVM) (2005-2041)




Figure 3.21(b) Projected number of public sector age- specific accident and emergency department attendances (by SVM) – male (2005-2041)




Figure 3.21(c) Projected number of public sector age- specific accident and emergency department attendances (by SVM) – female (2005-2041)




Figure 3.22(a) Projected annual public sector accident and emergency department attendance rates (by SVM) (2005-2041)




Figure 3.22(b) Projected annual public sector accident and emergency department average attendance rates (by SVM) - male (2005-2041)




Figure 3.22(c) Projected annual public sector accident and emergency department average attendance rates (by SVM) - female (2005-2041)

Department of Health services

Although the total number of attendances at the DH clinical service units is available per year (2005-2011), age-, sex-specific visit data are not available for all clinics or for all years. For some services, the age-, sex-specific distribution is interpolated from the distribution of a related service, or estimated from a sample. For example, the age-, sex-specific distribution of Elderly Health Service (EHS) attendances for medical consultations is derived from the distribution of Elderly Health Service attendances for health assessment. For other services, attendance records are available for a limited number of years. The missing data are interpolated from the age-, sex-specific distribution in the nearest year for which data are available assuming no change in attendance patterns.

Stable or declining number of attendances are observed across all DH services except for Port Health (Figures 3.23(a-c), 3.25(a-c), 3.27(a-c), 3.29(a-c), 3.31(a-c), 3.33(a-c)). The annual adjusted (by population demographics) attendance rates for the Child Assessment Service and Student Health Service and Port Health increase (Figure 3.24(a-c), 3.26(a-c), 3.28(a-c), 3.30(a-c), 3.32(a-c), 3.34(a-c)). In contrast, the Maternal and Child Health Service (MCHC), Elderly Health Service (EHS), and Social Hygiene Service show declining attendance rates whereas the Methadone Clinics attendance rates are stable.

Child Assessment and Student Health Service age-specific attendances and attendance rates reflect the declining birth rate. As expected age- and sex-specific differences (higher female vs. male children and for women of child-bearing age) are observed in the MCHC number of attendances and attendance rates. While EHS number of attendances are higher for females vs. males, age-specific rates are declining. Number of attendances and age-specific attendance rates are higher for males vs. females across all ages for the Methadone Clinics and for the Social Hygiene Service. In contrast, Port Health age-specific number of attendances and attendance rates are higher for females vs. male in the early – middle adult years. As much of the DH service data are imputed or estimated, reliable age-, sex-specific changes in rates across the years are difficult to determine.




Figure 3.23(a) Projected number of DH outpatient attendances: Child Assessment Service and Student Health Service (by SVM) (2005-2041)




Figure 3.23(b) Projected number of DH outpatient age-specific attendance: Child Assessment Service and Student Health Service (by SVM) – male (2005-2041)




Figure 3.23(c) Projected number of DH outpatient age-specific attendance: Child Assessment Service and Student Health Service (by SVM) – female (2005-2041)




Figure 3.24(a) Projected annual DH outpatient attendance rates: Child Assessment Service and Student Health Service (by SVM) (2005-2041)




Figure 3.24(b) Projected annual DH outpatient average attendance rates: Child Assessment Service and Student Health Service (by SVM) - male (2005-2041)




Figure 3.24(c) Projected annual DH outpatient average attendance rates: Child Assessment Service and Student Health Service (by SVM) - female (2005-2041)




Figure 3.25(a) Projected number of DH outpatient attendances: Maternal and Child Health Centres (by SVM) (2005-2041)




Figure 3.25(b) Projected number of DH outpatient age-specific attendance: Maternal and Child Health Centres (by SVM) – male (2005-2041)




Figure 3.25(c) Projected number of DH outpatient age-specific attendance: Maternal and Child Health Centres (by SVM) – female (2005-2041)




Figure 3.26(a) Projected annual DH outpatient attendance rates: Maternal and Child Health Centres (by SVM) (2005-2041)




Figure 3.26(b) Projected annual DH outpatient average attendance rates: Maternal and Child Health Centres (by SVM) – male (2005-2041)




Figure 3.26(c) Projected annual DH outpatient average attendance rates: Maternal and Child Health Centres (by SVM) - female (2005-2041)




Figure 3.27(a) Projected number of DH outpatient attendances: Elderly Health Service (by SVM) (2005-2041)




Figure 3.27(b) Projected number of DH outpatient age-specific attendance: Elderly Health Service (by SVM) – male (2005-2041)




Figure 3.27(c) Projected number of DH outpatient age-specific attendance: Elderly Health Service (by SVM) – female (2005-2041)




Figure 3.28(a) Projected annual DH outpatient attendance rates: Elderly Health Service (by SVM) (2005-2041)




Figure 3.28(b) Projected annual DH outpatient average attendance rates: Elderly Health Service (by SVM) - male (2005-2041)




Figure 3.28(c) Projected annual DH outpatient average attendance rates: Elderly Health Service (by SVM) - female (2005-2041)




Figure 3.29(a) Projected number of DH outpatient attendances: Methadone Clinics (by SVM) (2005-2041)




Figure 3.29(b) Projected number of DH outpatient age-specific attendance: Methadone Clinics (by SVM) – male (2005-2041)




Figure 3.29(c) Projected number of DH outpatient age-specific attendance: Methadone Clinics (by SVM) – female (2005-2041)




Figure 3.30(a) Projected annual DH outpatient attendance rates: Methadone Clinics (by SVM) (2005-2041)




Figure 3.30(b) Projected annual DH outpatient average attendance rates: Methadone Clinics (by SVM) - male (2005-2041)




Figure 3.30(c) Projected annual DH outpatient average attendance rates: Methadone Clinics (by SVM) - female (2005-2041)




Figure 3.31(a) Projected number of DH outpatient attendances: Social Hygiene Service, Special Prevention Programme and TB & Chest Service (by SVM) (2005-2041)




Figure 3.31(b) Projected number of DH outpatient age-specific attendance: Social Hygiene Service, Special Prevention Programme and TB & Chest Service (by SVM) – male (2005-2041)




Figure 3.31(c) Projected number of DH outpatient age-specific attendance: Social Hygiene Service, Special Prevention Programme and TB & Chest Service (by SVM) – female (2005-2041)




Figure 3.32(a) Projected annual DH outpatient attendance rates: Social Hygiene Service, Special Prevention Programme and TB & Chest Service (by SVM) (2005-2041)




Figure 3.32(b) Projected annual DH outpatient average attendance rates: Social Hygiene Service, Special Prevention Programme and TB & Chest Service (by SVM) - male (2005-2041)




Figure 3.32(c) Projected annual DH outpatient average attendance rates: Social Hygiene Service, Special Prevention Programme and TB & Chest Service (by SVM) - female (2005-2041)




Figure 3.33(a) Projected number of DH outpatient attendances: Port Health (by SVM) (2005-2041)




Figure 3.33(b) Projected number of DH outpatient age-specific attendances: Port Health (by SVM) – male (2005-2041)




Figure 3.33(c) Projected number of DH outpatient age-specific attendances: Port Health (by SVM) – female (2005-2041)




Figure 3.34(a) Projected annual DH outpatient attendance rate: Port Health (by SVM) (2005-2041)




Figure 3.34(b) Projected annual DH outpatient average attendance rates: Port Health (by SVM) - male (2005-2041)




Figure 3.34(c) Projected annual DH outpatient average attendance rates: Port Health (by SVM) - female (2005-2041)

3.4.4 Total bed-days

While the number of public hospital acute care in-patient bed-days and the age-specific bed-days increase (Figure 3.35(a-c)), the number of long stay bed-days decrease (Figure 3.37(a-c)). However after adjusting for population demographics the acute care in-patient bed day rates and the long stay bed day rates decline (Figure 3.36(a) and 3.38(a)). The acute care and long stay bed-day population adjusted rate decrease is similar across all age-, sex-specific groups (Figure 3.36(b-c) and Figure 3.38(b-c)). In contrast, both private sector number of acute care bed-days increase (Figure 3.39(a)) and population adjusted bed-days rate increases (Figure 3.40(a)). As expected the number of bed-days increase for young children, females in their child-bearing years and elderly men and women (Figure 3.39(b-c)). A bed-day rate increase (adjusted for population demographics) is observed for the youngest children (Figure 3.40(c-c)).




Figure 3.35(a) Projected number of public sector acute care in-patient bed-days (by SVM) (2005-2041)




Figure 3.35(b) Projected number of public sector age-specific in-patient bed-days (by SVM) – male (2005-2041)




Figure 3.35(c) Projected number of public sector age-specific in-patient bed-days (by SVM) – female (2005-2041)




Figure 3.36(a) Projected annual public sector acute care in-patient bed-days rates (by SVM) (2005-2041)




Figure 3.36(b) Projected annual public sector average number of acute care in-patient bed-day rates (by SVM) - male (2005-2041)




Figure 3.36(c) Projected annual public sector average acute care in-patient bed-day rates (by SVM) – female (2005-2041)




Figure 3.37(a) Projected number of public sector long stay bed-days (by SVM) (2005-2041)




Figure 3.37(b) Projected number of public sector age-specific long stay bed-days (by SVM) – male (2005-2041)




Figure 3.37(c) Projected number of public sector age-specific long stay bed-days (by SVM) – female (2005-2041)




Figure 3.38 (a) Projected annual public sector long stay bed-day rates (by SVM) (2005-2041)




Figure 3.38(b) Projected annual public sector average long stay bed-day rates (by SVM) - male (2005-2041)




Figure 3.38(c) Projected annual public sector average long stay bed-day rates (by SVM) - female (2005-2041)




Figure 3.39(a) Projected number of private sector acute care bed-days (by SVM) (2005-2041)




Figure 3.39(b) Projected number of age-specific private sector acute care bed-days (by SVM) – male (2007-2041)




Figure 3.39(c) Projected number of age-specific private sector acute care bed-days (by SVM) – female (2007-2041)




Figure 3.40(a) Projected annual private sector acute care bed-day rates (by SVM) (2007-2041)




Figure 3.40(b) Projected annual private sector acute care bed-day rates (by SVM) - male (2007-2041)




Figure 3.40(c) Projected annual private sector acute care bed-day rates (by SVM) - female (2007-2041)

3.5 Converting healthcare utilisation to full time equivalents (FTEs)

Two regression-based approaches are used to convert healthcare demand/utilisation to doctor FTEs by service sector (public and private) and by service type (in-patient vs. outpatient, specialist vs. general practitioner).

3.5.1 Public Sector – Hospital Authority

Public sector doctors are stratified by practitioner type (generalist or specialist) and independently projected to adjust for work-related differences. The estimate assumes that the workload for acute care in-patient discharge and long stay patient discharge is equal. FTE is expressed as a linear combination of the utilisation measures as follows:-

$$\text{FTE}(y) = (d_{DP}(y) + d_{AC}(y) + d_{LS}(y)) \times c_d + (b_{AC}(y) - 2d_{AC}(y)) \times c_{b_AC} + (b_{LS}(y) - 2d_{LS}(y)) \times c_{b_LS} + v_s(y) \times c_s + v_g(y) \times c_g$$

| | |
|--------------------------|--|
| $d_{DP}(y)$ | number of day case discharges at year y |
| $d_{AC}(y)$ | number of acute care in-patient discharges at year y |
| $d_{LS}(y)$ | number of long stay patient discharges at year y |
| $b_{AC}(y) - 2d_{AC}(y)$ | number of acute care in-patient bed-days at year y (excluding admission and discharge day) |
| $b_{LS}(y) - 2d_{LS}(y)$ | number of long stay patient bed-days at year y (excluding admission and discharge day) |
| $v_s(y)$ | number of SOP visits at year y |
| $v_g(y)$ | number of GOP visits at year y |

c_d , c_{b_AC} , c_{b_LS} , c_s and c_g are the FTE conversion factors which are estimated in the two approaches as described below:

Approach 1: for FTE specialist doctors ‘in-patient-outpatient workload proportion’

The average proportion of doctors needed for one general outpatient visit (general outpatient visit data, HA, 2005-2011) is used to project the number of general practitioner FTEs.

FTE doctors in the public sector are defined as:-

$$\text{Number of FTE GOPD doctors: } D_g = n_{\text{doctor}} \times (1 - \alpha_{\text{type}})$$

$$\text{Number of FTE in-patient doctors: } D_{ip} = n_{\text{doctor}} \times \alpha_{\text{type}} \times \alpha_{\text{workload}}$$

$$\text{Number of FTE SOPD doctors: } D_s = n_{\text{doctor}} \times \alpha_{\text{type}} \times (1 - \alpha_{\text{workload}})$$

| | |
|----------------------------|---|
| n_{doctor} | number of FTE doctors in public sector, |
| α_{workload} | ‘in-patient-outpatient workload’ proportion and |
| α_{type} | ‘Specialist-GP’ proportion. |

The FTE conversion factors c_d , c_{b_AC} , c_{b_LS} , c_s and c_g are estimated by:

$$\begin{aligned}
& [c_d, c_{b_AC}, c_{b_LS}] \\
& = \underset{[p,q,r]}{\operatorname{argmin}} \sum_y \left((d_{DP}(y) + d_{AC}(y) + d_{LS}(y))p \right. \\
& \quad \left. + (b_{AC}(y) - 2d_{AC}(y))q + (b_{LS}(y) - 2d_{LS}(y))r - D_{ip}(y) \right)^2 \\
c_s & = \text{average number of SOP visits per FTE doctor} = \sum_{y=2005}^{2011} \frac{D_s(y)}{n_s(y)} / 7 \\
c_g & = \text{average number of GOP visits per FTE doctor} = \sum_{y=2005}^{2011} \frac{D_g(y)}{n_g(y)} / 7
\end{aligned}$$

The ‘in-patient-outpatient workload proportion’ is observed from the 2008 doctor hours distribution stratified by activity for five specialties as provided by the HA. The activities are grouped by in-patient or outpatient work. ‘Other’ (e.g. coaching, training, documentation, etc.) activity is assigned in equal proportion to in-patient or outpatient work (Table 3.5). The in-patient-outpatient workload proportion for each specialist is adjusted by the number of HA FTE staff in 2011. Based on the coefficients in Table 3.6, the estimated overall ‘in-patient-outpatient workload proportion’ is 0.76. Due to the sensitive nature of the average length of case data only the workload coefficients are presented in Tables 3.6 and 3.7.

Table 3.5 2008 doctor hours distribution for five major specialties in the public sector
(Source: Hospital Authority)

Source: Hospital Authority

| | | | |
|--|----------|-------------------|-------------------|
| Medicine | | | |
| Number of FTE staff in 2008 | | 1091 | |
| Doctor Hours distribution | | | |
| <i>Activity</i> | <i>%</i> | <i>In-patient</i> | <i>Outpatient</i> |
| In-patient & Day case | 47 | ✓ | |
| Operation & Procedure | 5 | ✓ | |
| Specialist Outpatient | 12 | | ✓ |
| Day Hospital & Community Service | 3 | ✓ | |
| On-call (including on-site and off-site) | 15 | ✓ | |
| Other (coaching, training, documentation, etc.) | 17 | 0.5 | 0.5 |
| In-patient-outpatient workload proportion | | 0.75 | |
| Surgery | | | |
| Number of FTE staff in 2011 | | 478 | |
| Doctor Hours distribution | | | |
| <i>Activity</i> | <i>%</i> | <i>In-patient</i> | <i>Outpatient</i> |
| In-patient & Day case | 26 | ✓ | |
| Operation | 18 | ✓ | |
| Procedure | 8 | ✓ | |
| Specialist Outpatient | 11 | | ✓ |
| On-call (including on-site and off-site) | 17 | ✓ | |
| Other (coaching, training, documentation, etc.) | 20 | 0.5 | 0.5 |
| In-patient-outpatient workload proportion | | 0.79 | |
| Obstetrics & Gynaecology | | | |
| Number of FTE staff in 2011 | | 205 | |
| Doctor Hours distribution | | | |
| <i>Activity</i> | <i>%</i> | <i>In-patient</i> | <i>Outpatient</i> |
| In-patient & Day case | 20 | ✓ | |
| Operation | 6 | ✓ | |
| Procedure | 7 | ✓ | |
| Delivery | 6 | ✓ | |
| Specialist Outpatient | 21 | | ✓ |
| On-call (including on-site and off-site) | 24 | ✓ | |
| Other (coaching, training, documentation, etc.) | 15 | 0.5 | 0.5 |
| In-patient-outpatient workload proportion | | 0.69 | |
| Paediatrics (excluding workload of trainees rotated out to Maternal and Child Health Centres) | | | |
| Number of FTE staff in 2011 | | 305 | |
| Doctor Hours distribution | | | |
| <i>Activity</i> | <i>%</i> | <i>In-patient</i> | <i>Outpatient</i> |
| In-patient & Day case | 34 | ✓ | |
| Procedure | 8 | ✓ | |
| Specialist Outpatient | 11 | | ✓ |
| On-call (including on-site and off-site) | 31 | ✓ | |
| Other (coaching, training, documentation, etc.) | 17 | 0.5 | 0.5 |
| In-patient-outpatient workload proportion | | 0.81 | |
| Orthopaedics | | | |
| Number of FTE staff in 2011 | | 290 | |
| Doctor Hours distribution | | | |
| <i>Activity</i> | <i>%</i> | <i>In-patient</i> | <i>Outpatient</i> |
| In-patient & Day case | 32 | ✓ | |
| Operation | 16 | ✓ | |
| Procedure | 3 | ✓ | |
| Specialist Outpatient | 12 | | ✓ |
| On-call (including on-site and off-site) | 17 | ✓ | |
| Other (coaching, training, documentation, etc.) | 20 | 0.5 | 0.5 |
| In-patient-outpatient workload proportion | | 0.77 | |

Table 3.6 Workload coefficients in Approach 1 for public sector FTE conversion

| | Coefficient ¹ |
|---|--------------------------|
| Discharge (day case /acute / long stay case) ⁴ | 0.00108 |
| Bed-day (acute case) | 0.00036 |
| Bed-day (long stay) | 0.00017 |
| SOP ⁵ visit | 0.00016 |
| GOP ⁶ visit | 0.00011 |
| A&E ⁷ attendance | 0.00020 |

Note:

¹ $\alpha_{workload} = 0.76$ and $\alpha_{type} = 0.9$; applied the historical number of discharges and total bed-days from 2004 to 2011.

² annual working hours per FTE doctor is 65hrs per week x 42.5 weeks = 2762.5 hrs.

³ The specialties involved in direct patient care include psychiatry, ophthalmology, clinical oncology, ENT, medicine, obstetrics & gynaecology, orthopaedics, paediatric and surgery. Based on the total work hours per doctor per year provided by HA (for 2008), these specialties comprise 67% of full-time equivalent staff in 2011.

⁴ Discharge includes procedures and surgery

⁵ SOP=specialist outpatient

⁶ GOP=general outpatient

⁷ A&E=Accident and Emergency

*

Approach 2: for FTE specialist doctors 'specialist-GP proportion'

Based on the HA discharge data the specialist - general practitioner proportion is calculated as follows:-

$$\begin{aligned}
 & [c_d, c_{b_AC}, c_{b_LS}, c_s] \\
 & = \underset{[p,q,r,z]}{\operatorname{argmin}} \sum_y \left((d_{DP}(y) + d_{AC}(y) + d_{LS}(y))p + b_{AC}(y)q + b_{LS}(y)r \right. \\
 & \quad \left. + v_s(y)z - n_{IP}(y) - n_{SOP}(y) \right)^2
 \end{aligned}$$

$$c_g = \text{average 'number of visits-to-FTE GOP doctor'} = \sum_{y=2005}^{2011} \frac{D_g(y)}{n_g(y)} / 7$$

Table 3.7 Workload coefficients in Approach 2 for FTE conversion - public sector

| | Coefficient ¹ |
|---|--------------------------|
| Discharge (day case /acute / long stay case) ⁴ | 0.00075 |
| Bed-day (acute case) | 0.00032 |
| Bed-day (long stay) | 0.00013 |
| SOP ⁵ visit | 0.00028 |
| GOP ⁶ visit | 0.00011 |
| A&E ⁷ attendance | 0.00020 |

Note:

¹ $\alpha_{workload} = 0.76$ and $\alpha_{type} = 0.9$; applied the historical number of discharges and total bed-days from 2004 to 2011

² annual working hours per FTE doctor is 65hrs per week x 42.5 weeks = 2762.5 hrs.

³ The specialties involved in direct patient care include psychiatry, ophthalmology, clinical oncology, ENT, medicine, obstetrics & gynaecology, orthopaedics, paediatric and surgery. Based on the total work hours per doctor per year provided by HA (for 2008), these specialties comprise 67% of full-time equivalent staff in 2011.

⁴ Discharge includes procedures and surgery

⁵ SOP=specialist outpatient

⁶ GOP=general outpatient

⁷ A&E=Accident and Emergency

Based on the coefficients listed in Table 3.7, the corresponding $\alpha_{workload} =$

$\frac{\text{workload on inpatient care}}{\text{workload of specialist}}$ is 0.6. This is consistent with the number of GOP consultations

reported in the DH HMS for Doctors (2004-2007 and 2009) and estimates from the HA historical outpatient visit data. .

3.5.2 Public sector – Department of Health

As historical data for the number of DH doctors by service type is not available the DH doctor FTE conversion is calculated as follows:-

$u_i(y)$ number of DH clinic attendances by type i at year y ,

DH clinic visit workload (except for the Methadone clinics) is assumed to be the same as a HA general outpatient visit. The utilisation of all clinics excluding the Methadone clinics was used to calculate FTE's. Each Methadone clinic (20) is assumed to have one doctor. FTE's are expressed as a linear combination of these utilisation measures:

$$FTE(y) = c_g \sum_{i \neq 4} u_i(y) + 20$$

3.5.3 Private sector

Although similar methods are used for the private sector doctor FTE conversion, additional parameters are included such as:- the per hospital proportion of resident and visiting doctors, and the proportion of clinic-based non-visiting doctors. The three different types of doctors are each assigned different workload proportions.

$d_{DP}(y)$ number of day case discharges at year y ,
 $d_{AC}(y)$ number of acute care in-patient discharges at year y ,
 $b_{AC}(y)$ total number of acute care bed-days at year y and
 $v(y)$ number of SOP visits at year y .

FTE is expressed as a linear combination of utilisation measures:

$$\begin{aligned}
 \text{FTE}(y) = & d_{DP}(y) \times c_{d_DP} + \\
 & (d_{AC}(y) - 2b_{AC}(y)) \times c_{d_AC} + \\
 & b_{AC}(y) \times c_{b_AC} + \\
 & v(y) \times c_v + B
 \end{aligned}$$

n_{doctor} is denoted as the number of FTE doctors in the private sector,

α_r proportion of resident doctor,
 α_v proportion of visiting doctor,
 α_c proportion of clinic-based non-visiting doctor,
 β ‘in-patient-outpatient workload’ proportion of resident doctor, and
 λ ‘in-patient-outpatient workload’ proportion of visiting doctor.

where $\alpha_r + \alpha_v + \alpha_c = 1$

Number of in-patient FTE doctors: $D_{ip} = (\alpha_r \beta + \alpha_v \lambda) \times n_{doctor}$

Number of outpatient clinic FTE doctors: $D_{op} = (\alpha_r \times (1-\beta) + \alpha_v \times (1-\lambda)) \times n_{doctor}$

The value of coefficients α_r , α_v , and α_c are based on the private doctor survey 2012; β follows the ‘in-patient-outpatient workload’ proportion of public sector. For λ , the daily activity of a visiting doctor is assumed to be: 10:00 am – 1:00 pm and 3:00 pm – 6:30 pm in clinic, and 2 hours in hospital (Table 3.8).

Approach 1:

$$[c_{d_DP}, c_{d_AC}, c_{b_nDP}]$$

$$= \operatorname{argmin}_{[p,q,r]} \sum_y (d_{DP}(y)p + d_{AC}(y)q + (b_{AC}(y) - 2d_{AC}(y))r - n_{IP}(y))^2$$

$$c_v = \text{average number of outpatient visits per FTE doctor: } \sum_{y=2005}^{2011} \frac{D_{op}(y)}{n_{op}(y)} / 7$$

Table 3.8 Workload coefficients in Approach 1 for private sector FTE conversion

| | Coefficient ¹ | Average length per case ² (min) |
|--|--------------------------|--|
| Discharge (day case) | 0.0012 | 197 |
| Discharge (acute care in-patient) | 0.0012 | 197 |
| Bed-day (acute care in-patient - excluding admission and discharge days) | 0.0004 | 67 |
| Outpatient | 0.0001 | 17 |

Note

¹ $\alpha_r = 0.035$, $\alpha_v = 0.519$, $\alpha_c = 0.445$, $\beta = 0.76$ and $\lambda = 0.25$; applied the historical number of discharges, total bed-days and number of SOP visits from 2007 to 2011.

²annual working hours per FTE doctor is $65 \times 42.5 = 2762.5$ hrs.

The average number of private outpatient consultations per FTE doctor per day is 24 (THS 2009, data corrected for under-reporting), consistent with the average number of private outpatient consultations from the Private Doctor Survey conducted by the HKU School of Public Health 2012 (unpublished data), used to calculate FTE doctors needed for the projected private outpatient visits from 2012-2041. A linear regression model is used to convert in-patient workload (day case, in-patient discharges, and bed-days) to FTE doctors.

4 Projecting doctor supply

Hong Kong Medical Council doctor registration data (age-, sex-specific) for 2012 (155,156) is used for the doctor supply base case. The University Grants Committee data for past and projected number of local medical student graduates and data from the DH Healthcare Manpower Survey (HMS) (157,158, 159, 160, 161) for Doctors (with the public sector proportion adjusted to be consistent with the actual by the HA doctor employment records [Statistical Report (162)] from 2005 – 2007, 2009) are used for the supply projections.

4.1 Models for doctor supply

The doctor supply model is a non-homogenous Markov Chain Model (MCM)⁵, where workforce systems are represented as “stocks and flows” (Figure 4.1). Flow refers to

⁵Markov Chain Model (MCM): MCM estimates transition probabilities relevant to manpower stock and flow and is useful for micro level manpower planning

manpower supply over a period of time. Stock denotes manpower supply at a particular point in time.




Figure 4.1 Doctor supply model for Hong Kong.

There are five age-, sex-specific stocks by year (a,s,y) in the model:

| | |
|-----------------|--|
| n_{pre} | number of pre-existing registrants |
| n_{local} | number of local graduates |
| $n_{non-local}$ | number of non-local graduates |
| $n_{current}$ | number of current registrants |
| n_{active} | number of active and available registrants |

Flow in the supply model represents change in the stocks and is projected by determining

- a) the number of current registrants (total number of local graduates, non-local graduates and pre-existing registrants):

$$n_{current}(a,s,y) = p_{renewal}(y) \times n_{pre}(a,s,y) + n_{local}(a,s,y) + n_{non-local}(a,s,y)$$

where $p_{renewal}(y)$ is the licence renewal proportion at year y .

- b) the number of active and available registrants:

$$n_{active}(a,s,y) = n_{current}(a,s,y) \times p_{active}(a,s,y)$$

where $p_{active}(a,s,y)$ is the active proportion.

FTEs by service sector c at year y are calculated as:

$$\text{FTE}(y, c) = \frac{\sum_a \sum_s n_{\text{active}}(a, s, y) \times p_{\text{sector}}(a, s, y, c) \times h(a, s, y, c)}{\text{Standard working hours per week per FTE}}$$

where $p_{\text{sector}}(a, s, y, c)$ is the proportion of doctors working in the service sector c at year y , and $h(a, s, y, c)$ is the average number of working hours per doctor.

The supply projection is based on the stocks and also the parameters $p_{\text{renewal}}(y)$, $p_{\text{active}}(a, s, y)$, $p_{\text{sector}}(a, s, y, c)$ and $h(a, s, y, c)$. A sigmoid model is used to project the parameters.

4.2 Determinants of supply: projecting stock and flow

4.2.1 Total number of registrants

The total number of registrants is defined as the number of pre-existing registrants (pool of registered doctors multiplied by the registration renewal proportion [as provided by the HKMC]) and the newly eligible registrants (new medical graduates from the University of Hong Kong (HKU) and the Chinese University of Hong Kong (CUHK), new provisional licences [for medical interns]) and non-local graduates entering the pool by year (2005-2011).

Based on the number of medical student placements (set by the UGC) and the expected number of provisional licences for medical interns, the number of new registrants are projected using a sigmoid function. The supply model thus assumes a cap on medical student graduation at 420 students from 2019 – 2041. Although data are available for the HKMC (2001-2011) (155,156) licensing examination pass rates, based on the current (2012) number of non-local registrants, the supply model assumes a constant inflow of 60 non-local graduates to the registration pool per year, that is in line with the latest year statistics.

4.2.2 Number clinically active

Although the total number of registrants adds to the total doctor pool, it is the number of clinically active/available⁶ registrants that is relevant for workforce projection. The supply model stratifies clinically inactive/unavailable doctors into four categories: no longer in

⁶ The definition for clinically active/available doctors varies from that adopted by the DH. We have excluded doctors who are no longer in medical practice but not retired, those otherwise unavailable from the clinically active and available, and those deregistered.

medical practice but not retired, natural attrition/retirement, otherwise unavailable, and otherwise deregistered. Based on the HMS on Doctors (157-161), a sigmoid function is used to project the number of doctors who are no longer in medical practice but not retired, doctors who leave due to natural attrition/retirement, and those otherwise unavailable. Based on HKMC data (155,156), one doctor is assumed deregistered each year.

4.2.2.1 *No longer in medical practice but not retired*

Based on data from the HMS for Doctors (2004, 2005, 2006, 2007, and 2009), projections are made of the proportion of doctors (sex-stratified) ‘no longer in medical practice but not retired’ (clinically trained, qualified and registered doctors who are no longer practicing clinical medicine) to 2025 (Figure 4.2). As reported in other jurisdictions, more female doctors are likely to leave the active workforce in the coming years.




Figure 4.2 ‘No longer in medical practice but not retired’ projections by sex 2012-2025. (DH Healthcare Manpower Survey for Doctors)

4.2.2.2 *Natural attrition/retirement*

The natural attrition/retirement projections are age-, and sex-specific (Figure 4.3 and 4.4). As expected, the projected retirement proportion increases by age. However, women, who remain in the workforce, retire at a later age than their male counterparts.




Figure 4.3 ‘Natural attrition/retirement’ projections for men by age, 2012-2041




Figure 4.4 ‘Natural attrition/retirement’ projections for women by age, 2012-2041

4.2.2.3 *Otherwise unavailable*

“Otherwise unavailable”⁷ (those who have moved away from Hong Kong) doctors are projected from the HMS for Doctors (2004, 2005, 2006, and 2007) to 2025. The 2009 survey is omitted due to a sudden unexplained increase in the proportion of ‘otherwise unavailable’

⁷ Otherwise unavailable was defined as not practising locally, practising in the Mainland / practising overseas

for both men and women in the survey data. The projection shows an increasing trend in ‘otherwise unavailable’ male doctors (Figure 4.5).




Figure 4.5 ‘Otherwise unavailable’ projections by sex, 2012-2025

4.3 Supply externalities

4.3.1 Workforce participation and differential work capacity

The doctor supply model uses the HMS for Doctors (2004, 2005, 2006, 2007 and 2009) proportions to allocate clinically active doctors by service sector (Figure 4.6). The clinically active doctors are stratified by sector (public and private), and workplace location (Hospital Authority and Government, academic & subvented) as each has different work patterns and female-male ratio. The supply model estimates the age-, sex-specific proportion of clinically active doctors by service sector and location (public sector includes doctors working in the Hospital Authority and the ‘Government, academic & subvented’ services), differential work capacity, work pattern and standard working hours from the HMS for Doctors (2004, 2005, 2006, 2007 and 2009).




Figure 4.6 Distribution of doctors by healthcare sector in 2009 (DH HMS for Doctors 2009)
(Proportions do not add up due to missing data)

4.4 Converting workforce supply to full time equivalents (FTEs)

The model uses the age-, sex-specific stratified average working hours to determine the total hours worked by sector. However, due to the sensitive nature of working hours data the age-, sex-specific stratification of working hours by sector is not presented in the report. The average working hours in any sector is capped at 65 hours per week (equivalent to 1 FTE). The HA doctors as compared to private sector or government, academic, or sub-vented doctors have much longer working hours per week.

4.5 Doctor supply projection from 2012-2041

Table 4.1 presents the detailed projection outcomes for each of the variables in the supply model and the total FTE supply projection from 2015-2040. The ‘Hospital Authority’ and the ‘Government, academic, and subvented’ FTE projections are combined for the overall public sector FTE. The FTE projection by sector (public and private) is presented in Figure 4.7.




Figure 4.7 The overall projected supply of FTE doctors by sector from 2012-2041

Table 4.1 Doctor supply projection 2015-2040

| Year | 2015 | 2020 | 2025 | 2030 | 2035 | 2040 |
|--|-------|-------|-------|-------|-------|-------|
| Registrants | | | | | | |
| Pre-existing registrants | 13180 | 14694 | 16304 | 17726 | 18947 | 20057 |
| Number of registrants after renewal ¹ | 13049 | 14544 | 16125 | 17509 | 18684 | 19768 |
| Graduate | | | | | | |
| Local ² | 320 | 420 | 420 | 420 | 420 | 420 |
| Non-local ³ | 60 | 60 | 60 | 60 | 60 | 60 |
| Newly eligible registrants | 380 | 480 | 480 | 480 | 480 | 480 |
| Limited registration ⁴ | 159 | 144 | 132 | 124 | 119 | 115 |
| Total number of registrants | 13588 | 15168 | 16737 | 18113 | 19282 | 20363 |
| Clinically inactive/unavailable | | | | | | |
| No longer in medical practice but not retired ⁵ | 287 | 341 | 394 | 441 | 483 | 522 |
| Natural attrition/retirement ⁵ | 625 | 854 | 1138 | 1442 | 1738 | 2030 |
| Otherwise unavailable ⁶ | 709 | 813 | 896 | 960 | 1010 | 1055 |
| Otherwise deregistered ⁷ | 1 | 1 | 1 | 1 | 1 | 1 |
| Number of inactive registrants ⁸ | 1622 | 2009 | 2428 | 2844 | 3232 | 3609 |
| Number of clinically active/available registrants ⁹ | 11646 | 12739 | 13889 | 14849 | 15630 | 16334 |
| Total number of doctors ¹⁰ | 11966 | 13159 | 14309 | 15269 | 16050 | 16754 |
| Total FTE ¹¹ | 10986 | 11962 | 12873 | 13585 | 14146 | 14658 |

¹ The renewal rate (HKMC annual reports) times the number of pre-existing registrants

² The numbers of graduates from the UGC; number of expected graduates held constant at 420 from 2018

³ Non-local graduates projected by sigmoid function

⁴ Limited registrants projected by sigmoid function (data from the HKMC)

⁵ Proportion of doctors clinically inactive/unavailable DH HMS for Doctors (2004-2007, and 2009), projected by sigmoid function

⁶ Proportion of doctors otherwise unavailable from the DH HMS for Doctors (2004-2007), projected by sigmoid function

⁷ Assumed 1 permanent doctor deregistration per year

⁸ Total number of doctors clinically inactive/unavailable

⁹ Total number of clinically active/available registrants (does not include interns or others with provisional licences)

¹⁰ The total number of clinically active/available doctors in the public (HA and DH) and private sector

¹¹ Total projected FTE for the public and private sector

5 Gap analysis

The gap analysis quantifies the difference between the projected demand for and supply of doctors for the base case (assumed demand and supply is at equilibrium from 2005 – 2011, i.e. realised demand equals realised supply where the gap is defined to be zero). The parameterisation of the demand base case is listed in Table 5.1.

For the supply base case, the projected FTE supply includes only those working in the HA, the private sector, and the DH. As the data available do not separately report DH headcount, the model assumes that 30% of the ‘Government, academic, and subvented’ headcount are attributable to the DH. Others in the ‘Government, academic, and subvented’ category are not included in the gap analysis supply projections.

The gap analysis has considered two utilisation to FTE conversion approaches. Approach 1, a bottom up approach adopted by the HA, based on expert opinion and derived through a consensus building process, deployed an in-patient-outpatient workload proportion of 0.76. The number of FTEs projected by Approach 1 do not calibrate well with the doctor FTEs as reported in the HA Statistical Report (162). Approach 2, a top down approach, based on empirical data and using regression-based methods determined an in-patient-outpatient workload proportion of 0.6. The following base case gap analysis deployed Approach 2 for the FTE conversion as the empirical approach is consistent with the objective analytical methods adopted throughout the preceding analysis.

Table 5.1 Projecting doctor FTE gap: Base case utilisation to FTE conversion

| Model projection parameters | Base case |
|--|-----------|
| Public sector | |
| IP-OP workload proportion | 0.6 |
| Private sector | |
| Proportion of resident doctor (RD) | 0.036 |
| Proportion of visiting doctor (VD) | 0.519 |
| Proportion of clinic-based non-visiting doctor | 0.445 |
| IP-OP workload proportion (RD) | 0.76 |
| IP-OP workload proportion (VD) | 0.25 |

5.1 Method

Three methods (annual number of FTEs, year-on-year FTE, and annual incremental FTE) are used to quantify FTE doctor demand and compared to the base case supply projections.

5.1.1 Annual number of FTE

The number of FTE doctors required in year y is as a function of the various utilisation measures in year y as described in the previous sections where:-

$$\text{Number of FTE (y)} = \sum_i n_{(i)}(y)c_{(i)}$$

$n_{(i)}(y)$ is the projected utilisation measure i in year y , and the $c_{(i)}$ the estimated FTE: $n_{(i)}$ ratio.

5.1.2 Year-on-year FTE

The year-on-year FTE method quantifies the accumulated difference between demand and supply as follows:-

$$a(y) = \text{Demand}(y) - \text{Supply}(y)$$

where $a(y)$ is the year-on-year FTE at year y , $\text{Demand}(y)$ the FTE demand at year y , and $\text{Supply}(y)$ the FTE supply at year y .

5.1.3 Annual incremental FTE

The annual incremental FTE method quantifies the change in the demand supply gap from the previous year as follow:-

$$I(y) = a(y) - a(y - 1)$$

where $I(y)$ is the annual incremental FTE at year y , $a(y)$ the year-on-year FTE at year y , and $a(y - 1)$ the year-on-year FTE from the previous year.

5.2 Base case scenario

For the base case scenario, the model projects an increased FTE demand (Figure 5.1 - 5.3; Table 5.2 - 5.4). The supply of doctors, at least until 2016, increases at a much slower rate. The year-on-year shortfall projected at 2016 is 720 FTEs (annual incremental shortfall of 132

FTEs); at 2017 is 696 FTEs (annual incremental surplus is 24 FTEs) reflecting the impact of new local graduates entering the system; and at 2025 is 369 FTEs (annual incremental surplus of 41 FTEs).

5.3 Caveats and future work

Here we provide estimates of the base case that has taken into account historical trends adjusted for population growth and demographics. However there are well recognised externalities arising from novel policies (e.g. entirely new private hospitals with requirements for packaged charging and other detailed operation conditions or the proposed Health Protection Scheme), the changing macro environment (e.g. burgeoning growth of mainland Chinese patients seeking care in Hong Kong), or the putative flexible capacity in the private sector, amongst others. In addition, the base case does not consider potential policy options aimed at service improvement such as reducing lengthy queues for GOP and SOP outpatient appointments or elective surgical procedures.




Figure 5.1 Projected number of FTE doctors: Base case supply and demand (SVM Approach 2, Shaded area: 5th-95th percentile).




Figure 5.2 Year-on-year FTE gap: Base case demand model (SVM Approach 2, Shaded area: 5th-95th percentile)




Figure 5.3 Annual incremental FTE gap: Base case demand model (SVM Approach 2, Shaded area: 5th-95th percentile)

Table 5.2 Base case: projected year-on-year supply-demand gap (SVM Approach 2) [*a
negative number indicates surplus]

| | Best estimate | 5 th percentile | 95 th percentile |
|------|---------------|----------------------------|-----------------------------|
| 2015 | 620 | 480 | 770 |
| 2020 | 821 | 631 | 1059 |
| 2025 | 761 | 543 | 1076 |
| 2030 | 730 | 490 | 1126 |
| 2035 | 860 | 615 | 1317 |
| 2040 | 1009 | 745 | 1522 |

Table 5.3 Base case: projected annual incremental supply-demand gap (SVM Approach 2) [*a
negative number indicates surplus]

| | Best estimate | 5 th percentile | 95 th percentile |
|------|---------------|----------------------------|-----------------------------|
| 2015 | 178 | 162 | 197 |
| 2020 | -13 | -19 | 3 |
| 2025 | -19 | -23 | -2 |
| 2030 | 1 | -1 | 16 |
| 2035 | 48 | 47 | 60 |
| 2040 | -4 | -4 | 8 |

6 Comparison of 2012-2041 and 2015-2064 projections

The final model presents two demand base case scenario (based on the 2012-2041 and the 2015-2064 CS&D demographic projections respectively) and the supply base case FTE projections as well as the year-on-year and annual incremental FTE gap (Figure 6.1 – 6.3, Tables 6.1 –6.2). The demand base case adopting the 2015-2064 vs. 2012-2041 CS&D demographic projections on average year-on-year FTE best guestimate show an increasing shortfall in the number of FTE doctors through 2035 thereafter the gap between the two projections narrows.




Figure 6.1 Historical and projected number of doctor FTEs: Base case supply and demand (Shaded area: 5th-95th percentile).




Figure 6.2 Year-on-year FTE gap: Base case demand model (Shaded area: 5th-95th percentile)




Figure 6.3 Annual incremental FTE gap: Base case demand model (Shaded area: 5th-95th percentile)

Table 6.1 Best guestimate: projected year-on-year supply-demand gap (assuming retirement =>65 years of age) [*a negative number indicates surplus]

| | Best estimate (2012-2041 demographic projection) | 5 th percentile | 95 th percentile | Best estimate (2015-2064 demographic projection) | 5 th percentile | 95 th percentile |
|------|---|-------------------------------|--------------------------------|---|-------------------------------|--------------------------------|
| 2015 | 675 | 417 | 931 | 597 | 457 | 747 |
| 2020 | 847 | 484 | 1238 | 769 | 580 | 1006 |
| 2025 | 778 | 345 | 1279 | 630 | 414 | 942 |
| 2030 | 787 | 313 | 1380 | 489 | 253 | 878 |
| 2035 | 992 | 502 | 1659 | 599 | 358 | 1048 |
| 2040 | 1224 | 719 | 1955 | 684 | 425 | 1186 |

Table 6.2 Best guestimate: projected annual incremental supply-demand gap (assuming retirement =>65 years of age) [*a negative number indicates surplus]

| | Best estimate (2012-2041 demographic projection) | 5 th percentile | 95 th percentile | Best estimate (2015-2064 demographic projection) | 5 th percentile | 95 th percentile |
|------|---|-------------------------------|--------------------------------|---|-------------------------------|--------------------------------|
| 2015 | 166 | 142 | 142 | 164 | 149 | 183 |
| 2020 | -12 | -31 | -31 | -26 | -32 | -10 |
| 2025 | -15 | -25 | -25 | -37 | -41 | -19 |
| 2030 | 14 | 8 | 8 | -14 | -16 | 1 |
| 2035 | 64 | 61 | 61 | 45 | 45 | 57 |
| 2040 | 6 | 4 | 4 | -22 | -22 | -4 |

7 References

1. Birch S, Kephart G, Murphy GT, O'Brien-Pallas L, Alder R, MacKenzie A. Health human resources planning and the production of health: Development of an extended analytical framework for need-based health human resources planning. *J Public Health Manag Pract.* 2009;56-61.
2. Maynard A. Policy forum: Australia's health workforce medical workforce planning: Some forecasting challenges. *Social Research.* 2006;39(3).
3. O'Brien-Pallas L, Baumann A, Donner G, Tomblin-Murphy G, Lochhaas-Gerlach J, Luba M. Forecasting models for human resources in health care. *J Adv Nurs.* 2000;33(1):120-9.
4. O'Brien-pallas L, Birch S, Baumann A. Integrating workforce planning, human resources, and service planning. *Policy Anal.* 2001 (December 2000):9-12.
5. Bloor K, Maynard A. Planning human resources in health care: Towards an economic approach an international comparative review. 2003
6. Chung SH, Jung DC, Yoon SN, Lee D. A dynamic forecasting model for nursing manpower requirements in the medical service industry. *Service Business.* 2009;4(3-4):225-36.
7. World Health Organisation. Models and tools for health workforce planning and projections. 2010
8. Roberfroid D, Leonard C, Stordeur S. Physician supply forecast: Better than peering in a crystal ball? *Hum Resour Health.* 2009;7:10-22.
9. Etzioni DA, Finlayson SR, Ricketts TC, Lyng DC, Dimick JB. Getting the science right on the surgeon workforce issue. *Arch Surg.* 2011;146(4):381-4.
10. Cooper R. Adjusted needs? Modeling the specialty physician workforce. *AANS Bulletin.* 2000 Spring 2000:13-4.
11. Etzioni DA, Liu JH, Maggard MA, Ko CY. The aging population and its impact on the surgery workforce. *Ann Surg.* 2003 Aug;238(2):170-7.
12. World Health Organisation. 2012. Available from: <http://www.who.int/hrh>.
13. World Health Organisation. Coordinated health and human resources development. Report of WHO Study Group. , 1990
14. World Health Organisation. Health workforce supply and requirements projection models. 1999
15. World Health Organisation. Assessment of human resources for health. 2002
16. World Health Organisation. Scaling up HIV/AIDS care: service delivery & human resources perspectives. 2004
17. World Health Organisation. A guide to rapid assessment of human resources for health. 2004
18. World Health Organisation. Assessing financing, education, management and policy context for strategic planning of human resources for health. 2007
19. World Health Organisation. Human resources. 2009
20. World Health Organisation. Measuring health workforce inequalities: methods and application to China and India. 2010
21. World Health Organisation. Monitoring the building blocks of health systems: A handbook of indicators and publications. 2010
22. Tools and Guidelines Committee GHWA. Human Resources for Health Action Framework. Cambridge, MA, USA: 2009.
23. Organization for Economic Cooperation and Development (OECD). 2012 [cited 2012 Dec 13]. Available from: <http://www.oecd.org/health/healthpoliciesanddata>.
24. Simoens S, Hurst J. The Supply of Physician Services in OECD Countries. 2006

25. OECD. OECD Reviews of Health Systems. OECD Publishing 2012.
26. OECD. Health Workforce Demographics: An overview. The Looming Crisis in the Health Workforce: How Can OECD Countries Respond: OECD Publishing; 2008.
27. Buchan J, Calman L. Skill-mix and policy change in the health workforce: Nurses in advanced roles. 2005
28. Simoens S, Villeneuve M, Hurst J. Tackling nurse shortages in OECD countries. 2005. p. 1-58.
29. Fujisawa R, Colombo F. The Long-Term Care Workforce: Overview and Strategies to Adapt Supply to a Growing Demand. OECD, 2009
30. Health Workforce Australia. <http://www.hwa.gov.au/> 2012.
31. Health Canada. [cited 2012 Nov 28]. Available from: www.hc-sc.gc.ca.
32. Ministry of Health Labour and Welfare HR Development. [cited 2012 Nov 28]. Available from: <http://www.mhlw.go.jp/english/policy/employ-labour/human-resources/index.html>.
33. Netherlands Institute for Health Services Research. [cited 2012 Nov 28]. Available from: <http://nivel.nl>.
34. Health Workforce Advisory Committee. [cited 2012 Nov 28]. Available from: <http://www.healthworkforce.govt.nz/about-health-workforce-nz/publications-and-reports>.
35. Planning NSNW. <http://www.workforceplanning.scot.nhs.uk/workforce-planning-resources.aspx> [cited 2012 Nov 28].
36. Ministry of Health Singapore. Healthcare 2020: Improving accessibility, quality and affordability. Health Scope. 2012 July-August.
37. Department of Health Centre for Workforce Intelligence (CWI). [cited 2012 Nov 28]. Available from: <http://www.cfwl.org.uk>.
38. US Department of Health and Human Services. 2012 [cited 2012 Nov 28]. Available from: <http://www.hrsa.gov/index.html>.
39. American Society for Human Healthcare Resources Administration. <http://www.ashhra.org> [cited 2012 Nov 28].
40. Health Workforce Australia. Health Workforce 2025: Doctors, Nurses and Midwives Volume 2. Health Workforce Australia, 2012
41. Health Workforce Australia. Health Workforce 2025: Medical Specialties Volume 3. Health Workforce Australia, 2012
42. Health Canada. Health Human Resource Strategy Canada 2011. Available from: <http://www.hc-sc.gc.ca/hcs-sss/hhr-rhs/strateg/index-eng.php>.
43. McIntosh T. Provincial health human resource plans. Canada: 2006
44. Cameron Health Strategies Group Limited. An Inventory of Health Human resource Forecasting Models In Canada. Canada: 2009
45. Ministry of Health Labour and Welfare. Annual health, labour and welfare report 2009-2010 Japan 2010. Available from: <http://www.mhlw.go.jp/english/wp/wp-hw4/02.html>.
46. Ministry of Health Labour and Welfare. Annual health, labour and welfare report 2010-2011, medical professionals. Available from: <http://www.mhlw.go.jp/english/wp/wp-hw5/dl/23010209e.pdf>.
47. Netherlands Institute for Health Services Research. Mission and activities 2012. Available from: <http://www.nivel.nl/en/mission-and-activities>.
48. Netherlands Institute for Health Services Research. Manpower planning 2012. Available from: <http://www.nivel.nl/en/manpower-planning>.
49. Greuningen MV, Batenburg R, Velden LVD. Ten years of health workforce planning in the Netherlands: a tentative evaluation of GP planning as an example. Human Resources for Health. 2012;10(21):1-15.

50. Health Workforce New Zealand. Workforce Service Forecasts New Zealand 2012. Available from: <http://www.healthworkforce.govt.nz/our-work/workforce-service-forecasts>.
51. Health Workforce New Zealand. Health workfroce projections modelling 2010: Primary health care nursing workforce. New Zealand: Health Workforce New Zealand, 2010
52. National Health Service Scotland. Workforce: NHS Scotland; 2012. Available from: <http://www.isdscotland.org/workforce/>.
53. NHS Scotland. Scottish Health Workforce Plan 2004 Baseline. Scotland: National Health Service Scotland, 2004
54. Wright M. An update on the analysis and modelling of dental workforce in Scotland. Scotland: 2006
55. Wright M, Crichton I. An analysis of dental workforce in Scotland. 2008.
56. Ministry of Health Singapore. About Us, Singapore 2012. Available from: http://www.moh.gov.sg/content/moh_web/home/about-us.html.
57. Ministry of Health Singapore. Committee of Supply Speech Healthcare 2020: Improving Accessibility, Quality and Affordability for Tomorrow's Challenges Singapore 2012. Available from: http://www.moh.gov.sg/content/moh_web/home/pressRoom/speeches_d/2012/moh_2012_committeeofsuppliespeechhealthcare2020improvingaccessibi.html.
58. Ministry of Health Singapore. Health Manpower. Available from: http://www.moh.gov.sg/content/moh_web/home/statistics/Health_Facts_Singapore/Health_Manpower.html.
59. Centre for Workforce Intelligence. Horizon scanning report: Medical - Informing medical and dental student intakes. Centre for Workforce Intelligence, 2012
60. Centre for Workforce Intelligence. Horizon scanning report: Dental - Informing medical and dental student intakes. Centre for Workforce Intelligence, 2012
61. Centre for Workforce Intelligence. A Technical Report(Part 2) for a strategic review of the future healthcare workforce: informing medical and dental student intakes. Centre for Workforce Intelligence, 2012
62. Health Resources and Services Administration. Health Professions 2012. Available from: <http://bhpr.hrsa.gov/about/index.html>.
63. Human Resources and Services Administration. The physician workforce: Projections and research into current issues affecting supply and demand. US Department of Health and Human Services, Health Resources and Services Administartion, Bureau of Health Professions, 2008
64. Health Resources and Services Administration. National center for health workforce analysis: health workforce reports 2012. Available from: <http://bhpr.hrsa.gov/healthworkforce/allreports.html>.
65. Health Resources and Services Administration. Projected supply, demand, and shortages of registered nurses: 2000-2020. U.S.A: 2002
66. Lee PP, Jackson CA, Relles DA. Demand-based assessment of workforce requirements for orthopaedic services. The Journal of Bone and Joint Surgery. 1998;80-A(3):313-26.
67. Joyce CM, McNeil JJ, Stoelwinder JU. More doctors, but not enough: Australian medical workforce supply 2001-2012. Med J Aust. 2006;184(9):441-6.
68. Chang H-C, Liou Y-M, Yen AM-F, Chen TH-H. Projection of the supply of and demand for board-certified nephrologists for ESRD in Taiwan. J Eval Clin Pract. 2008 Apr;14(2):305-15.
69. Barber P, Lopez-Valcarcel BG. Forecasting the need for medical specialists in Spain: Application of a system dynamics model. Human resources for health. 2010;8(24):1-9.

70. Health Resources and Services Administration. The physician workforce: Projections and research into current issues affecting supply and demand. Services USDoHaH; 2008.
71. Fehring TK, Odum SM, Troyer JL, Ioria R, Kurtz SM, Lau EC. Joint replacement access in 2016: A supply side crisis. *The Journal of Arthroplasty*. 2010 Dec;25(8):1175-81.
72. Koike S, Matsumoto S, Kodama T, Ide H, Yasunaga H, Imamura T. Estimation of physician supply by specialty and the distribution impact of increasing female physicians in Japan. *BMC Health Serv Res*. 2009;9:180.
73. Satiani B, Williams TE, Go MR. Predicted shortage of vascular surgeons in the United States: population and workload analysis. *J Vasc Surg*. 2009 Oct;50(4):946-52.
74. Craig D, Byrick R, Carli F. A physician workforce planning model applied to Canadian anesthesiology: Planning the future supply of anesthesiologists. *Can J Anaesth*. 2002;49(7):671-7.
75. Hilton CW, Plauche WC, Rigby PG. Projecting physician supply at a state level: Physicians in Louisiana in 2001 and 2006. *South Med J*. 1998;91(10):914-8.
76. Miller RH. Otolaryngology manpower in the year 2010. *Laryngoscope*. 1993;103:750-3.
77. Department of Health Education and Welfare U.S. Physicians for a growing America: Report of the surgeon general's consultant group on medical education: Public Health Service; 1959
78. Saman DM, Arevalo O, Johnson AO. The dental workforce in Kentucky: Current status and future needs. *J Public Health Dent*. 2010;70(3):188-96.
79. Solomon ES. Dental workforce. *Dent Clin North Am*. 2009;53(3):435-49.
80. Guthrie D, Valachovic RW, Brown LJ. The impact of new dental schools on the dental workforce through 2022. *J Dent Educ*. 2009;73(12):1353-60.
81. Chrisopoulos S, Teusner D. Dentist labour force projections 2005 to 2020: the impact of new regional dental schools. *Aust Dent J*. 2008 Sep;53(3):292-6.
82. Grytten J, Lund E. Future demand for dental care in Norway: A macro-economic perspective. *Community Dent Oral Epidemiol*. 1999;27:321-30.
83. Spencer AJ, Szuster FSP, Brennan DS, Goss AN. A consensus approach to projections of the supply of oral and maxillofacial surgeons in Australia. *Int J Oral Maxillofac Surg*. 1993;22:314-7.
84. Nash KD, Brown LJ, Hicks ML. Private practicing endodontists: Production of endodontic services and implications for workforce policy. *J Endod*. 2002;28(10):699-705.
85. Morgan MV, Wright FAC, Lawrence AJ, Laslett AM. Workforce predictions: a situational analysis and critique of the World Health Organization model. *Int Dent J*. 1994;44(1):27-32.
86. Australian Research Centre for Population Oral Health. Supply and demand for oral and maxillofacial surgeons and services in Australia. *Aust Dent J*. 2010;55(3):346-50.
87. Gallagher JE, Kleinman ER, Harper PR. Modelling workforce skill-mix: How can dental professionals meet the needs and demands of older people in England? *Br Dent J*. 2010;208(E6):1-9.
88. Brown J, Grimes L, Davis DA. ODA council on dental care special report - Oklahoma dentists' workforce. 2007.
89. Beazoglou T, Bailit H, Heffley D. The dental work force in Wisconsin: Ten - year projections. *J Am Dent Assoc*. 2002;133:1097-104.
90. Try G. Too few dentists? Workforce planning 1996-2036. *Economics and Primary Dental Care*. 2000;7(1):9-13.

91. Waldman HB. Planning for the manpower needs for the next generation of periodontal patients. *J Periodontol*. 1995;66:599-604.
92. Workforce review team NHS. Workforce summary - nursing. 2008.
93. Buerhaus PI, Staiger DO, Auerbach DI. Implications of an aging registered nurse workforce. *JAMA*. 2000;283(22):2948-54.
94. Auerbach DI, Pearson ML, Taylor D, Battistelli M, Sussell J, Hunter LE, et al. Nurse practitioners and sexual and reproductive health services: an analysis of supply and demand. Rand Corporation, 2012.
95. HealthWorkforce Australia. Health workforce 2025: Doctors, nurses and midwives 2012.
96. Wisconsin Health Workforce. Wisconsin registered nurse supply and demand forecasting model: technical report. 2011.
97. Juraschek SP, Zhang X, Ranganathan V, Lin VW. United States registered nurse workforce report card and shortage forecast. *Am J Med Qual*. 2011;27(3):241-9.
98. Malyon R, Zhao Y, Guthridge S. Health workforce modelling, Northern Territory, technical report for the nursing workforce model. In: families Doha, editor. Northern Territory Government Australia 2010.
99. Murray J. Forecasting supply, demand, and shortage of nurses in Tennessee. Tennessee Center for Nursing, Nursing TCf; 2009.
100. Al-Jarallah KF, Hakeem SK, Al-Khanfar FK. The nursing workforce in Kuwait to the year 2020. *Int Nurs Rev*. 2009;65-72.
101. Ghosh B, Cruz G. Nurse requirement planning: A computer-based model. *J Nurs Manag*. 2005;13:363-71.
102. Spetz J. Forecasts of the registered nurse workforce in California. University of California, San Francisco, 2009.
103. Tomblin-Murphy G, MacKenzie A, Alder R, Birch S, Kephart G, O'Brien-Pallas L. An applied simulation model for estimating the supply of and requirements for registered nurses based on population health needs. *Policy Polit Nurs Pract*. 2009 Nov;10(4):240-51.
104. Health Workforce Information Programme. Health workforce projections modelling 2010: perioperative nursing workforce. 2009.
105. Moulton P, Lang T. North Dakota nursing supply and demand projections. University of North Dakota, 2008.
106. LeVasseur SA. Projected registered nurse workforce in Hawaii 2005-2020. 2007.
107. Health Resources and Services Administration. Methods for Identifying Facilities and Communities with Shortages of Nurses. US Department of Health and Human Services 2007:1-20.
108. Rosenbaum DI, Ramirez JP. The supply and demand for registered nurses and licensed practical nurses in Nebraska. 2006.
109. Moulton PL. North Dakota nursing needs study: Direct care supply and demand projections. University of North Dakota, 2003.
110. Canadian Nurses Association. Planning for the future: Nursing human resource projections. 2002.
111. Srisuphan W, Senaratana W, Kunaviktikul W, Tonmukayakul O, Charoenyuth C, Sirikanokwilai N. Supply and requirement projection of professional nurses in Thailand over the next two decades (1995-2015 A.D). 1997:1-12
112. Johnson WG, Wilson B, Edge M, Qiu Y, Oliver EL, Russell K. The Arizona health care workforce: nurses, pharmacists, & physician assistants. Arizona state University, 2009.

113. Knapp KK, Cultice JM. New pharmacist supply projections: Lower separation rates and increased graduates boost supply estimates. *J Am Pharm Assoc* (2003). 2007 Jul-Aug;47(4):463-70.
114. Bond CA, Raehl CL, Patry R. The feasibility of implementing an evidence-based core set of clinical pharmacy services in 2020: manpower, marketplace factors, and pharmacy leadership. *Pharmacotherapy*. 2004;24(4):441-52.
115. Bond CA, Raehl CL, Patry R. Evidence-based core clinical pharmacy services in United States hospitals in 2020: Services and staffing. *Pharmacotherapy*. 2004;24(4):427-40.
116. Cooksey JA, Knapp KK, Walton SM, Cultice JM. Challenges To The Pharmacist Profession From Escalating Pharmaceutical Demand. *Health Affairs*. 2002;21(5):182-8.
117. Johnson TJ. Pharmacist work force in 2020: implications of requiring residency training for practice. *Am J Health Syst Pharm*. 2008 Jan 15;65(2):166-70.
118. Meissner B, Harrison D, Carter J, Borrego M. Predicting the impact of Medicare Part D implementation on the pharmacy workforce. *Res Social Adm Pharm*. 2006 Sep;2(3):315-28.
119. Knapp KK, Shah BM, Bamett MJ. The pharmacist aggregate demand index to explain changing pharmacist demand over a ten-year period. *Am J Pharm Educ*. 2010;74(10):1-8.
120. Koduri S, Shah G, Baranowski BA. Utah's pharmacist workforce. Utah: 2009.
121. Health Resources and Services Administration. The adequacy of pharmacist supply: 2004 to 2030. In: services Dohah, editor. U.S.A2008. p. 1-61.
122. Department of Health and Ageing. Pharmacy workforce planning study Australia. Australian Government, Ageing DoHa; 2008.
123. Fraher EP, Smith LM, Dyson S, Ricketts TC. The pharmacist workforce in North Carolina. University of North Carolina at Chapel Hill, 2002.
124. Knapp KK, Quist RM, Walton SM, Miller LM. Update on the pharmacist shortage: National and state data through 2003. *Am J Health Syst Pharm*. 2005;62:492-9.
125. Knapp DA. Professionally determined need for pharmacy services in 2020. *Am J Pharm Educ*. 2002;66:1-9.
126. Health Resources and Services Administration. The Pharmacist workforce: a study of the supply and demand for pharmacists. In: services Dohah, editor. U.S.A2000. p. 1-100.
127. Whedon JM, Song Y, Davis MA, Lurie JD. Use of chiropractic spinal manipulation in older adults is strongly correlated with supply. *Spine (Phila Pa 1976)*. 2012 Sep 15;37(20):1771-7.
128. The future of chiropractic revisited: 2005 to 2015. Institute for Alternative Futures. 2005.
129. Davis MA, Mackenzie TA, Coulter ID, Whedon JM, Weeks WB. The United States Chiropractic Workforce: An alternative or complement to primary care? *Chiropractic & manual therapies*. 2012 Nov 21;20(1):35.
130. Davis MA, Davis AM, Luan J, Weeks WB. The supply and demand of chiropractors in the United States from 1996 to 2005. *Altern Ther Health Med*. 2009.
131. Medical laboratory technologists in Canada. Canadian Institute for Health Information. 2010.
132. Laboratory medicine: A national status report. The Lewin Group. 2008.
133. Mirkopoulos C, Quinn B. Occupational therapy manpower: Ontario's critical shortage. *Can Assoc Occu Therap*. 1989;56(2):73-9.
134. Salvatori P, Williams R, Polatajko H, MacKinnon J. The manpower shortage in occupational therapy: implications for Ontario. *Can J Occup Ther*. 1992;59(1):40-51.

135. WRHA. Occupational Therapy Workforce Analysis. Winnipeg: Winnipeg Regional Health Authority, 2002 November 2002. Report No.
136. Morris LV. Occupational Therapy: A study of supply and demand in Georgia. *The American Journal of Occupational Therapy*. 1989;43(4):234-9.
137. Tuulonen A, Salminen H, Linna M, Perkola M. The need and total cost of Finnish eyecare services: A simulation model for 2005-2040. *Acta Ophthalmol (Copenh)*. 2009 Nov;87(8):820-9.
138. Kiely PM, Healy E, Horton P, Chakman J. Optometric supply and demand in Australia: 2001-2031. *Clin Exp Optom*. 2008 Jul;91(4):341-52.
139. Australian Institute of Health and Welfare. Optometrist labour force 1999. Australian Institute of Health and Welfare, 2000.
140. Bellan L, Luske L. Ophthalmology human resource projections: are we heading for a crisis in the next 15 years? *Can J Ophthalmol*. 2007;42:34-8.
141. Pick ZS, Stewart J, Elder MJ. The New Zealand ophthalmology workforce 2008. *Clin Experiment Ophthalmol*. 2008 Nov;36(8):762-6.
142. Zimbelman JL, Juraschek SP, Zhang X, Lin VWH. Physical Therapy Workforce in the United States: Forecasting Nationwide Shortages. PM&R. 2010;2(11):1021-9.
143. APTA. A model to project the supply and demand of physical therapist 2010-2020. Alexandria: American Physical Therapy Association, 2012 May 3, 2012. Report No.
144. Breegle GG, King E. Physical therapy manpower planning. Projection models and scenarios of 1985. *Phys Ther*. 1982;62(9):1297-306.
145. Winnipeg Regional Health Authority. Physiotherapy Workforce Analysis. Winnipeg: Winnipeg Regional Health Authority, 2002.
146. Wing P, Langelier MH. Workforce shortages in breast imaging: Impact on mammography utilization. *Am J Roentgenol Radium Ther*. 2009 Feb;192(2):370-8.
147. Workforce risks and opportunities 2012 diagnostic radiographers. Centre for Workforce Intelligence. 2012.
148. Medical manpower planning committee Hong Kong academy of medicine. Minutes of the 10th Meeting of Committee. 2011 18.10.2011.
149. Business Professionals Federation Hong Kong. Health care manpower planning. 2010
150. Dunn A, Ng Annora, Liem Kevin, et al. How to create a world-class medical system 2012. HKGolden50
151. Review on the regulation of pharmaceutical products in Hong Kong. Legislative Council Panel on Health Services. 2010.
152. Leung GM, Tin KYK, Chan W-S. Hong Kong's health spending projections through 2033. *Health Policy*. 2007 Apr;81(1):93-101.
153. Bartholomew DJ, Forbes AF, McClean SI. Statistical techniques for manpower planning: John Wiley & Sons.; 1991.
154. Huber M. Health Expenditure Trends in OECD Countries, 1970-1997. *Health Care Financ Rev*. 1999;21:99-117.
155. Medical Council of Hong Kong. Annual Reports: Medical Council of Hong Kong; 2012. Available from: <http://www.mchk.org.hk/annualreports.htm>.
156. The Medical Council of Hong Kong [cited 2012]. Available from: <http://www.mchk.org.hk/>.
157. Department of Health HK. Health manpower survey on doctors. Hong Kong: 2004
158. Department of Health HK. Health manpower survey on doctors. Hong Kong: 2005
159. Department of Health HK. Health manpower survey on doctors. Hong Kong: 2006
160. Department of Health HK. Health manpower survey on doctors. Hong Kong: 2007
161. Department of Health HK. Health manpower survey on doctors. Hong Kong: 2009

162. Statistics and Workforce Planning Department. Hospital Authority Statistical Report (2011-2012) Hospital Authority, 2012:1-200.
163. Bane F. Physicians for a growing America: Report of the surgeon general's consultant groups on medical education. US Department of Health, Education and Welfare 1959:1-95
164. Fraher EP, Knapton A, Sheldon GF, Meyer A, Richetts TC. Projecting surgeon supply using a dynamic model. *Ann Surg* 2013;257(5):867-872
165. Greenberg L, Cultice J. Forecasting the need for physicians in the United States: The health resources and services administration's physician requirements model. *Health Serv Res.* 1997;31(6):723-37.
166. Harrison C, Britt H. General practice: workforce gaps now and in 2020. *Aust Fam Physician.* 2011;40(1/2):12-5.
167. Tsai T-C, Eliasziw M, Chen D-F. Predicting the demand of physician workforce: An international model based on "crowd behaviors". *BioMed Central Health Services Research.* 2012;12:79.
168. Al-Jarallah K, Moussa M, Al-Khanfar KF. The physician workforce in Kuwait to the year 2020. *The International Journal of health Planning and Management.* 2010 Jan-Mar;25(1):49-62.
169. Birch S, Kephart G, Tomblin-Murphy G, O'Brien-Pallas L, Alder R, MacKenzie A. Human resources planning an the production of health: A needs-based analytical framework. *Canadian Public Policy.* 2007;33:1-16.
170. Blinman PL, Grimison P, Barton MB, Crossing S, Walpole ET, Wong N, et al. The shortage of medical oncologists: The Australian medical oncologist workforce study. *The Medical Journal of Australia.* 2011;196(1):58-61.
171. Cooper R. Perspectives on the Physician Workforce to the Year 2020. *Journal of the American Medical Association.* 1995;274(19):1534-43.
172. Deal CL, Hooker R, Harrington T, Birnbaum N, Hogan P, Bouchery E, et al. The United States rheumatology workforce: supply and demand, 2005-2025. *Arthritis Rheum.* 2007 Mar;56(3):722-9.
173. Douglass A, Hinz CJ. Projections of physician supply in internal medicine: a single-state analysis as a basis for planning. *Am J Med.* 1995;98(4):399-405.
174. Van Greuningen M, Batenburg RS, Van der Velden LFJ. Ten years of health workforce planning in the Netherlands: a tentative evaluation of GP planning as an example. *Hum Resour Heal* 2012;10:21
175. Health Workforce Australia. Health Workforce 2025: Doctors, Nurses and Midwives Volume 1. Health Workforce Australia, 2012
176. Lee P, Jackson C, Relles D. Demand-Based assessment of workforce requirements for orthopaedic services. *The Journal of Bone and Joint Surgery.* 1998;80(A):313-26.
177. McNutt R. GMENAC: Its manpower forecasting framework. *Am J Public Health.* 1981;71:1116-24.
178. Scarborough JE, Pietrobon R, Bennett KM, Clary BM, Kuo PC, Tyler DS, et al. Workforce projections for hepato-pancreato-biliary surgery. *J Am Coll Surg.* 2008 Apr;206(4):678-84.
179. Scheffler RM, Mahoney CB, Fulton BD, Dal Poz MR, Preker AS. Estimates of health care professional shortages in sub-Saharan Africa by 2015. *Health Aff (Millwood).* 2009 Sep-Oct;28(5):w849-62.
180. Scheffler RM, Liu JX, Kinfu Y, Poz MRD. Forecasting the global shortage of physicians: An economic- and needs-based approach. *Bull WHO.* 2008;86(7):516-23.
181. Shipman S, Lurie J, Goodman D. The general pediatrician: Projecting future workforce supply and requirements. *Pediatrics.* 2004;113:435-42.

182. Smith BD, Haffty BG, Wilson LD, Smith GL, Patel AN, Buchholz TA. The future of radiation oncology in the United States from 2010 to 2020: Will supply keep pace with demand? *J Clin Oncol*. 2010 Dec 10;28(35):5160-5.
183. Starkiene L, Smigelskas K, Padaiga Z, Reamy J. The future prospects of Lithuanian family physicians: A 10-year forecasting study. *BioMed Central Family Practice*. 2005 Oct 4;6:41.
184. Teljeur C, Thomas S, O'Kelly FD, O'Dowd T. General practitioner workforce planning: assessment of four policy directions. *BioMed Central Health Services Research*. 2010;10:148.
185. Weissman C, Eidelman L, Pizov R, Matot I, Klien N, Cohn R. The Israeli anesthesiology physician workforce. *The Israel Medical Association Journal* 2006;8:255-9.
186. Yang J, Jayanti MK, Taylor A, Williams TE, Tiwari P. The impending shortage and cost of training the future plastic surgical workforce. *Ann Plast Surg* 2013; (Epub ahead of print) .
187. Health Workforce Information Programme (HWIP). Health workforce projections modelling 2010: perioperative nursing workforce. 2009.
188. Juraschek SP, Zhang X, Ranganathan VK, Lin VW. United States registered nurse workforce report card and shortage forecast. *Am J Med Qual*. 2011 May-Jun;27(3):241-9.
189. Knapp K, Livesey J. The aggregate demand index: measuring the balance between pharmacist supply and demand, 1999-2001. *Journal of American Pharmacists Association*. 2002;42(3):391-8.
190. Reiner B, Siegel E, Carrino JA, McElveny C. SCAR Radiologic Technologist Survey: Analysis of technologist workforce and staffing. *J Digit Imaging*. 2002
191. Bingham D, Thompson J, McArdle N, McMillan M, Cathcart J, Hodges G, et al. Comprehensive review of the radiography workforce. Department of Health NI; 2002.
192. Patterson DG, Skillman SM, Hart LG. Washington State's radiographer workforce through 2020: Influential factors and available data. 2004.
193. Victorian medical radiations: Workforce supply and demand projections 2010-2030. Victorian Department of Health. 2010.
194. Bellan L, Buske L. Ophthalmology human resource projections: are we heading for a crisis in the next 15 years? *Ophthalmology Human Resources*. 2007;42:34-8.
195. Australian Institute of Health and Welfare. Optometrist labour force 1999. Canberra: Australian Institute of Health and Welfare, 2000.
196. Kiely PM, Horton P, Chakman J. The Australian optometric workforce 2009. *Clinical & Experimental Optometry*. 2010 Sep;93(5):330-40.
197. Lee PP, Relles DA, Jackson CA. Subspecialty distributions of ophthalmologists in the workforce. *Arch Ophthalmol*. 1998;116:917-20.
198. The clinical laboratory workforce: The changing picture of supply, demand, education and practice. Health Resources and Services Administration. 2005.
199. American Physical Therapy Association. A model to project the supply and demand of physical therapists 2010-2020. US: American Physical Therapy Association, 2012.
200. Winnipeg Regional Health Authority. Occupational Therapy Workforce Analysis. 2002.

Appendix A(i): Summary of manpower planning and forecasting models (Australia, Canada, Netherlands)

| | Australia | Canada | Netherland |
|---|--|--|--|
| Context | <ul style="list-style-type: none"> - shorter working hours for all healthcare professionals - ageing population - increasing demand for services - workforce distribution | <ul style="list-style-type: none"> - utilisation-based planning failed to inform long-term workforce planning - planning has been done in isolation which resulted in unintended impacts, mismatch between need, supply and demand; - costly duplication, and inability to respond effectively to international issues/pressure | <ul style="list-style-type: none"> - shortage of medical specialist and nursing personal - steady growth in the healthcare workforce - increased feminization of the workforce and contracted GPs - impact of migration on health manpower planning |
| Objectives/ Strategic Directions | <ul style="list-style-type: none"> - ensure and sustain supply - optimise workforce and healthcare access - improve the healthcare work environment - enhance and coordinate health, education, vocational training and regulatory sectors - optimise use of workforce skills and ensure the best health outcomes - improve policy and planning to support the provision of staff - improve collaborative effort between all stakeholders | <ul style="list-style-type: none"> - increase the number of qualified healthcare trainees - focus on productivity and effective use of skills - improve access to healthcare services, address inappropriate variation of health human resources - create healthy, safe, supportive and learning workplace - maintain an skilled, experienced and dedicated workforce - more effective manpower planning and forecasting | <ul style="list-style-type: none"> - increase professional training - increase recruitment both to encourage staff to return to healthcare workforce and to recruit from overseas - retain staff by increasing support for staff and flexible working arrangements - change skill-mix |
| Framework | <ul style="list-style-type: none"> - align education and training supply with workforce requirements - improve workforce re-entry and ethical overseas recruitment - support work culture and develop flexible working environments - promote skills and competence initiatives - establish shared health workforce planning, research, information sharing, improve data collection - establish monitoring, evaluation and reporting processes - promote discussion and awareness amongst the stakeholders and community | <ul style="list-style-type: none"> - assess population health needs, demand for services including Aboriginal health needs - develop, implement and evaluate population need-based innovative service delivery and health human resource models - enhance collaboration and provide evidence for HHR planning information - align education curricula with health system needs and health policy - provide opportunities for to life-long learning - develop a locally, culturally and linguistically diverse workforce; - accelerate and expand the assessment and integration of internationally educated health professionals; - enhance healthcare career attractiveness - address health and safety issues, reduce work-related illnesses, injuries, and absenteeism | <ul style="list-style-type: none"> - increase collaboration between local and international institution in medical training programmes - increase training capacity, staff retention and recruitment - recruit healthcare professionals from within and outside EU - develop flexible and family-friendly working patterns - adjust the workloads for the older staff, and retirement age - provide learning and development opportunities - improve skill mix use and transfer of function between different professional groups - develop new roles and extend the range of work |
| Duration | since 2004 (reviewed in 2011) | since 2005 | Since 2000s |

| | Australia | Canada | Netherland |
|---------------------------------|--|---|--|
| Method for supply/demand | Supply and need-based model Demand <ul style="list-style-type: none"> - utilisation of health services Supply <ul style="list-style-type: none"> - number of hours worked per year by the number of male and female health professionals in each age group - proportion of leavers and entries (graduates and migrants) into the health professional field | Collaborative system design and population health need-based approach to planning Supply: <ul style="list-style-type: none"> - actual number, type and geographical distribution of regulated and unregulated providers; productivity and scope of practice/service provided - labour market indicators: participation rate, provider-to-population ratios, demographic and educational characteristics of providers, employment status and sectors - death, retirement, emigration, replacement, general economic trends, work incentives, life-style choices. Demand: <ul style="list-style-type: none"> - population health needs for both curative and preventive health services | The Dutch Simulation and Forecasting Model (supply-based) confronted with 4 scenarios: <ul style="list-style-type: none"> - Scenario 0: unfulfilled demand for care + demographical developments - Scenario 1: Scenario 0 + non-demographical developments - Scenario 2: Scenario 1 + developments in working hour - Scenario 3: Scenario 2 + vertical substitution The Dutch Policy and Planning Model <ul style="list-style-type: none"> - a multi-stakeholder and multi-process consensus model - based on simulation model that generates GP training inflow advice yearly, allocation of funding and resources, and unplanned external factors to project GP workforce in coming years |
| Assumptions | Demand <ul style="list-style-type: none"> - time required for treating different conditions is binary - linear growth in demand. - demand model ignores labour substitution Supply <ul style="list-style-type: none"> - no change in technology - workforce entrance and exits, hours worked are disaggregated by age and sex groups. General <ul style="list-style-type: none"> - no interactions between the supply and demand models - no supplier-induced demand | <ul style="list-style-type: none"> - current supply of providers meet the current demand - observed trends are used to project future population size and demographic profile - future age and sex-specific resources remain constant | <ul style="list-style-type: none"> - historical trend continues - other projection of population growth, political and technical changes is on the right direction |

| | Australia | Canada | Netherland |
|----------|--|---|---|
| Formulae | <p>Demand $D_t = \beta_{st}activitysimple_t + \beta_{ct}activitycomplex_t$ D_t: Demand at a specific time <i>activitysimple</i>: simple utilisation <i>activitycomplex</i>: complex utilisation Each activity has a coefficient β_{st} and β_{ct} with $\beta_{st} < \beta_{ct}$ relating activity into demand for full-time equivalent health professional hours at time t, D_t.</p> <p>Supply $S_t = \sum_g [\beta_{g,male}male_{tg} + \beta_{g,female}female_{tg}]male_{tg} = (1 - \beta_{g,male}^{loss})male_{t-1g} + malegrads_{tg} + malemigrants_{tg}$ $female_{tg} = (1 - \beta_{g,female}^{loss})female_{t-1g} + femalegrads_{tg} + femalemigrants_{tg}$ S_t: supply of labour hours in year tg: age groups $\beta_{g,male}$ and $\beta_{g,female}$: coefficients that represent the number of hours worked $\beta_{g,male}^{loss}$ and $\beta_{g,female}^{loss}$: proportion of the workforce loss every year $malegrads_{tg}$ and $femalegrads_{tg}$: number of graduates $malemigrants_{tg}$ and $femalemigrants_{tg}$: number of migrants</p> | <p>Modelling utilisation and predicted used based on needs $y_i = \sum_{j=1}^I \beta_j A_{ij} + \sum_{k=1}^K \lambda_k X_{ik} + \sum_{j=1}^I \sum_{k=1}^K \delta_{jk} A_{ij} X_{ik} + \sum_{l=1}^L \gamma_l Z_{il} + \sum_{m=1}^M \phi_m R_{im} + \varepsilon_i$ Allocation of resources: $N_r = \sum_i r w_i \hat{y}_i^* / \sum_i r w_i$</p> <p>$y_i$: utilisation for individual i; A_{ij}: vector of age-sex dummies X_{ik}: vector of additional needs indicators Z_{il}: vector of non-need determinants of utilisation R_{im}: dummy variables for regions $\beta, \lambda, \gamma, \delta, \phi$ estimated coefficient vectors N_r: per capita resource need for residents of each allocation region w_i: survey sample weight for individual i w_i: survey sample weight for individual</p> | <ul style="list-style-type: none"> - Required supply in year T vs. Required supply in year X => development required supply until T+X - Available supply in year T + Development available supply until T+X => Available supply in year T+X |

| | Australia | Canada | Netherland |
|-------------------------------|--|--|---|
| Key factors used | <ul style="list-style-type: none"> - numbers in the workforce in a given year (by age and sex) - proportion of individuals leaving workforce by sex - number of graduates and migrants - utilisation of healthcare services | <ul style="list-style-type: none"> - actual and perceived population health status, socio-economic status - demographics - health behaviours - social, cultural, political, contextual, geographical, environmental - financial factors - categories/roles/characteristics of health workers and services, source of supply - production (education + training): target vs. actual needs projected - management, organization and delivery of health services (indirectly contribute to outcomes), formalization/centralization, environmental complexity, amount and quality of care provided, costs associated with delivery of services and outcomes - resource deployment and utilisation - health outcomes: e.g. mortality data, hospital discharge, life expectancy, and disease incidence. (depends on community's situation) | <ul style="list-style-type: none"> - available supply of GPs (total full-time equivalent) - unfulfilled demand for care - number of GP in training - inflow from abroad - outflow (male/female & projection year) - return on training - labour market return - epidemiological developments - socio-cultural developments - technical developments - substitution |
| Limitations/Challenges | <p>Demand</p> <ul style="list-style-type: none"> - binary case-mix - linear demand growth - constant returns - no labour substitution <p>Supply</p> <ul style="list-style-type: none"> - no changes in technology - disaggregated by age and sex <p>General</p> <ul style="list-style-type: none"> - independent supply and demand - no supplier-induced demand | <ul style="list-style-type: none"> - require extensive data => difficulties in management and maintenance of data collection, delivery system - lack of consistent information on health human resource productivity, workload, utilisation demand and efficacy; and information about educational facilities - capacity to assess health needs, and forecast demand for health human resources- funding for ongoing data and modelling initiatives - compliance vs. flexibility and autonomy of local/regional planner with national strategies - updating model is difficult - the model is more likely to project unattainable service and staff targets | <ul style="list-style-type: none"> - technically complex: many parameters, heuristics, sub-models and data source - politically complex: multiple policy discussions and stakeholder involvement - intentionally complex: long-term planning, short-term acting, frequent updating |
| Organisation | National Health Workforce Taskforce Australian Health Ministries' Advisory Council (http://www.ahwo.gov.au/index.asp) | www.hc-sc.gc.ca (Health Canada) | NIVEL (the Netherlands Institute for Health Services Research) http://www.nivel.nl/ Dutch Ministry of Health, Welfare and Sport Dutch Health professional organizations and labour unions |

Appendix A(ii): Summary of manpower planning and forecasting models (New Zealand, Scotland, United Kingdom)

| | New Zealand | Scotland | United Kingdom |
|---|---|--|---|
| Context | <ul style="list-style-type: none"> - increasing burden of chronic diseases - lack of collaboration in planning and implementation of health workforce - mental health, rehabilitation and aged care are an emerging a problem | <ul style="list-style-type: none"> - increase the size of healthcare workforce - aging healthcare workforce - workforce is predominately female and predominately working fulltime | <p>A number of changes in the UK population, service delivery model, and healthcare workforce</p> <ul style="list-style-type: none"> - demographic - a growing, aging population - NHS funding and budgets - service plans and reconfiguration - policy (locus of care from hospital to community, from NHS to non-NHS) - legislative and regulatory framework - professional education - role definition for each of the professions |
| Objectives/ Strategic directions | <ul style="list-style-type: none"> - innovative approaches to workforce development - enhance communication - sector relationships - build a responsible and rational workforce development investment plan (set workforce development priority for mental health, rehabilitation and aged care) - support the healthcare workforce boards and policy makers | <ul style="list-style-type: none"> - develop and implement multi-disciplinary and multi-agency models of care which are more responsive, accessible and joined up to meet the needs of local communities and ensure efficient utilisation of skills and resources - motivate employees to improve their performance, provide opportunities for them to develop and contribute more - promote the benefits of preventative action and measures of self-care for patients and public across a range of health issues - maximise and wider access to education and training, especially for those at underserved areas | <ul style="list-style-type: none"> - engage with health sector employers to ensure the authoritative sector voice on skills and workforce development for the whole sector - inform the development and application of workforce policy through research and the provision of robust labour market intelligence - implement solutions which deliver a skilled, flexible and modernised workforce capable of improving productivity, performance and reducing health inequalities - champion an approach to workforce planning and development that is based on the common currency of national workforce competences. |
| Framework | <ul style="list-style-type: none"> - increase number of healthcare professionals - train and recruit more health professionals with generic skills, to increase flexibility and respond to the increasing shift towards primary and community-based models of care and integration between institutional and community settings - improve workforce activity linkages in health system, collaboration and economies of scales - develop regionally aligned approaches to professional training and career planning - enable health professionals to take on new tasks, responsibilities, opportunities for further development, and career satisfaction. | <ul style="list-style-type: none"> - partnership with professional groups to support delivery and development of services - support professional groups to achieve their full personal and professional potential - funding arrangement for professional development and continuing education - encourage sharing between professional groups, and learning from each others across national, regional sectors - provide guideline for better care delivery models, encourage innovative approaches - fund professional development courses - develop better evidence base to inform policies and strategies to help promote retention of staff | <ul style="list-style-type: none"> - develop workforce plans and strategies for investment - commission undergraduate training and clinical placements - manage post registration and post graduate training - invest in continuing professional development - train and develop wider healthcare workforce esp. nurse and other ancillary team - allocate and monitor investment of education and training funds - collaborate at all levels of the system to plan and develop the workforce for quality |
| Duration | HWAC: since 2000 HWNZ: since 2009 | since 2000s | since 2000s |

| | New Zealand | Scotland | United Kingdom |
|---------------------------------|---|---|--|
| Method for supply/demand | <p>Primary Healthcare Nursing projection modelling (demand-based)</p> <p>Supply:</p> <ul style="list-style-type: none"> - projected proportion and distribution of healthcare professionals by age, sex, geographic - entrants to and graduates from education and training programme - retirement, mortality, career change, disability of healthcare workforce <p>Demand:</p> <ul style="list-style-type: none"> - population growth projections by age, gender and ethnicity - population health needs - historical, current, and future changes of services provided - anticipated development of and changes in-patient care practice - impact of current and emerging technologies | <p>Demand and supply-based plan</p> <p>Demand:</p> <ul style="list-style-type: none"> - rate of general practitioners - patients contact by sex and age (estimated by changes of characteristics of population) - working time targets and standards and real practice - working time regulations - service utilisation - service levels <p>Supply:</p> <ul style="list-style-type: none"> - destination of GP registrants (age profile; gender profile) - growth of GPs training | <p>No single model/method used, but various in term of regional and local level</p> <p>Example:</p> <p>England:</p> <ul style="list-style-type: none"> - NHS Workforce Review Team: conduct a pilot study to develop demand-side modelling (initially for mental health service) (England) - London Strategic Health Authority: used scenario-based workforce modelling (demand-based) - 6-step Workforce Planning Model (NHS South West) (supply and demand) <p>Northern Ireland:</p> <ul style="list-style-type: none"> - review of each professional group every three years, plan/strategies were made based on supply and demand <p>Scotland:</p> <ul style="list-style-type: none"> - based on Student Nurse Intake Planning project aligned with NHS and non-NHS employers projection (supply) - utilisation of service from Management Information and Dental Accounting System database (demand) <p>Wales:</p> <ul style="list-style-type: none"> - annual approach will be based on national unit linked to local planning process (supply) |
| Assumptions | <ul style="list-style-type: none"> - past trends define future trends - demand will increase at twice the rate of population growth | <ul style="list-style-type: none"> - estimated numbers based on average calculation of past trend and prediction of change of care delivery models, technology - significant work has been undertaken to ensure that workforce targets are consistent with the available resources | <ul style="list-style-type: none"> - each model applied holds different assumptions |
| Formulae | <p>Supply = Headcounts + net inflow (inflow less outflow) (calculated for each workforce areas)</p> <p>Demand = [population growth] * [type of service] * [care delivery models] * [impact of current and future technologies]</p> | <p>Projected demand (Whole time equivalent) = current demand * yearly growth rate</p> <p>Required supply = estimated adequate ratio of supply to demand * projected demand</p> | <p>Supply=current headcounts + net inflow;</p> <p>Demand = population * dentist-to-population ratio,</p> |

| | New Zealand | Scotland | United Kingdom |
|-------------------------------|--|---|--|
| Key factors used | <ul style="list-style-type: none"> - projection of population growth by age, sex - population health needs: based on all types of healthcare services - burden of disease - technology development - models of care - projection of healthcare workforce growth according to population growth - entries to and exits from healthcare workforce - analysis of occupations, specialty - education and training sources | <ul style="list-style-type: none"> - workforce dynamics (characteristics of workforce development) - demographic changes - technology development - payment scheme - utilisation (service-based) - shrinkage (leave, mortality, retirement) | <p>Depends on model used</p> <p>Example:</p> <ul style="list-style-type: none"> - number of student intake for a professional training retirement, change of professions, expansion - financial planning for education and training - international recruitment - health indicators, demographic and socio-economic status |
| Limitations/Challenges | <ul style="list-style-type: none"> - difficult to collect and monitor data - lack of financial support in services at rural areas, and which make coordination between care centres difficult. - difficult to evaluate impact of policy changes and health outcomes | <ul style="list-style-type: none"> - relies on pre and current data - quality of data is an issue - lack of collaborative approaches to workforce planning | <ul style="list-style-type: none"> - lack of supply-side modelling - lack of linkage between supply and demand projections - potential deficit in current workforce-planning capacity at regional level - most Strategic Health Authorities focused on improving the process, rather than planning capacity <p>Problems in the system:</p> <ul style="list-style-type: none"> - too "top-down" management- service, financial and workforce planning are poorly integrated - poor data to project funding arrangement - medical workforce planning and development is done largely in isolation - lack of long-term strategic commission - quality of education, training, recruitment |
| Organizations | <p>Health Workforce Advisory Committee (HWAC)</p> <p>http://www.healthworkforce.govt.nz/about-health-workforce-nz/publications-and-reports</p> <p>Workforce Services Reviews</p> | NHS Scotland National Workforce Planning | <p>Department of Health</p> <p>Centre for Workforce Intelligence</p> <p>(http://www.cfwl.org.uk/)</p> <p>Skills for Health</p> |

Appendix A(iii): Summary of manpower planning and forecasting models (Japan, Singapore, USA)

| | Japan | Singapore | USA |
|---|---|---|--|
| Context | <ul style="list-style-type: none"> - shortage of physicians - mal-distribution of medical practitioners in some areas - ageing population - ageing workforce - mismatch of supply-demand in some areas | <ul style="list-style-type: none"> - high density of doctors, but reported shortages in the public sector due to the low pay and long working hours compared with the private sector - promote medical tourism - import medical workforce, esp. nurses and doctors from Philippine and Indonesia - most of doctors in Singapore are foreign-trained | <ul style="list-style-type: none"> - shortage in primary care service and staff - nursing shortage - geographical variation in service - inappropriate funding plan - increased demand professional training program |
| Objectives/ Strategic directions | <ul style="list-style-type: none"> - to project the demand and supply of healthcare professionals | <ul style="list-style-type: none"> - increase medical and other healthcare professional training - improve working environment and benefits to attract more overseas healthcare workers - develop programmes to recruit and retain healthcare workforce (esp. professional Development) | <ul style="list-style-type: none"> - strengthen the Nation's Health and Human Services Infrastructure and workforce - invest in the HHS workforce to meet American's health and human service needs today and tomorrow - ensure that the Nation's healthcare workforce can meet increased demands - enhance the ability of the public health workforce to improve public health at home and abroad - strengthen the Nation's human service workforce |
| Framework | <ul style="list-style-type: none"> - train and recruit more health professionals to respond to the increasing shift towards elderly care and integration between institutional and community settings - enable health professionals to take on new tasks, responsibilities, opportunities | <ul style="list-style-type: none"> - Healthcare Manpower Development Programme for Intermediate and Long-term Care (since 1980) - funding for advanced training skill of local staff (local or overseas institution) - funding for visiting experts' lecture, fellowship programme - set up websites to attract more foreign healthcare workers | <ul style="list-style-type: none"> - fund medical training scholarships and loan repayment programmes - focus on human capital development - innovative approaches to recruiting, training, develop, retain and support a competent workforce - monitor and assess the adequacy of the Nation's health professions workforce - work with states to develop systems for the training and ongoing professional development, and opportunities for developing professional skills. - improve the cultural competence of the healthcare workforce - foster the use of evidence-based practices in human services to professionalize the field - establish regular evaluation, supervision of supply and demand of healthcare workforce to inform professional development and future action. |
| Duration | since 2000 | since 2006 | since 2006 |

| | Japan | Singapore | USA |
|---------------------------------|---|---|---|
| Method for Supply/Demand | Utilisation and supply-based approach <ul style="list-style-type: none"> - current and past trend of utilisation (esp. for aging care) - expenses related to healthcare - education and training sources - population development - advancing medical technology - changing treatment patterns - labour market trends | <ul style="list-style-type: none"> - healthcare professionals to population ratio * Doctors to population ratio: 1:620 (2008); 1:600 (2009); 1:580 (2010); 1:550 (2011) * Nurse to population ratio: 1:200 (2008); 1:190 (2009); 1:170 (2010); 1:160 (2011) - supply-based model was used to project healthcare workforce | Utilisation and supply-based model Supply: <ul style="list-style-type: none"> - size and characteristics of current workforce (age, gender, work-hours, retirement, distribution, active in-patient care or other activities such as teaching, research) - new entrants and choice of medical specialty - separation from the physician workforce (retirement, mortality, disability, career change) - physicians productivity: hours spent providing patient care, number of patients seen, resource-based relative value scale Demand: <ul style="list-style-type: none"> - population growth - medical insurance trends - economic factors - physician to population ratio - technology, policy changes |
| Assumptions | <ul style="list-style-type: none"> - population projections, current patterns of employment and supply - models used are susceptible to measurement error | <ul style="list-style-type: none"> - assumption: current patterns of new local and non-local graduates, - rates of demand will remain | <ul style="list-style-type: none"> - baseline assumption: current patterns of new graduates, specialty choice, and practice behaviour continue - distribution of physicians in-patient-care and other activities remains constant |
| Formulae | stock and flow methods | <ul style="list-style-type: none"> - The healthcare workforce (doctors, nurses, pharmacists, dentists and allied health professionals) will need to be increased by more than 50%, by 2020.. - Factors being considered include ageing and growing population, and increasing number of healthcare infrastructure. On the supply side, local and overseas graduates and role extension of healthcare professionals were considered. | Physician Supply Model $P_{(y+1)} = P_{(y)} + P_a - P_i + P_n$ $P_{(y+1)}$: physicians supply in the year y+1 $P_{(y)}$: physicians supply in the year y P_a : physicians remain active P_i : physicians inactive, retired, dead or disable P_n : new physicians graduated from US medical school or international institutions The model also generates Full-time equivalent (FTE) physicians, which is defined as the average hour annual hours worked in-patient care per physician in baseline year. Physician Requirement Model <ul style="list-style-type: none"> - Physicians Requirements = [<i>Population projections by age, sex, and metro/non-metro</i>] x [<i>Insurance distribution by age, sex, and metro/non-metro</i>] x [<i>physicians per population ratio by age, sex, and metro/non-metro, insurance and specialty</i>] |

| | Japan | Singapore | USA |
|-------------------------------|---|--|---|
| Key factors used | <ul style="list-style-type: none"> - population growth rate - healthcare workers to population ratio - utilisation indicators | <ul style="list-style-type: none"> - number of physicians/nurses - inflow and outflow of healthcare workforce - population growth rate - medical education and training registrants | <p>Physician Supply Model</p> <ul style="list-style-type: none"> - number of physicians in the preceding years (starting with the base year 2000) - number of new US medical students, International medical students - attrition due to retirement, death and disability <p>Physician Requirement Model</p> <ul style="list-style-type: none"> - population projections by age, sex and metropolitan/non-metropolitan location - projected insurance distribution by insurance type, age, sex, metropolitan/non-metropolitan location - detailed physician-to-population ratio |
| Limitations/Challenges | <ul style="list-style-type: none"> - slow adoption of new approaches across healthcare systems - loose control over supply and demand factors due to no central authority - difficulty in funding allocation | <ul style="list-style-type: none"> - past history may not adequately reflect future requirements - limited variables include in the analysis - overly reliant on ability to recruit non-local professionals | <ul style="list-style-type: none"> - numerous variables included in the analysis => difficult to control => uncertainty about adequacy of the analysis - no single entity in US in charge of workforce planning- - lack a cohesive approach to workforce shortage |
| Organisation | Ministry of Health, Labour and Welfare Human Resource Development Bureau | Ministry of Health Human Resource Advisory Board | US Department of Health and Human Services (http://www.hrsa.gov/index.html) American Society for Healthcare Human Resources Administration (ASHHRA) (http://www.ashhra.org) |

Appendix B: Manpower planning literature by healthcare professional group

Doctors

| Author, year | Design, model type /analysis | Parameters included (population level or individual level) | Outcomes | Assumptions & Limitations |
|---------------------------|------------------------------|---|---|--|
| Supply models | | | | |
| Bane et al., 1959 (163) | Stock and flow approach. | Graduates; Number of physicians; Retirees; Work locations; | •Number of physicians per 100000 people •Total output | • Estimates of future needs were projected through analysing the utilisation of services, growth of new types of services. |
| Craig et al., 2002 (74) | Trend analysis. | Number of specialist anaesthesiologists by age, as of January 1, 2000; Annual certificate numbers, 1971-2000; Estimated needs for anesthesia provider, 1999 & 2006. | •Number of required FTEs •Number of FTE deficits | • Assumption that each anaesthesiologist provides 1 FTE to anaesthesiology workforce underestimates requirement.; • Does not account for anaesthetic service provided by non-specialist practitioners. |
| Fraher et al., 2013 (164) | Stock and flow approach. | Graduate medical education pipeline; Length of training by specialty; Re-entry; Attrition (Death, retirement and career breaks); Age; Sex; Hours worked in-patient care by age and sex. | •Headcount of surgeons by age, sex and specialty in the United States from 2009 to 2028 FTE of surgeons by age, sex and specialty in the United States from 2009 to 2028 | • Does not cover the complementary of physician assistant and nurses; • FTE contributions to patient care were adjusted downward significantly after the age of 65 years; • FTE by age and sex, retirement rates, workforce re-entry patterns and attrition from training stay the same in different specialties; • Only focus on overall supply. |

| Author, year | Design, model type /analysis | Parameters included (population level or individual level) | Outcomes | Assumptions & Limitations |
|---------------------------|------------------------------|--|---|---|
| Fehring et al., 2010 (71) | Stock and flow approach. | Age; Retirement; Graduates; Number of total knee and total hip arthroplasties performed per month; Historical incidence of arthroplasty. | •Procedural shortfall | <ul style="list-style-type: none"> • Selection and information bias through the use of estimates that are based on survey data; • Assumption of baseline scenario and conservative scenario for retirement; • Assumption of baseline scenario and conservative scenario for incidence; • The number of residents entering the workforce will be stable; • All the surgeons will perform joint arthroplasty at the same rate, no matter their experience. |
| Hilton et al., 1998 (75) | Stock and flow approach. | Number of current supply of physicians; Number of new trainees; Number of licensees expected; Retirement; Population; Number of office-based physicians; Hospital-based physicians; Specialties vs. primary care physicians; Other activities. | <ul style="list-style-type: none"> •Total number of office-based physicians per 100,000 population in 2001 & 2006 •The number of primary care physicians per 100,000 population in 2001 & 2006 •The number of specialist per 100,000 population in 2001 & 2006 | <ul style="list-style-type: none"> • Limited effect of growth in demand on current number of physicians to 1%/year. • Limited retirement and other losses to 3%/year; Assume 70% retention rate of trainees; • 1.2% of population increase annually. |
| Joyce et al., 2006 (67) | Stock and flow approach. | Current supply in baseline; New graduates; Immigrants; Re-entrants; Death; Retirements; Attrition exits; Movement between occupations; Number of hours worked per week by age (5-year bands) and sex. | <ul style="list-style-type: none"> •FTE clinicians (per 100,000) •FTE GP (per 100,000) •FTE Specialist workforce (per 100,000) | <ul style="list-style-type: none"> • Estimate of parameters used in the model might not be accurate – question of data quality. |

| Author, year | Design, model type /analysis | Parameters included (population level or individual level) | Outcomes | Assumptions & Limitations |
|---------------------------|--|--|--|---|
| Koike et al., 2009 (72) | Trend analysis using multistate life table. | Specialty; Impact of further increase of female physicians Age groups; Place of work. | •Headcount of estimated numbers of physicians by specialty | <ul style="list-style-type: none"> • The characteristics and status of physicians will continue in the future; • Does not project the FTE number. |
| Miller, 1993 (76) | Stock and flow approach. | Age distribution; Number of otolaryngologists; Number of otolaryngologists entering practice; Death rates; Retirements; Current production of residents. | •Headcount of otolaryngologists | <ul style="list-style-type: none"> • Older-than-65 group was excluded from further analysis. |
| Satiani et al., 2009 (73) | Stock and flow approach, using population and workload analysis. | Current number of certified Vascular surgeons; Number of newly certified per year; Retired numbers per year; Operations needed per 100000 people; Average number of procedures performed per VSN | <ul style="list-style-type: none"> •Population analysis: Shortage of surgeons in percentage •Workload analysis: Shortage of surgeons in percentage | <ul style="list-style-type: none"> • Surgeon to population ratio maintained for the 40-year period, number of operations performed annually remain the same, number of years in training remain unchanged. |
| Demand models | | | | |
| Craig et al., 2002 (74) | Needs-based model. | Per capita utilisation by age and sex; Population projection by age and sex; Time spent on providing clinical anaesthesia services; | •FTE of physicians | <ul style="list-style-type: none"> • Lack of direct data on non-clinical anaesthesiologists; • Assume that one full-time, full-year anaesthesiologist equals to 175,000 units of demand; • Assume that the supply meets the demand in the base year. |

| Author, year | Design, model type /analysis | Parameters included (population level or individual level) | Outcomes | Assumptions & Limitations |
|--------------------------------|---|---|--|--|
| Etzioni et al., 2003 (11) | Demand/utilisation based model. | Population by age; Age-specific rates of surgical procedures; Relative value units (RVUs). | •Forecasted percept increases in Work RVUs by specialty | • Estimate workload/productivity; • Assume that the surgical demand by age and sex will be stable. |
| Greenberg et al, 1997 (165) | Demand/utilisation-based model. | Current utilisation rates for ambulatory and in-patient medical; Specialty services, by gender, race, age group, insurance status; Population by gender, race and age. | •Physician headcount required in 2020 | • Recent trends will continue into the future. |
| Harrison et al., 2011 (166) | Demand/Utilisation-based model. | Number of general practice consultations by age and gender; Length consultations; Population projection. | •Increase in GP utilisation •Additional GPs required | • Assume that GPs would work similar average hours per week; • Assume that current primary care model and structure of general practice will remain the same. |
| Tsai et al., 2012 (167) | Regression-based physician density model. | Mortality rate (under age 5); Adult mortality rate; Life expectancy; Fertility rate; Literacy; Population density; Age structure; Economic growth; Expenditure on health. | •Under the model, countries were labelled as Negative discrepancy or Positive discrepancy | • Cannot use the absolute number to suggest for correction in the healthcare workforce; • Only be used for warning signs of workforce discrepancy |
| Mixed models | | | | |
| Al-Jarallah et al., 2009 (168) | Supply: trend analysis; Demand: benchmark. | Population projections; Physician-to-population ratios; The average rate per annum for Kuwaiti physicians and non-Kuwaiti physicians. | •Number of indigenous physician and non-native expatriate physician •Projected requirement for physician •Disparity between need and actual number of physicians | • Projecting demand and supply over a long period leads to uncertainty, did not study age and structure of the physician workforce due the lack of data. |

| Author, year | Design, model type /analysis | Parameters included (population level or individual level) | Outcomes | Assumptions & Limitations |
|--------------------------|---|---|---|---|
| Barber et al., 2010 (69) | Supply: stock and flow approach; Demand: demand/utilization-based model. | Number of students admitted to medical school; Number of residencies available for each specialty; The mandatory retirement age; Immigration rate by specialty; Growth rate for specialists demand; Growth in population; | <ul style="list-style-type: none"> •Total FTE of medical specialists needed •Ratio specialists/100 000 inhabitants •Deficit/surplus specialists in percent | <ul style="list-style-type: none"> • Supply model: realistic entry parameters; • Demand model: lack normative standards, assume appropriate staff number. |
| Birch et al., 2007 (169) | Supply: stock and flow approach; Demand: needs-based framework using Vensim 2002 simulation model. | Number of provider by age and sex; Time spent in the production of services; Size of population by age and sex; Provider-to-population ratio by age and sex of population group; Number of services required by age and sex; Demography; Level of service; Epidemiology; Intensity of work; Technological inputs; Inputs of other types of professionals. | <ul style="list-style-type: none"> •Headcount of the providers •FTE of the providers •Need follows observed trends by different policy changes | <ul style="list-style-type: none"> • Assumption of different needs scenarios to look at how it will affect the physician workforce. |

| Author, year | Design, model type /analysis | Parameters included (population level or individual level) | Outcomes | Assumptions & Limitations |
|----------------------------|---|---|--|--|
| Blinman et al., 2012 (170) | Supply: stock and flow approach; Demand: demand-based model. | Headcount by nature of practice; Current supply; Population; National chemotherapy utilisation rate; Optimal workload of new patients seen per FTE MO per year; Number of retirement; Overseas and local training MOs. | •Supply, demand and shortfall of FTE medical oncologists (MOs) •Chemotherapy utilisation rate | • Only the clinical workload of MOs related to chemotherapy was included, some responses were estimated than counted, lead clinicians were surveyed rather than individual MOs. |
| Chang et al., 2008 (68) | Supply: stock and flow approach; Demand: needs-based model. | Number of new entrants; Current manpower and demographics; Withdrawals by nephrologists (e.g. retirement, death and turnover to other subspecialties); Population; Incidence and prevalence of ESRD and treatment modalities. | •FTE supply, demand | • Assume the probability of wastage for general doctors and internists are small and therefore ignored. |
| Cooper 1995 (171) | Supply: dynamic model; Demand: demand/utilisation-based model. | Medical students; Retirement; Size of workforce; Utilisation from HMOs; Aging; Technology; Productivity; Demographic factors; Population. | •FTE physician/100000 population (supply and demand) | • Supply: limited by predictions concerning the future number of USMGs and IMGs; • Demand: uncertainty of technology, data reliability from HMOs, HMOs' data not representative of the nation as a whole. |
| Deal et al., 2007 (172) | Supply: stock and flow approach; Demand: demand/utilisation-based model. | Healthcare utilisation - age & sex; Population projections; Retirement; Mortality rates; Hours of work; Number and fill rates of fellowship slots. | •Number of rheumatologists supplied and needed, by sex, age and specialty | • Supply and demand for rheumatology services are in equilibrium, the number of fellow position will remain static, gender differences will remain static. |

| Author, year | Design, model type /analysis | Parameters included (population level or individual level) | Outcomes | Assumptions & Limitations |
|--|---|--|--|--|
| Douglass et al., 1995 (173) | Supply: dynamic model; Demand: needs-based model. | Past and current Connecticut non-federal internist supply Present and future Connecticut internists supply and need Contribution of non-physician providers. | •FTE supply •FTE need | <ul style="list-style-type: none"> • Currently available data for specific specialties; • Uncertain flow of physicians in and out of the province; • Classifying specialty based on service provision; • Calculate the supply and need in Connecticut base on the share of US supply and need. |
| Greuning et al., 2012 (174) | Supply: stock and flow approach; Demand: estimation. | Graduates; Attrition; Demographic developments; Epidemiological developments; Socio-cultural developments; Change of working hours; Technical developments; Developments regarding efficiency; Developments regarding substitution. | <ul style="list-style-type: none"> •Number of health professionals •Total FTE of health professionals | <ul style="list-style-type: none"> • The basic scenario assumed that the demand will increase by 6.0% due to the demographic developments from 2009-2019; • The parameters on the demand side were estimated by experts, however it was not clearly explained how they were being estimated. |
| Health Workforce 2025 Volume 1, 2012 (175) | Supply: stock and flow approach; Demand: demand/utilisation-based model. | Graduates; Re-entry; Working hours; Migration; Attrition (Death, retirement & career change); Age; Gender; Utilisation rates. | <ul style="list-style-type: none"> •Headcount of supply, demand and gap •FTE of supply, demand and gap | <ul style="list-style-type: none"> • Different assumption based on demand scenario. |
| HRSA, 2008 (63) | Supply: stock and flow model; Demand: Demand/utilisation-based approach. | Number of physicians age & sex; Graduates; Retirement and mortality by age and sex; Disability and career change; Direct patient care hours; Population projections; Insurance distribution. | <ul style="list-style-type: none"> •FTE active physician •Increase in demand due to aging and growth | <ul style="list-style-type: none"> • Limitations include using historical data to estimate future trends; • Assume insurance coverage and type, economic growth, and the increased use of NPCs. |

| Author, year | Design, model type /analysis | Parameters included (population level or individual level) | Outcomes | Assumptions & Limitations |
|--------------------------------|--|---|---|--|
| Lee et al., 1998 (176) | Supply: dynamic model; Demand: needs-based model. | Surgeon population; Time spent in direct care; Entry rates of residents; Retirement and mortality rate; Number of office visits; Duration of office visit; Number of procedures; Duration of procedures. | •FTE supply •FTE demand | <ul style="list-style-type: none"> • Need for large amounts of data; • Accuracy of estimation; • Time and FTEs used as common measure for both supply and demand might be vulnerable to changes in real-life practice and structure of work; • Not able to address distributional issues. |
| McNutt, 1981 (177) | Supply: dynamic model; Demand: demand/utilisation-based model. | Medical graduates; Practitioner supply; Attrition rates; Morbidity; Prevention; Delphi panel rates. | •Head count of physicians supplied and required by each specialty (Only talked about the concept and analytic framework of the GMENAC model) | <ul style="list-style-type: none"> • Relied heavily on the Delphi panel to project future demand/utilisation. |
| Scarborough et al., 2008 (178) | Supply: stock and flow approach; Demand: needs-based model. | Attrition (Death and retirement); Annual volume of Hepatic-Pancreatic-Biliary (HPB) procedures; Annual number of new HPB subspecialist; Level of fellowship training; Practice patterns of graduating fellows. | <ul style="list-style-type: none"> •Annual volume of HPB procedures per subspecialist in 2020 •Annual HPB procedure volume per subspecialist in 2020 at current level of fellowship training •Number of fellows needed to train each year to meet demand for HPB surgery | <ul style="list-style-type: none"> • Reliance on a series of assumptions to determine the current number of practicing HPB subspecialists and the current level of fellowship training; • Assume that none of the fellowship-trained HPB subspecialists first entering the workforce in 2007 would retire, die, or change fields before 2020; • Different scenarios for the projected number of fellows needed to train per year to meet the demand for HPB procedures. |
| Scheffler et al., 2009 (179) | Supply: trend analysis; Demand: needs-based model. | Number of physicians by country; Projected population. | •Headcount supply, demand, shortage | <ul style="list-style-type: none"> • Poor data quality in Africa which could undercount healthcare professionals, especially in the private sector; • Supply of physicians is provided from previous estimates and data (Scheffler et al., 2008). |
| Scheffler et al., 2008 (180) | Supply: trend analysis; Demand: needs-based model and demand-based model. | Historical data on physician numbers 1980-2001; Updated physicians numbers; Economic growth; Historical and projected population; Need-based benchmark: live births | <ul style="list-style-type: none"> •Supply - per capita physicians •The required headcount of physicians to reach the world health report 2006 goal •Demand for physicians in each country by headcount •Deficit or surplus by headcount | <ul style="list-style-type: none"> • Need estimated only reflects one aspect of healthcare delivery; • Projection of demand and supply rely on trends of either economic growth or physician per capita. |

| Author, year | Design, model type /analysis | Parameters included (population level or individual level) | Outcomes | Assumptions & Limitations |
|----------------------------|--|---|--|--|
| Shipman et al., 2004 (181) | Supply: stock and flow approach; Demand: benchmark. | Number of paediatricians by age and sex; Annual number of graduating trainees by age and sex; International medical graduates (IMGs); Death and retirements; Population; Current proportion of outpatient office visit by children to paediatricians; Productivity; Change in work effort. | •FTE General paediatricians •Child population | <ul style="list-style-type: none"> • Uses different key assumptions for projection, mainly have a set rate for different variables; • Assume that 25% of noncitizen IMGs will not stay in the US workforce after completing training. |
| Smith et al., 2010 (182) | Supply: stock and flow approach; Demand: demand/utilisation-based approach. | Age-, sex-, race-, population projections; Age-, sex-, race-, radiotherapy utilisation rates; Age-stratified and sex-stratified life-tables; Number of current board-certified radiation oncologists, 2009 residency graduates and 2010 to 2013 expected to graduates; Age- and sex-stratified proportion of radiation oncologists practicing full time, part time, and not practicing. | <ul style="list-style-type: none"> •Total number of patients receiving radiation therapy in 2020 •FTE radiation oncologists in 2020 •Size of residency training classes to have supply equal demand | <ul style="list-style-type: none"> • Extent the current supply of oncologists can accommodate increased patient volume; • Estimate of modest changes in radiation therapy practice patterns may impact patient throughout without compromising quality, future technologies. |

| Author, year | Design, model type /analysis | Parameters included (population level or individual level) | Outcomes | Assumptions & Limitations |
|------------------------------|---|---|--|---|
| Starkiene et al., 2005 (183) | Supply: stock and flow approach; Demand: needs-based model and demand/utilisation-based model. | Population projections; Mortality; Retirement; Migration; Drop out from training; Enrolment numbers of trainee. | •FTE-to-population ratio by different scenarios in supply and demand | <ul style="list-style-type: none"> • Used different assumptions to manipulate supply and demand scenarios; • Retirement Scenario 1: The retirement age was set to be 66 years and it was assumed that one fifteenth of the group of FPs aged more than 50 years would retire annually; • Retirement Scenario 2: The retirement age was set to be 71 years and it was assumed that one fifteenth of the group of FPs aged more than 55 years would retire annually. |
| Teljeur et al., 2010 (184) | Supply: stock and flow approach; Demand: demand/utilisation-based approach. | GP visit rates; Age-sex rates of GP attendance; Population projection 2009-2021; Mortality rate for higher professionals; Work practice; Services provided; Practice structure; Overseas graduates; Education/training; Retirement; Nurse substitution. | <ul style="list-style-type: none"> •GPs needed to meet population demand •GP numbers by different supply scenarios | <ul style="list-style-type: none"> • Nurse substitution Scenario 1: Nurses were equivalent to 0.25 FTE GPs; • Nurse substitution Scenario 2: Nurses were equivalent to 0.5 FTE GPs; • Assume that the number of GP vocational training places would increase by 20% in 2011; • Later retirement has been considered; • Lack of regional data resulted in failing to test potential impact of each intervention on geographical differences. |

| Author, year | Design, model type /analysis | Parameters included (population level or individual level) | Outcomes | Assumptions & Limitations |
|-----------------------------|---|--|--|--|
| Weissman et al., 2006 (185) | Supply: stock and flow approach; Demand: needs-based model and demand-based model. | Age and sex distribution of anaesthesiologist population; Employment status (full-time/part-time); Country of medical school education; Last anaesthesiologist residency; Professional status (resident, certified specialist anaesthesiologist); Medical school academic appointment; Historical and projected age distribution and birth rate of the Israeli population; Immigration data on physicians; Physicians required per capita; Number of surgeries per anaesthesiologist. | <ul style="list-style-type: none"> •Anaesthesiologists per 100000 population •New anaesthesiologists needed | <ul style="list-style-type: none"> • Based on status quo of 10.8 anaesthesiologists per 100000 population. |
| Yang et al., 2013 (186) | Supply: stock and flow approach; Demand: population-based analysis. | Population growth; Number of plastic surgeons certified in 2010; Retirement; Graduate; Growth of the number of invasive and non-invasive cosmetic procedures. | <ul style="list-style-type: none"> •Headcount of practicing plastic surgeons •Headcount of plastic surgeons needed | <ul style="list-style-type: none"> • Only focus on plastic surgeons in US; • The number of new graduates would be constant; • The number of trainee positions would be static; • All practicing plastic surgeons would retire after 35 years' post residency work. |

Nurses

| Author, year | Design (Model type /analysis) | Parameters included (population level or individual level) | Outcomes | Assumptions & Limitations |
|-----------------------------------|---|---|--|---|
| Supply model | | | | |
| Buerhaus et al, 2000 (93) | Using retrospective analysis of employment trends to project long-term age and employment of RNs (Trend analysis) | Forecast of US population through 2020 by age; The propensity of individuals from a given cohort to work as RNs; The relative propensity of RNs to work at a given age. | <ul style="list-style-type: none"> •Supply projection, 2001-2020. •Annual FTE employment of RNs in total and by single year of age | <ul style="list-style-type: none"> • Future cohorts will enter nursing at a rate similar to current cohorts; • Changes of the workforce over time only depend on the age of the cohort. |
| National Health System, 2008 (92) | Dynamic model | Annual growth in 3 year pre reg commissions; FTE/Head count; Attrition; New registrants; International recruitment; Return to practice change; Other joiners; Other leavers; | •Number of registered nurses in 2008-2016 | <ul style="list-style-type: none"> • Annual growth in 3 year pre registration commissions based on WRT assumptions; • FTE/Head count based on historic trend; • International recruitment based on 3-year average; |

| Author, year | Design (Model type /analysis) | Parameters included (population level or individual level) | Outcomes | Assumptions & Limitations |
|-------------------------|--|---|---|--|
| Demand models | | | | |
| Ghosh et al, 2005 (101) | Computer-based model, given certain prescribed patient-nurse ratios (Benchmarking) | <p>In-patient units: bad capacity, bed occupancy rate, and the percentage share of patients in each unit according to an accepted patient classification system.</p> <p>Outpatient Department: Required physical allocation, Total OPD working days in a year, Total working days/nurse/year;</p> <p>Operating theatres: planned OT shifts per week, number of weeks per year, nurses per OT per shift, Total working days/nurse/year;</p> <p>A&E: Nurses/shift, Number of shifts in a day, Number of days in a year, Total working days/nurse/year;</p> <p>Renal dialysis: Number of sessions/station/week, Number of stations, Number of weeks in a year, Nurse/station, Total working days/nurse/year.</p> <p>Sickness, maternity & deputation leave.</p> | •Overall nurses required adjusted for sickness, maternity & deputation leave. | • No variation included, all parameters are constant over years. |

| Author, year | Design (Model type /analysis) | Parameters included (population level or individual level) | Outcomes | Assumptions & Limitations |
|--------------------------------|---|--|---|--|
| Mixed models | | | | |
| Al-Jarallah, et al. 2009 (100) | Supply: Dynamic model. Demand: Projected by using the average nurse-to-population ratio for 1994-2006. (Benchmarking) | Supply: Graduates. Demand: Population growth; Nurse-to-physician ratio. | Workforce projection, 2007-2020. Supply: •Number of nurses. Demand: •Number of nurses needed. | • Changes in healthcare policies or nursing education can greatly affect the workforce. |
| Auerbach, et.al. 2012 (94) | Supply Demand: Utilisation-based model | Hours worked; Utilisation of services; Sector; Education; Marital status; Age group; Poverty; Insurance status; Race/ethnicity classification; Number of RN and NP; | Supply •Number of Nurse Practitioners (NP) and RN specializing in SRH. Demand •Utilisation of SRH services | • Different assumption used for various scenarios to predict the workforce for NPs in SRH. • Only focus on SRH service. |

| Author, year | Design (Model type /analysis) | Parameters included (population level or individual level) | Outcomes | Assumptions & Limitations |
|--|--|--|---|--|
| Canadian Nurse Association. 2002 (110) | Supply: Dynamic model. Demand: Need-based model and utilisation-based model. | Supply: Age; Sex; Population; Working hours; Graduates; Retirement; Migration Demand: Population; | Workforce projection, 2011 and 2016. Supply: •Number of RNs by age; •Percentage of RNs employed in Nursing by age. Demand: •Number of employed RNs required. | • Assume the average utilisation of services at any given age remains constant. |
| Health Resources and Services Administration, 2007 (107) | Supply: Measuring RN supply at the county level taken from the 2000 U.S. Census data. Demand: Utilisation-based model and benchmarking. Simplified Nurse Demand Model from HRSA's models | Population; Number of registered nurse; Short-term in-patients days; Long-term in-patient days; Psychiatric hospital in-patient days; Nursing home unit in-patient days; Outpatients visits; Emergency department visits; Population demographic; RNs per 100 hospital beds; Local nursing wages; Numbers of nursing schools and graduates; Number of new RNs passing exam; Turnover rates; Vacancy rates; Hard-to-fill positions; Staffing ratios; Poor facility outcomes; Case mix and acuity; Worker satisfaction; Turnover leadership; | Demand: •Utilisation: in-patient day. •Staffing ratio: Projected RNs per 100000 age-adjusted population, RNs per in-patient days, and RNs per visits, etc. •RN demand by county: staffing ratio*utilisation. | • Assumes that current staffing patterns at the national level reflect a balance of supply and demand, differences within types of care in factors such as patient acuity do not vary substantially across counties, and RN commuting patterns are similar to the commuting patterns of other workers in terms of county flow and outflow. |

| Author, year | Design (Model type /analysis) | Parameters included (population level or individual level) | Outcomes | Assumptions & Limitations |
|--|---|--|---|--|
| Health Resources and Services Administration 2002 (65) | Supply: Dynamic model Demand: Project the required nursing services by forecasting the future staffing intensity. (Benchmarking) | Supply: Graduates; Attrition; Aging of RN workforce; Decline in relative earnings; Alternative job opportunities. Demand: Population growth and aging; Per capita demand for healthcare; Trend in healthcare financing (health insurance); Workload by settings; Staffing intensity | Workforce projection, 2000-2020. Supply: •Number of FTE RNs by states •Employment distribution by settings Demand: •Number of FTE RNs by states | • Applying national estimate to the State level |
| Health Workforce Australia 2012 (95) | Supply: Dynamic model. Demand: Utilisation-based model and benchmarking. | Supply: Graduates; Migration Retirement; Illness and death; Career change; Working hours; Demand: Area of practice; Productivity; Working hours; | Workforce projection, 2009-2025. Supply: •Projected Number of nurse headcount. Demand: •Acute care nursing: number of bed-days; •Emergency care nursing: number of attendances at emergency departments; •Midwives: calculated from the total number of projected births based on the actual number of births from 2006 to 2008 by population projection ratio from 2009 to 2021. | • Only headcount numbers were presented in the report. |

| Author, year | Design (Model type /analysis) | Parameters included (population level or individual level) | Outcomes | Assumptions & Limitations |
|--|--|--|--|---|
| Health Workforce Information Programme, 2009 (187) | Supply: Dynamic model. Demand: Need-based model. | Population growth; Age; Surgical intervention; Career changes; Job patterns; Education; Outflows; Sectors (public and private); | Workforce projection of perioperative nurse (PN), 2009-2031. Supply: •Number of PN by sectors Demand: •Number of PN by sectors | <ul style="list-style-type: none"> • Only focus on perioperative nursing. • Assumes there will be an increase in the scope of practice for nurses. Also assumes that more non-nursing occupation groups will perform support roles for both medicine and nursing. |
| Juraschek et.al, 2011 (188) | Supply: Trend analysis. Demand: Linear Regression Model and Trend Analysis. | Population; Age; Personal health expenditure; FTE; RN job shortage ratios; RNs per 100,000 population; | Workforce projection, 2008-2020. Supply: •Number of RN jobs Demand: •Number of RN jobs needed | <ul style="list-style-type: none"> • Supply: the current RN utilisation, the education of new RNs and the national propensity of an individual to choose nursing as a career is the same across states in coming decades. • Demand: Used 2009 national mean as a baseline of demand model means there is no shortage in 2009 but in fact most studies consider the nation to already experience a large shortage. • Using RN jobs as measurement cannot take working hours into account. |

| Author, year | Design (Model type /analysis) | Parameters included (population level or individual level) | Outcomes | Assumptions & Limitations |
|--------------------------|--|--|---|--|
| LeVasseur. 2007 (106) | Supply: Dynamic model Demand: Estimating the demand for FTE RNs by calculating the RN staffing intensity by healthcare setting, e.g. RNs/1,000 in-patient days in in-patient setting and RNs/10,000 population in the physicians' office (Benchmarking) | Supply: Based RN population (2000); Migration; Highest level of education; Attrition; State population and potential pool of applicants to nursing programs. Demand: Population uninsured; Medicaid eligible; Per capita income; Demographics; Geographic location; RN staffing intensity by healthcare setting. | Workforce projection, 2005-2020. Supply: •Estimated number of licensed RNs; •Active RN supply; •FTE RN supply. Demand: •Number of FTE RNs | <ul style="list-style-type: none"> • The supply and demand sides are independent of each other. • The demand model cannot model the substitution between different types of nurses and between nurses and other healthcare professions. • The demand model cannot capture the interaction between settings. |
| Author, year | Design (Model type /analysis) | Parameters included (population level or individual level) | Outcomes | Assumptions & Limitations |
| Malyon, et al. 2010 (98) | Supply: Dynamic model. Demand: Need-based model and trend analysis. | Supply: Age; Working hours; Graduates; Migration; Retirements; Maternity; Productivity. Demand: Population Burden of disease and injury; Technology impacts. | Workforce projection, 2006-2022. Supply: •Number of Nurse Headcount; •Number of Nurse FTE; Demand: •Number of Nurse Headcount | <ul style="list-style-type: none"> • Assumption of no productivity changes; • Assumption of no technology impacts. |

| Author, year | Design (Model type /analysis) | Parameters included (population level or individual level) | Outcomes | Assumptions & Limitations |
|---------------------------|--|---|--|--|
| Moulton et.al, 2008 (105) | Supply: Trend analysis, Nursing Supply Model (HRSA) Demand: Trend analysis, Nursing Demand Model (HRSA) | Age; Sex; Education; Graduates; Retirements; Population; | Workforce projection, 2008-2020. Supply: •Number of FTE RNs Demand: •Number of FTE RNs | • Assumed that the number of new RN graduates will remain constant over time; Trend and rates remain constant throughout. |
| Moulton, 2003 (109) | Supply and Demand Trend Analysis | Licensed nurses; Graduates; New license by exam, endorsement; Age; Aging population; Variation in strength of the economy; Part-time/full-time nurses; | Workforce projection for direct care nursing, 2003-2013. Supply: •Number of RNs and Licensed practical nurses (LPNs) Demand: •Number of RNs and (LPNs) | • Trend analysis that means the report assumes the trend will be the same rate though 2013. |
| Murray, 2009 (99) | The HRSA Nurse Supply and Demand Models, revised and updated in 2004, were used to create the Tennessee's projection. Supply: Dynamic model Demand: Project the required nursing services by forecasting the future staffing intensity. (Benchmarking) | Supply: Graduates; Retirement; Migration; Working hours; Renew rate; Demand: Population; Healthcare market conditions; Economic conditions; Patient acuity in different settings; Working hours; | Workforce projection, 2008-2020. Supply: •Number of RN FTE; •Number of Licensed Practical Nurse (LPN) FTE; Demand: •Number of RN FTE; •Number of Licensed Practical Nurse (LPN) FTE; | • The supply and demand sides are independent of each other. e.g. the projection of demand didn't consider the potential supply of nurses. |

| Author, year | Design (Model type /analysis) | Parameters included (population level or individual level) | Outcomes | Assumptions & Limitations |
|------------------------------------|--|---|---|--|
| Rosenbaum, and Ramirez. 2006 (108) | Supply: Dynamic model. Demand: Convert the population projection into numbers of people needing care (Need-based model); Calculate the required FTE RNs per capita (Benchmarking). | Supply: Working hours; Migration; Nurse education; Attrition; Graduates; Demand: Aging population; Working hours; | Workforce projection, 2006-2020. Supply: •FTE Nursing supply Demand: •Estimated FTE RN demand = the units of healthcare usage in each setting * FTE RNs per unit of healthcare usage. | |
| Spetz. 2009 (102) | Supply: Dynamic model Demand: RN-to-population ratio (Benchmarking) and future hospital utilisation (utilisation-based model) | Supply: Graduates; Retirement; Migration; Working hours; Population. Demand: Population growth and aging; Working hours; Proportion of RNs who worked in hospital setting. | Workforce projection of RNs, 2009-2030. Supply: •Forecasted FTE supply of RNs; •Forecasted employed RNs per 100,000 population; Demand: •Forecasted FTE demand for RNs; •RNs per capita; •RNs per patient day; | <ul style="list-style-type: none"> • Do not account for short-term changes, e.g. economic conditions. • The utilisation-based model was only for hospital setting. The total demand was calculated by dividing the Hospital FTE by the proportion of RNs who worked in hospital setting. |

| Author, year | Design (Model type /analysis) | Parameters included (population level or individual level) | Outcomes | Assumptions & Limitations |
|-----------------------------|---|---|--|---------------------------|
| Srisuphan et al. 1997 (111) | <p>Supply: Dynamic model</p> <p>Requirement: Health demand analysis: Demand-based model determined by econometric projections.</p> <p>Health service development analysis: Demand-based model for public sector and trend analysis for private sector.</p> <p>Nurse population ratio: Demand-based model projected by estimating future economic and population growth.</p> | <p>Supply: Graduates; Attrition.</p> <p>Demand: Future economic; Population; Staff norms; Death rate; Urbanization; Health insurance coverage; Demand components (e.g. nursing services, teaching, and management).</p> | <p>Workforce projection, 1995-2015.</p> <p>Requirements:</p> <ul style="list-style-type: none"> •Nurse-Population ratio; •Projected demand for nurses by units; •Projected demand for nurses by fields of practice. <p>Supply:</p> <ul style="list-style-type: none"> •Expected graduates; •Expected number of RNs. | |

| Author, year | Design (Model type /analysis) | Parameters included (population level or individual level) | Outcomes | Assumptions & Limitations |
|--|--|--|--|---|
| Tomblin Murphy, et al. 2009 (103) | Simulation model for supply and requirement. Supply: Stock and flow approach. Requirement: Need-based model | Supply: Graduates; Migration; Attrition (Death and Retirement) Relocation; Change of profession. Requirement: Population size and profile Level and distribution of health and illness in the population; Risk factors of illness in the population; Level of service; Productivity; Sectors | Workforce projection, 2005-2020. Supply: •Number of new RNs entrants; •Number of exits from the stock over time. Requirements: •Estimates of RN productivity (e.g. number of acuity-adjusted episodes of care per RN FTE per year); •Estimates of the number of RN required. | <ul style="list-style-type: none"> • The efforts to support the projection would be significantly hindered by the data reliability and availability relevant to the work of RNs. • Sectors included acute care, long-term care, home care, community and public health. |
| Wisconsin Department of Workforce Development. 2011 (96) | Supply: constant RN-to-population ratios (Benchmark) Demand: constant nurse staffing intensity and healthcare usage by employment setting and by age. (Benchmark) | Supply: Graduates; Change in labour force participation; Retirement; Death and disability; Migration; Demand: Staffing intensity; Healthcare use by setting and by age; | <ul style="list-style-type: none"> •Workforce projection, 2010, 2015, 2020, 2025, 2030, 2035. •Headcount and FTE of RNs for direct patient care, broad nursing workforce. | <ul style="list-style-type: none"> • Assumed that the 2010 RN-to-population ratios would remain constant. • Better data required to determine quality of RN FTE. • Severity of illness or demand by diagnosis. |

Dentist

| Author, year | Model type/analysis | Parameters included (population level or individual level) | Outcomes | Assumptions & Limitations |
|-------------------------------------|--|--|--|---|
| Supply models | | | | |
| Chrisopoulos and Teusner, 2008 (81) | Stock and flow | Baseline number of dentists; Australian university Graduates; Overseas entrants; Return to practice (RTP): return from overseas, return after cessation of practice; Migration; Retirements Death; Alternative career; Study and parental leave. | <ul style="list-style-type: none"> •Number of dentists; •Dentists-to-population ratio. | <ul style="list-style-type: none"> • Hard to predict the trends in the future, practice activity of new graduates trained by new schools may be different from previously observed patterns. |
| Grytten and Lund, 1999 (82) | Dynamic model | Retirement; New entrants; | <ul style="list-style-type: none"> •Net change in man-labour years 1999-2015 | <ul style="list-style-type: none"> • Assuming the number of new entrant remains constant. |
| Guthrie, et.al., 2009 (80) | Dynamic Model Plateau, linear, and exponential increases for new graduates; population growth was projected to be linear. | Productivity; Gender mix; Retirement rate; Projection of the number of graduates; Number of new dental schools ; Population growth. | <ul style="list-style-type: none"> •No. of dentists per 100,000; •Dentist-to-population ratio. | <ul style="list-style-type: none"> • Assumes that the dental services are delivered largely through private markets subject to the effects of supply and demand and that enrolment in dental schools reflects the rate of return of a career in dentistry in comparison to other options for college graduates |

| Author, year | Design (Model type /analysis) | Parameters included (population level or individual level) | Outcomes | Assumptions & Limitations |
|---------------------------|--|--|--|--|
| Saman, et.al., 2010 (78) | Poisson regression modelling and geospatial analyses, System Dynamic Model (iThink, iSee Systems, Version 9.1) | Number of dentists retiring per year; Number of dentists entering profession; Population estimates. | •Number of dentists entering profession; •Dentist-to-population ratios | • The dentist-to-population ratio is not a sufficient measure by itself. • Fixed retirement rate at 82 per year, and fixed incoming rate at 55 per year. |
| Solomon, 2009 (79) | Dynamic Model | Number of graduates; Gender ratio; Retirements; Population; Specialists; Full time and part time. | •Number of dentists working full-time and part-time; •Number of dentists by specialty status; •Number of dentists per 100,000 populations. | • The paper isolates the different parameters and looks at it differently, does not tie in the parameters together |
| Spencer, et al. 1993 (83) | Dynamic model | Number of new surgeons per year recruited; Wastage rates. | •Number of surgeons; •Population-to-surgeon ratio. | • Wastage rates are not explicitly given, so assumptions not easy to ascertain |
| Demand models | | | | |
| Morgan et al. 1994 (85) | Need-based and demand-weighted method. | Age-specific Decayed, missing and filled teeth (DMFT) rates; Prostheses rates; Rates for other dental procedures (not listed); Population projection; | •Required operator-to-population ratio | • Assume DMFT would decline, but at different rates for different age groups, and also rate of decline will decrease. • Assume prosthetic needs would increase. • Other assumptions for changes in demand. |
| Nash et al. 2002 (84) | Utilisation-based model | Population projection; Assumed yearly % increase in utilisation | •Number of endodontists required | • Assuming different scenario for utilisation increase. |

| Author, year | Design (Model type /analysis) | Parameters included (population level or individual level) | Outcomes | Assumptions & Limitations |
|---|--|--|---|---|
| Mixed models | | | | |
| Australian Research Centre for Population Oral Health, the University of Adelaide, South Australia. 2010 (86) | Supply: stock and flow; Demand: Utilisation-based model. | Supply Recruitment; Retirement; Death; Outflow overseas; Cessation of practice; Practice sectors Demand: People with OMF diseases or conditions; Population. | Supply: •Number of OMF surgeons; •Practicing OMF surgeons per 100,000 populations Demand •Number of services. | <ul style="list-style-type: none"> • Only focus on Oral and maxillofacial surgeons (OMF). • In/out-flow probabilities stay constant over time. • Changes in demand not directly linked to external factors, e.g. technological advance or increased Medicare funding |
| Beazoglou, et.al., 2002 (89) | Supply: Dynamic model. Demand: Utilisation-based model. | Specialty distribution; Retirement; New entrant; Types of auxiliaries employed; Population; Income of population; Socio-demographic characteristics Productivity; | Supply •Number of dentists Demand: •Per capita utilisation; •Population-to-dentist ratio; •Number of dentists; •Number of dentists needed to maintain current levels of access to care. | <ul style="list-style-type: none"> • Assumes that the past rate of productivity improvement will continue for the next 10 years, low sampling due to national surveys. • Population not stratified. • Demand proxied by national expenditure on dentistry |
| Brown, et al. 2007 (88) | Trend analysis and need-based model | Supply: Female dentists; Productivity; Practice patterns; Demand: Population; Economic buying power; Knowledge and appreciation of dental services; Amount of disease; | Supply: •No of dentists. Demand: •No. of dentists needed. | <ul style="list-style-type: none"> • Supply: Considered both adjusting and not adjusting for productivity increase. |

| Author, year | Design (Model type /analysis) | Parameters included (population level or individual level) | Outcomes | Assumptions & Limitations |
|-----------------------------|---|---|---|---|
| Gallagher, et al. 2010 (87) | Supply: Trend analysis and dynamic model. Demand: Utilisation-based model. | Supply: percept yearly increase over the previous 9 years; Short-term recruitment drive of over 1,000 dentists; Increased dental student intake; percept of time devoted to older people; percept devoted to NHS patients; percept women dentists; Number of dental hygienists and therapists and clinical dental technicians (CDTs). Demand: Rate of edentulousness; Dental attendance pattern; Treatment rates; General dental services (GDS). Treatment times Treatment type | Supply: •Number of WTE dentists; •Shortfall or surplus of WTE dental staff (not just dentists) Demand: •Total number of treatments; •Total demand for treatment hours; •Per capital demand. | <ul style="list-style-type: none"> • Supply of government dentists only. • Made various assumptions on which treatment can be performed by hygienists, therapists, and CDT. • Demand, only focus on the population aged over 65. |
| Try, 2000 (90) | Supply: Dynamic model. Demand: Utilisation-based model. | Supply: Graduates (net inflow); Working hours; Female dentists; Productivity; Demand: Population; Patterns of disease; Dental diagnosis; Age-sex-specific no. of courses of dental treatment; | Supply: •Whole Time Equivalent (WTE) of dentists. Demand: •Number of courses of treatment; •Courses of treatment per WTE dentist. | <ul style="list-style-type: none"> •Assumed that the proportion of female stays the same. •Assumed that Part-time working becomes more common. |

| Author, year | Design (Model type /analysis) | Parameters included (population level or individual level) | Outcomes | Assumptions & Limitations |
|--------------------|-------------------------------|--|---|---|
| Waldman, 1995 (91) | Simple calculations | Demand: Population projection (state-wise) Population : dentist ratio Assumptions on retirement | Supply: •Number of new periodontists available to practice Demand: •Number of active periodontists needed; •Number of new periodontists needed (to replace retirement); | <ul style="list-style-type: none"> •Only focus on periodontal patients; •Assumed that 18.6% of graduates are not from the US and will go back. •Assumed that in 2020, all dentists ≥ 40 in 1991 will have retired/died. All dentists < 40 still practicing |

Pharmacist

| Author, year | Design Model type/ analysis | Parameters included (population level or individual level) | Outcomes | Assumptions & Limitations |
|-----------------------------------|---|---|---|---|
| Supply models | | | | |
| Bond, et al. 2004 (114) | Dynamic model | Graduation; retirement | <ul style="list-style-type: none"> •Net increase in pharmacists from 2000-2020 •Increase in pharmacists who complete residencies from 2000-2020 | •Data from a survey in 1998 may not be representative of the healthcare in 2020. |
| Cooksey, et al. 2002 (116) | Dynamic model | Graduation; Workload (average number of Prescriptions dispensed annually); Working hour; Productivity increase; Percentage of female pharmacist | <ul style="list-style-type: none"> •Projected pharmacists per 100,000 population ratio in 2005. •Projected female pharmacists (%) in 2005. | •No analysis of urban or rural practice |
| Johnson, et al.2009 (112) | Dynamic model Pharmacist to population ratio. | New graduate and training capacity; Increasing number of female pharmacist; working hour; Reference period: 2000-2008 | •To project target workforce in 2008-2020 by using FTE measures. | <ul style="list-style-type: none"> •FTE definition: •One who works average 1890 hours per year (40 hours per week times 47.2 weeks per year) |
| Knapp and. Cultice, 2007 (113) | Stock-flow model | Age; Retirement and death; Graduates; Working hour; Number of female pharmacist Parameters included (population level or individual level) | •Age and gender based pharmacist supply projection 2004-2020. | Assumption: <ul style="list-style-type: none"> •All the pharmacists would retire by age 75. •The increase of female pharmacist percentage would continue. |

| Demand models | | | | |
|-----------------------------|--------------------------------------|---|---|--|
| Bond, et al. 2004 (115) | Trend analysis (clinical pharmacist) | Pharmacist time (hrs./wk.); Pharmacist time (min/patient); Number of patients who received each decentralized clinical pharmacy service; Working hour; | <ul style="list-style-type: none"> •Total No. of Clinical Pharmacists FTEs per Hospital needed in 2020 •Total No. of Clinical Pharmacists FTEs needed in 2020 | •Data from a survey in 1998 may not be representative of the healthcare in 2020. |
| Johnson, 2008 (117) | Trend analysis | Graduation rates; Residency training | •Projected the no. pharmacists needed in 2020 | •No detail of pharmacist-to-population ratio; no data of gender difference |
| Meissner, et al. 2006 (118) | Demand/utilisation base | Medicare Part D (Drug coverage); ADI (Aggregate Demand Index); Percentage of costs paid by third-party payer; prescription volume; pharmacist-to-technician ratio; Direct-to-Consumer (DTC); mail order; graduates; retirement; pharmacist wages; | <ul style="list-style-type: none"> •Projected Aggregate Demand Index (ADI) for 2009. •Prediction of no. of pharmacists needed in 2010. •Prediction of pharmacist shortage in 2020. | •Mainly focusing on drug coverage, not considering other services provided by pharmacists and the expanding roles. |

| Author, year | Design Model type/ analysis | Parameters included (population level or individual level) | Outcomes | Assumptions & Limitations |
|--|--|--|---|--|
| Mixed models | | | | |
| Department of Health and Ageing, Australian Government. 2007 (107) | Dynamic model Demand utilisation model | Supply: Working hour; Graduates; Immigration and emigration; Retirement, death and disability; Inactive workforce Demand: Population growth and ageing; Working hour; Sex- and age-specific ratios of scripts to persons per annum; Productivity of dispensing workforce; Technician-to-pharmacist ratio; Technician equivalence to pharmacist; Community pharmacy share of total service; Further expansion of the role of both hospital and community pharmacist; Number of people attending hospitals; The ratio of pharmacists to hospital separations(discharge or death); | Forecast on annual supply of pharmacist through 2025. Supply: •Total Graduates Active and inactive % (2006) •Active •Inactive •Working outside pharmacy workforce Forecast on Demand: •Community pharmacist •Hospital pharmacist | •Unidentified variables; •Insufficient magnitude of change for some variables, e.g. global financial crisis. Assumption: •2.48% population growth; Community pharmacist: •Ratio of technicians to pharmacists would increase to 0.3 by 2025; •Scripts to persons increase by 0.5% per annum; •Dispensing productivity stays constant. Hospital pharmacist: •Highest estimates of future growth; •With declining ratio of separations to hospital pharmacists (ceases in 2012) |

| Author, year | Design Model type/ analysis | Parameters included (population level or individual level) | Outcomes | Assumptions & Limitations |
|--|--|--|--|--|
| Fraher, et al. 2002 (123) | Trend analysis Dynamic model. | Demand: Population growth and ageing; Insurance (prescription drug coverage); Direct-to-consumer (dte) advertising; Supply: Age; Gender; Working hour; Graduates | Demand: •Prescriptions dispensed per population Working hour per week (1989- 1998) •Male •Female | •Not projection model |
| Health Resources and Services Administration. (HRSA) 2008 (121) | Demand/utilisation base Dynamic model | Demand: Population growth and aging; New and more complex pharmaceuticals; Evolving societal attitudes; Increased affordability and Availability of generic drugs; Increase in pharmaceuticals for Chronic conditions; Role of pharmacist; Supply: Number of graduates (local and overseas); Male-female ratio; Working hour; Attrition | •FTE shortfall projection •Examine the adequacy of previous pharmacist supply projection. •Projection for total pharmacist supply. •Projected male-to-female ratio in workforce. | Assumption: •Moderated prescriptions /capita growth; •No growth in educational capacity •Factors such as technology development and the number of graduates are uncertain. |

| Author, year | Design Model type/ analysis | Parameters included (population level or individual level) | Outcomes | Assumptions & Limitations |
|--|-------------------------------------|---|---|---|
| Health Resources and Services Administration. (HRSA) 2000 (126) | Trend analysis | <p>Demand: Volume of prescription medication dispensed (in different settings); Population growth and aging; Increased third-party prescription coverage; Growth of the economy; Expanding roles; Introduction of new and innovative drug therapies; Direct-to-consumer marketing; Increased number of prescription providers</p> <p>Supply: Graduates; Male-female ratio; Losses due to death, retirement and leaving practice; Region; Working hour</p> | <ul style="list-style-type: none"> •Supply of Active Pharmacists (pharmacists per 100,000 resident U.S. population) •Per cent of female active pharmacists | <ul style="list-style-type: none"> •No projection of the demand for pharmacists. |
| Knapp, et al. 2002 (189) | Trend analysis Dynamic model | <p>Demand: Unemployment rates; Retail prescription growth rate</p> <p>Supply: Number of graduates</p> | <ul style="list-style-type: none"> •Looked at ADI trend from year 1999=2010 •Pearson Correlation between ADI and below factors: •Unemployment •Graduates •Prescription growth rate | <ul style="list-style-type: none"> •Data unavailability, e.g. retail prescription data for 2010 and actual graduate data for 2010. |

| Author, year | Design Model type/ analysis | Parameters included (population level or individual level) | Outcomes | Assumptions & Limitations |
|------------------------------|--|---|--|--|
| Knapp, et al. 2005 (124) | Trend analysis | ADI (5-point rating system): 5= high demand for pharmacists, difficult to fill positions, 4 = moderate demand, some difficulty filling positions, 3 = demand in balance with supply, 2 = demand is less than the pharmacist supply available, and 1 = demand is much less than the pharmacist supply available. | •Rating distribution among different regions: | •The usefulness of the ADI is limited by the fact that panellists may choose different ratings for the same scenario. •Replacement panellists may not rate the severity of the shortage the same as did the original panellists within the same organization. |
| Knapp. 2002 (125) | Dynamic model | Graduation; Working hour; improvement of therapy; growth of distance therapy; increased intensity of hospital; growth in size and complexity of hospital system; Functional area (order fulfilment, primary care, secondary & tertiary care and non patient care) | •Current use of FTE pharmacist 2001 •Projected need for FTE pharmacist 2020 •Total estimated FTE supply •FTE pharmacist shortfall | •Mainly about the factors needed to be considered; •Projection model was not clearly described. |
| Koduri, et al. 2009 (120) | Benchmark Dynamic model Design Model type /analysis | Pharmacist to population ratio Expanded roles; Prescription volumes growth; Population growth and aging; Insurance coverage; DTC Marketing; Expiring drug patents; Attrition Number of graduates; Working hour; Gender FTE adjustment | •Projected future trends for FTE demand and supply. Outcomes | Assumptions: •79 pharmacists would enter the field each year (in Utah); •Each female pharmacist provides 0.79 FTE of pharmacy services; |

Radiographer

| Author, year | Design Model type /analysis | Parameters included (population level or individual level) | Outcomes | Assumptions & Limitations |
|---|---|--|--|--|
| Centre for Workforce Intelligence. 2012 (147) | Trend analysis | Data from DH: Age; Graduates; Field of practice; Training attrition; Retirement; Ageing population; Increased demand in related groups; | <ul style="list-style-type: none"> •Project increase in demand •Projection available workforce supply from 2010 to 2016 in headcount and FTE | Limitations: <ul style="list-style-type: none"> •Only focus on diagnostic radiographers. |
| Patterson, et al. 2004 (192) | Demand: Population projections Supply: Trends description | Demand: Aging workforce and population; Hospital radiographer employees and vacancies Supply: Total license grows; Retirement; Proportion of active licensees currently practicing; Aging workforce and population; Education capacity | Supply: <ul style="list-style-type: none"> •Active licensees (currently practicing) •Projection on retirement •Demand (Vacancies) | Assumptions: <ul style="list-style-type: none"> •A demand of 69.0 providers per 100,000 populations. Limitations: <ul style="list-style-type: none"> •Scarcity of data related to the state's radiographer workforce; •Size of radiographer workforce is small, making the projections more volatile. •Unavailable data, e.g. FTE, migration in and out of state. •The data of demand projection was based on hospital radiographer only. •Active license may not be able to represent the active practitioners. |
| Victorian Department of Health. 2010 (193) | Demand: demand/utilisation model Supply: Stocks and flow model | Working hour; Graduates; Attrition; Immigration; Adjusted training requirement; | <ul style="list-style-type: none"> •Projected FTE Demand: 2009 - 2030 •Projected number of graduates: 2010-2029 •Projected FTE Shortage (based on current trends in workforce supply) | Limitations: <ul style="list-style-type: none"> •Assuming that no significant changes in radiation technology; |

Optometrist

| Author, year | Model type /analysis | Parameters included (population level or individual level) | Outcomes | Assumptions & Limitations |
|--|--|--|---|--|
| Supply models | | | | |
| Bellan, et.al. 2007 (194) | Dynamic (Stock and flow) model | Retirement; Death; Emigration; Age; Sex; Graduates; Population. | <ul style="list-style-type: none"> •Number of FTEs; •FTEs per 100000 populations; •Percentages of female FTEs. | <ul style="list-style-type: none"> •Assumes a status quo scenario in terms of attrition and gain factors. |
| Demand based utilisation models (includes 'need', 'requirement' etc.) | | | | |
| Tuulonen, et.al. 2009 (137) | Computer simulation model using system dynamics approach | Number of cataract, glaucoma, diabetic retinopathy, and macular degeneration; Cost of those disease; Number of ophthalmologists; Number of physicians; Population data | <ul style="list-style-type: none"> •Number of patients; •Service increase (e.g. Cataract surgery and Bilateral surgery) | <ul style="list-style-type: none"> •Different number of assumptions based on what kind of disease they are looking at, have various scenarios |
| Mixed models | | | | |
| Australian Institute of Health and Welfare. 2000 (195) | Trend analysis | Age; Number of optometrists; Number of optometrists; Migration; Sex; FTE; Population demographics; Graduates; Utilisation of services; | Supply: <ul style="list-style-type: none"> •Number of FTEs optometrists; Demand: <ul style="list-style-type: none"> •Number of FTEs needed; | <ul style="list-style-type: none"> •Assume that there will be no significant change from the current pattern of use of optometrist services, the number of graduates, workforce participation and average number of services per optometrist. |

| Author, year | Model type /analysis | Parameters included (population level or individual level) | Outcomes | Assumptions & Limitations |
|----------------------------|--|--|---|--|
| Kiely, et al 2010 (196) | Supply: Dynamic model Demand: Utilisation-based model | Graduates; Retention rates; Immigration; Age; Attrition; Population; Service utilisation rates | Supply: •Number of FTEs; •Percentage of female optometrists. Demand: •Number of FTEs required | •Assumes different scenarios for practice and how it affects supply and demand. |
| Lee, et.al 1998 (197) | Supply: Unclear Demand: Need-based model | Subspecialty; (not very specific on how they calculated) | •Number of FTEs by subspecialty | •Does not specifically show how the FTE were calculated with certain parameters |
| Pick, et.al. 2008 (141) | Trend analysis | Retirement age and rates; Graduates; Retention rates; Number of ophthalmologists; Service hours; Population | Supply: •Total number of ophthalmologists Demand: •Require number of ophthalmologists | •Assumes no change to working hours or the number of trainees, lack full-time equivalent data for the workforce, did not collect gender-specific data for the workforce, did not consider overseas |

Medical Laboratory Technician

| Author, year | Model type /analysis | Parameters included (population level or individual level) | Outcomes | Assumptions & Limitations |
|---|----------------------|--|---|---|
| Supply models | | | | |
| Canadian Institute for Health Information (CIHI) 2010 (131) | Supply description | Graduates; Working hours; Age; Gender; Pass rate of the certification examinations; Field of practice; Place of employment; | <ul style="list-style-type: none"> •FTE of active registrations in the previous years; •Proportion of professions by field of practice. | Assumptions: <ul style="list-style-type: none"> •Standard full-time weekly hours of 37.5 hours. |
| Mixed models | | | | |
| Health Resources & Services Administration 2005 (198) | Supply and demand: | Supply: Population; Graduates; Career attraction (wages and career growth); Demand: Demographics; Changing biomedical and information technologies; Utilisation of laboratory test; | <ul style="list-style-type: none"> •Shortages by types of workers and geographic area. | Limitations: <ul style="list-style-type: none"> •No numbers of supply and demand. |

Chiropractor

| Author, year | Model type /analysis | Parameters included (population level or individual level) | Outcomes | Assumptions & Limitations |
|--|--|---|---|---|
| Supply models | | | | |
| Davis, et al. 2012 (129) | Supply description | Geographic variation; Age; Adult population; Population educational levels; | •Total number of Chiropractors; •Chiropractors per capita. | Limitations: •Lack of information about working hours; •Only included the chiropractors in Medicare. |
| Davis, et al. 2009 (130) | Supply description | Age; Adult population; Graduates; | •Total number of chiropractors; •Chiropractors per 10,000 adult population (age>18). | Limitations: •Lack of information about working hours and number of visits. |
| Mixed models | | | | |
| Institute for Alternative Futures 2005 (128) | Supply: stock and inflow Demand: need-based model | Ageing; Adult population; Graduates; Retirement; Technology; Conditions treated (e.g. low-back pain, neck pain); Types of practice (e.g. solo private practice) | •Percentage of using chiropractic care annually (age>18); •Percentage of chiropractic care provided to patients below 18 annually; •No. of practicing chiropractors; •Patient visits per week. | Assumptions: •Four alternative future scenarios were being described and used for projection. |
| Whedon, et al. 2012 (127) | Supply and utilisation description | Geographic variations; Population (aged 65 to 99); | •Chiropractors per 100,000 population (2008); •Annual services per chiropractic user; •Chiropractic users per 1000 Medicare beneficiaries. | Limitations: •The chiropractic use may be underestimated due to the availability of chiropractic service in veteran's administration health service. |

Physiotherapist

| Author, Year | Design (Model/type analysis) | Parameters included (population level or individual level) | Outcomes | Assumptions & Limitations |
|---|---|--|--|---|
| Supply models | | | | |
| WRHA, 2002 (135) | Dynamic Model | Position/vacancy data; Retirement data; Graduates; New registrants | •Vacancy percentage by Equivalence of Full Time | •The calculation of FTE, it assumed that all persons employed were full time. •It is not known whether any of the positions are filled by therapists working at more than one location. |
| Mixed models | | | | |
| Brengle, 1982 (144) | Supply: Dynamic Model Demand: Trend Analysis Need Model | Population; Number of patient visits a year; Average admissions; average length of stay; Possible outpatient visits per year; Estimated home-bound patient visit needs Practitioners; Graduates; | •Ratio of PT per 10,000 Population | •Trend analysis: assuming factors influencing the historical trend remain constant. •Health-Needs Method: assuming one third of the possible visits were physiotherapy related, non-institutionalized people received 0.87 home visits. •Supply based on the historical data. |
| American Physical Therapy Association, 2012 (199) | Supply: Dynamic Model Demand: Linear Regression Analysis | Number of licensed PT; Graduates; International PT; Attrition/retirement rate; Working hour per week; Population with insurance; Vacancy rate | •Full Time Equivalent | •Number of international PT will remain constant. •Constant attrition rate. •The percentage of insured population is based on current rate. However the percentage can change based on the Affordable Care Act. •Vacancy rate only reflects the situation in 2010. |
| Zimelman, 2010 (142) | Supply: Dynamic Model Demand: Linear Regression Analysis | Number of PT available job vacancy; Projected population; Personal healthcare expenditure(PHE); Likelihood of being employed; Population; Baseline number of PT | •Shortage ratios per 10,000 people | •The demand model is determined only by age and population growth. 2. Assumption of linear growth was made; •Does not incorporate workplace settings, part-time or full-time employment status; |

Occupational Therapist

| Author, year | Design (Model type/analysis) | Parameters included | Outcomes | Assumptions & Limitations |
|--|--|---|---|--|
| Supply models | | | | |
| Salvatori et al, 1992 (134) | Dynamic Model | Population level data: Actual 1988 employment data; annual inactivity rate; Graduates; Immigration; Re-entry figures; A part-time to full-time FTE ratio | •Number of Occupational Therapists | •Numbers may not be accurate. •Many rates kept constant over years. |
| WRHA 2002 (200) | Dynamic Model | Individual level data: Current position and vacancy, predicted new graduates, Past retention rate for new graduates, new registrants over the past 5 years, retirement rate. | •Vacancy rate by Equivalence of Full Time | •Information was based on previous data and representing status at one point in time, and only based on requirements for the year of 2001. •Difficult to measure the impact of the availability of work within private sector, with the possibility of improved benefits and flexibility. |
| Demand based utilisation models (includes 'need', 'requirement' etc.) | | | | |
| Mirkopoulos et al, 1989 (133) | Demand Analysis by growth per year | Population level data: Current number of paid full-time and part-time OT's, Vacancy numbers, Attrition rates in physiotherapy, hospital average growth rate, Home care average growth rate for OT. | •Full Time Equivalent | •It was assumed that the factors affecting attrition would be very similar for physiotherapy and occupational therapy. •Baseline data didn't represent the whole picture, therefore there was underestimate of the true requirement projection. |
| Mixed models | | | | |
| Morris 1989 (136) | Supply: Dynamic Model Demand: Analysis by growth per year | Individual level data: Predicted number of additional positions by respondents from different sectors, Projected population in Georgia, national population ratio, Average annual number of graduates between 1980-1986. | •Full Time Equivalent | •Future demand was based on professions prediction. •All Georgia graduates accept employment within the state, and no separations from the work force occur. |