

MIND THE GAP?

Projecting demand and supply for healthcare professionals

Table of Contents

		Page
	ist of Tables	v
	ist of Figures ist of Appendices	V11 Xiii
1	INTRODUCTION	
2	SETTING THE SCENE	16
-		
	2.1 MODELS FOR POLICY LEVEL PLANNING	
	2.1.1 Need-based models	
	2.1.2 Demand/utilisation-based models	
	2.1.3 Benchmarking	
	2.1.4 Trend analysis	17
	2.2 LEARNING FROM INTERNATIONAL ORGANISATIONS	
	2.2.1 World Health Organisation	17
	2.2.2 Organisation for Economic Cooperation and Development (OECD)	19
	2.3 LEARNING FROM OVERSEAS JURISDICTIONS	20
	2.3.1 Australia	
	2.3.2 Canada	21
	2.3.3 Japan	22
	2.3.4 The Netherlands	22
	2.3.5 New Zealand	23
	2.3.6 Scotland	24
	2.3.7 Singapore	25
	2.3.8 United Kingdom	25
	2.3.9 United States	
	2.4 LEARNING FROM COMMONLY ADOPTED TECHNICAL APPROACHES	27
	2.5 LEARNING FROM LOCAL EXPERIENCE IN WORKFORCE PLANNING	
	2.5.1 Department of Health	
	2.5.2 Hospital Authority	
	2.5.3 Hong Kong Academy of Medicine	
	2.5.4 Independent manpower planning and policy reviews	
	2.6 IMPLICATIONS FOR THE HONG KONG MANPOWER PROJECT	
3	PROJECTING DEMAND	

3.1 MODELLING DEMAND	35
3.1.1 Empirically observed historical (EOH) approach	36
3.1.1.1 Support vector machine (SVM)	
3.1.1.2 Regression-based method (RBM)	
3.1.1.3 Time series approach	
3.1.2 Macroeconomic scenario drive (MSD) approach	
3.1.2.1 Constant growth rate	40
3.1.2.2 Historical growth rate	40
3.1.2.3 Capped growth rate	41
3.1.3 Adjusting for under-reporting	41
3.1.4 Capping rates	
3.2 PARAMETERS FOR DEMAND MODEL PROJECTIONS	44
3.3 MODEL COMPARISON	48
3.4 Demand indicators	51
3.4.1 Average length of stay (acute care and long stay patients)	51
3.4.2 Discharge rates (day case, acute care, long stay)	51
3.4.3 Outpatient visit rates	86
3.4.4 Total bed-days	119
3.4.5 Elderly Service	140
3.4.6 Rehabilitation services	146
3.4.7 Academic sector	153
3.5 CONVERTING HEALTHCARE UTILISATION TO FULL TIME EQUIVALENTS (FTES)155
3.5.1 Public Sector – Hospital Authority	155
3.5.2 Public sector – Department of Health	157
3.5.3 Private sector	158
3.5.4 Elderly Service	160
3.5.5 Rehabilitation services	161
3.5.6 Academic sector	163
3.5.7 Midwives	163
4 PROJECTING NURSE SUPPLY	165
4.1 MODELS FOR NURSE SUPPLY	165
4.2 DETERMINANTS OF SUPPLY: PROJECTING STOCK AND FLOW	167
4.2.1 Baseline adjustments	167

	4.	2.2 Total number of registrants	169
	4.	2.3 Number clinically active	170
		4.2.3.1 No longer in nursing practice but not retired	170
		4.2.3.2 Natural attrition/retirement	172
		4.2.3.3 Otherwise unavailable	176
	4.3	SUPPLY EXTERNALITIES	178
	4.	3.1 Workforce participation and differential work capacity	
	4.4	CONVERTING WORKFORCE SUPPLY TO FULL TIME EQUIVALENTS (FTES)	179
	4.5	NURSE SUPPLY PROJECTION FROM 2012-2041	
	4.6	NURSE SUPPLY PROJECTION	184
	4.	6.1 Total nurses (registered and enrolled nurses, midwives)	
5	GA	AP ANALYSIS	
	5.1	Метнод	193
	5.2	ANNUAL NUMBER OF FTE	
	5.3	YEAR-ON-YEAR FTE	193
	5.4	ANNUAL INCREMENTAL FTE	193
	5.5	BASE CASE SCENARIO	194
	5.6	BEST GUESTIMATE	
6	CO	OMPARISON OF 2012-2041 AND 2015-2064 PROJECTIONS	207
7	RF	FERENCES	212

List of Tables

Table 2.1 Projection methods, demand and supply parameters for manpower projection models by healthcare professionals	29
Table 3.1(a) Demand model variables, parameterisation and data sources	45
Table 3.2 Grouping of Department of Health clinical service units	48
Table 3.3 Comparison of EOH-SVM, MSD-constant growth, MSD-historical growth rate estimation errors.	
Table 3.4 Comparison of the linear and exponential RBM utilisation projections mean squared error (MSE) for selected demand/utilisation variables.	50
Table 3.5 Workload coefficients for FTE conversion – Hospital Authority in-patient settir (General)	-
Table 3.6 Workload coefficients for FTE conversion – Hospital Authority in-patient settir (Psychiatric)	
Table 3.7 Public Health Nursing Division (DH) Nurse strength as at August 1 st 2013	.158
Table 3.8 Workload coefficients for FTE conversion – private hospital inpatient setting	.159
Table 3.9 Weighted elderly service notional staffing (number of nurses per case / place)	.161
Table 3.10 Rehabilitation service notional staffing (number of nurses per case / place)	.162
Table 3.11 Birth-to-midwife ratio of Japan, Singapore and UK (England & Wales)	.164
Table 4.1 The number of registered nurses by qualification	.168
Table 4.2 The number of midwives by qualification	.168
Table 4.3 The number of enrolled nurses qualification	.168
Table 4.4 Projected number of local nursing graduates by professional group (2013-2018))169
Table 4.5 HMS data for nurses by year	.170
Table 4.6 Clinically inactive/unavailable nurses by age group and by professional group	.170
Table 4.7 Registered general nurse supply projection for 2012-2040	.180
Table 4.8 Registered psychiatric nurse supply projection for 2012-2040	.181
Table 4.9 Midwives supply projection for 2012-2040	.182
Table 4.10 Enrolled general nurse supply projection for 2012-2040	.183
Table 4.11 Enrolled psychiatric nurse supply projection for 2012-2040	.184
Table 4.12 Registered general nurse FTE projection scenarios	.185
Table 4.13 Psychiatric nurse FTE projection scenarios	.186
Table 4.14 Enrolled nurses FTE projection scenarios	.187
Table 4.15 Enrolled nurses FTE projection scenarios	.188
Table 4.16 Midwife and enrolled nurses FTE projection scenarios	.189
Table 5.1 Base case: projected year-on-year supply-demand gap [*a negative number indicates surplus]	.199

Table 5.2 Base case: projected annual incremental supply-demand gap [*a negative number indicates surplus] 199
Table 5.3 Best guestimate: projected year-on-year supply-demand gap [*a negative number indicates surplus]
Table 5.4 Best guestimate: projected annual incremental supply-demand gap [*a negative number indicates surplus]
Table 6.1 Best guestimate: projected year-on-year supply-demand gap for general nurses (assuming retirement =>65 years of age) [*a negative number indicates surplus]210
Table 6.2 Best guestimate: projected annual incremental supply-demand gap for general nurses (assuming retirement =>65 years of age) [*a negative number indicates surplus]
Table 6.3 Best guestimate: projected year-on-year supply-demand gap for psychiatric nurses (assuming retirement =>65 years of age) [*a negative number indicates surplus]211
Table 6.4 Best guestimate: projected annual incremental supply-demand gap for psychiatric nurses (assuming retirement =>65 years of age) [*a negative number indicates surplus]

List of Figures

Figure	2.1 (reproduced from WHO original) WHO concepts for linking healthcare workforce requirements and supply projections (7)
Figure	3.1 Approaches to estimating demand
Figure	3.2 Under-reporting adjustment of THS outpatient visit data
Figure	3.3 Comparison of Hong Kong and OECD acute care in-patient hospital discharge rates (152,153)
Figure	3.4 Comparison of Hong Kong and OECD doctor outpatient visit rates (152,153)43
Figure	3.5(a) Projected number of public sector day case discharges (2005-2041)53
Figure	3.6(a) Projected annual age-sex standardized public sector day case discharge rates (2005-2041)
Figure	3.7(a) Projected number of public sector general day case discharges (2005-2041)56
Figure	3.8(a) Projected annual age-sex standardized public sector general day case discharge rates (2005-2041)
Figure	3.9(a) Projected number of public sector psychiatric day case discharges (2005-2041)
Figure	3.10(a) Projected annual public sector psychiatric day case discharge rates (2007- 2041)
Figure	3.11(a) Projected number of public sector acute care in-patient discharges (2005-2041)
Figure	3.12(a) Projected annual age-sex standardized public sector acute care in-patient discharge rates (2005-2041)
Figure	3.13(a) Projected number of public sector general acute care in-patient discharges (2005-2041)
Figure	3.14(a) Projected annual age-sex standardized public sector general acute care in- patient discharge rates (2005-2041)
Figure	3.15(a) Projected number of public sector psychiatric acute care inpatient discharges (2005-2041)
Figure	3.16(a) Projected annual age-sex standardised public sector psychiatric acute care inpatient discharge rates (2007-2041)
Figure	3.17(a) Projected number of public sector long stay discharges (2005-2041)71
Figure	3.18(a) Projected annual age-sex standardised public sector long stay discharge rates (2005-2041)
Figure	3.19(a) Projected number of public sector general long stay discharges (2005-2041) 74
Figure	3.20(a) Projected annual age-sex standardised public sector general long stay discharge rates (2005-2041)
Figure	3.21(a) Projected number of public sector psychiatric long stay discharges (2005- 2041)

Figure	3.22(a) Projected annual age-sex standardised public sector psychiatric long stay discharge rates (2007-2041)
Figure	3.23(a) Projected number of private sector day case discharges (2005-2041)80
Figure	3.24(a) Projected annual age-sex standardised private sector day case discharge rates (2007-2041)
Figure	3.25(a) Projected number of private sector acute care in-patient discharges (2007- 2041)
Figure	3.26(a) Projected annual private sector acute care in-patient discharge rates (2007-2041)
Figure	3.27(a) Projected number of public sector general outpatient visits (2005-2041)87
Figure	3.28(a) Projected annual age-sex standardised public sector general outpatient visit rates (2005-2041)
Figure	3.29(a) Projected number of public sector specialist outpatient visits (2005-2041)90
Figure	3.30(a) Projected annual age-sex standardised public sector specialist outpatient visit rates (2005-2041)
Figure	3.31(a) Projected number of private sector outpatient visits (2005-2041)93
Figure	3.32(a) Projected annual age-sex standardised private sector outpatient visit rates (2005-2041)
Figure	3.33(a) Projected number of public sector accident and emergency department attendances (2005-2041)
Figure	3.34(a) Projected annual age-sex standardised public sector accident and emergency department attendance rates (2005-2041)
Figure	3.35(a) Projected number of DH outpatient attendances: Child Assessment Service and Student Health Service (2005-2041)
Figure	3.36(a) Projected annual DH outpatient attendance rates: Child Assessment Service and Student Health Service (2005-2041)
Figure	3.37(a) Projected number of DH outpatient attendances: Maternal and Child Health Centres (2005-2041)
Figure	3.38(a) Projected annual age-sex standardised DH outpatient attendance rates: Maternal and Child Health Centres (2005-2041)
Figure	3.39(a) Projected number of DH outpatient attendances: Elderly Health Service (2005-2041)
Figure	3.40(a) Projected annual age-sex standardised DH outpatient attendance rates: Elderly Health Service (2005-2041)
Figure	3.41(a) Projected number of DH outpatient attendances: Methadone Clinics (2005-2041)
Figure	3.42(a) Projected annual age-sex standardised DH outpatient attendance rates: Methadone Clinics (2005-2041)
Figure	3.43(a) Projected number of DH outpatient attendances: Social Hygiene Service, Special Prevention Programme and TB & Chest Service (2005-2041)113

Figure 3.44(a) Projected annual age-sex standardised DH outpatient attendance rates: Social Hygiene Service, Special Prevention Programme and TB & Chest Service (2005- 2041)
Figure 3.45(a) Projected number of DH outpatient attendances: Port Health (2005-2041)116
Figure 3.46(a) Projected annual age-sex standardised DH outpatient attendance rate: Port Health (2005-2041)
Figure 3.47(a) Projected number of public sector acute care in-patient bed-days (2005-2041)
Figure 3.48(a) Projected overall annual age-sex standardised public sector acute care in- patient bed-days rates (2005-2041)
Figure 3.49(a) Projected number of public sector general acute care in-patient bed-days (2005-2041)
Figure 3.50(a) Projected annual age-sex standardised public sector general acute care in- patient bed-days rates (2005-2041)
Figure 3.51(a) Projected number of public sector long stay bed-days (2005-2041)125
Figure 3.52(a) Projected annual age-sex standardised public sector long stay bed-day rates (2005-2041)
Figure 3.53(a) Projected number of public sector general long stay bed-days (2005-2041).128
Figure 3.54 (a) Projected annual age-sex standardised public sector general long stay bed-day rates (2005-2041)
Figure 3.55(a) Projected number of public sector psychiatric acute care inpatient bed-days (2005-2041)
Figure 3.56(a) Projected annual age-sex standardised public sector psychiatric acute care inpatient bed-day rates (2007-2041)
Figure 3.57(a) Projected number of public sector psychiatric long stay bed-days (2005-2041)
Figure 3.58(a) Projected annual age-sex standardised public sector psychiatric acute care long stay bed-day rates (2007-2041)
Figure 3.59(a) Projected number of private sector acute bed-days (2005-2041)137
Figure 3.60(a) Projected annual age-sex standardised private sector acute care bed-day rates (2007-2041)
Figure 3.61 Projected number of day care cases (2005-2041)141
Figure 3.62 Projected number of home care cases (2005-2041)141
Figure 3.63 Projected number of subsidised residential places (Group 1) (2005-2041) 142
Figure 3.64 Projected number of subsidised residential places (Group 2) (2005-2041) 142
Figure 3.65 Projected number of subsidised residential places (Group 3) (2005-2041) 143
Figure 3.66 Projected number of subsidised residential places (Group 4) (2005-2041) 143
Figure 3.67 Projected number of subsidised residential places (Group 5) (2005-2041)144
Figure 3.68 Projected number of subsidised residential places (Group 6) (2005-2041)144

Figure 3.69 Projected number of private home places (exc	
Figure 3.70 Projected number of self-financing home plac	
Figure 3.71 Projected number of non-subsidised contract h	nome places (2005-2041)146
Figure 3.72 Projected number of applicants on the Central	Waiting List (2005-2041)146
Figure 3.73 Projected number of Early Education and Train	ning Centre cases147
Figure 3.74 Projected number of Special Child Care Centr	e cases147
Figure 3.75 Projected number of Day Activity Centre case	s148
Figure 3.76 Projected number of Integrated Vocational Tra	aining Centre cases148
Figure 3.77 Projected number of District Support Centre c	ases149
Figure 3.78 Projected number of Integrated Community C	entre for Mental Wellness cases149
Figure 3.79 Projected number of Residential Special Child	l Care Centre places150
Figure 3.80 Projected number of Long Stay Care Home pl	aces150
Figure 3.81 Projected number of Halfway House (includin Provision) places	• 1 1
Figure 3.82 Projected number of Care and Attention Homo places	2
Figure 3.83 Projected number of Hostel for Severely Phys	
Figure 3.84 Projected number of Care and Attention Home	e for the Aged Blind places152
Figure 3.85 Projected number of self-financing home plac	es153
Figure 3.86 Historical and projected number of students fr programmes (2001-2041)	1 2 2
Figure 3.87 Historical and projected number of graduates programmes (2001-2041)	
Figure 3.88 Historical and projected number of graduates programmes (2001-2041)	
Figure 3.89 Distributions of registered nurse, enrolled nurse clinics	
Figure 3.90 Historical general practice to specialist private (<i>THS</i> , 2005, 2008, 2009, 2011)	
Figure 3.91 Proportion of births by sector (public and priv	/ate)164
Figure 4.1 Nurse supply model for Hong Kong	
Figure 4.2 Conceptual model for transitioning between nu	
Figure 4.3 The number registered nurses by qualification i	n Hong Kong (2012)169
Figure 4.4 Registered general and psychiatric nurses 'no lo projections by sex (2012-2025)	0 1

Figure 4.5 Midwives 'no longer in practice but not retired' (2012-2015)171
Figure 4.6 Enrolled general and psychiatric nurses 'no longer in practic sex (2012-2025)	
Figure 4.7 'Natural attrition/retired' for RGN's by age (male, 2012-202	
Figure 4.8 'Natural attrition/retired' for RGN's by age (female, 2012-2	025)173
Figure 4.9 'Natural attrition/retired' for RPN's by age (male, 2012-202	5)173
Figure 4.10 'Natural attrition/retired' for RPN's by age (female, 2012-2	2025)174
Figure 4.11 'Natural attrition/retired' for midwives by age (female, 201	2-2025)174
Figure 4.12 'Natural attrition/retired' for EGN's by age (male, 2012-20	025)175
Figure 4.13 'Natural attrition/retired' for EGN's by age (Female, 2012-	2025)175
Figure 4.14 'Natural attrition/retired' for EPN's by age (male, 2012-20	25)176
Figure 4.15 'Natural attrition/retired' for EPN's by age (female, 2012-2	2025)176
Figure 4.16 The proportion of registered general and psychiatric nurses unavailable' by sex and year	
Figure 4.17 The proportion of midwives 'otherwise unavailable' by year	ar177
Figure 4.18 The proportion of enrolled general and psychiatric nurses ' by sex and by year	
Figure 4.19 Distribution of nurses by profession and by workplace loca	ition in 2012179
Figure 4.20 Scenario 1, 2 and 3 RGN FTE supply projection (shaded an interval)	
Figure 4.21 Scenario 1, 2 and 3 RPN FTE supply projection (shaded ar interval)	
Figure 4.22 Scenario 1, 2 and 3 EGN FTE supply projection (shaded an interval)	
Figure 4.23 Scenario 1, 2 and 3 EPN FTE supply projection (shaded ar interval)	
Figure 4.24 Scenario 1, 2 and 3 MW FTE supply projection (shaded are interval)	
Figure 4.25 Scenario 3 best guess for all RGN and EGN FTE supply pr 95% credible interval)	
Figure 4.26 Scenario 3 best guess for all RPN and EPN FTE supply pro 95% credible interval)	
Figure 4.27 Scenario 3 best guess for all MW supply projections. (shad interval)	
Figure 5.1 Projected number of general nurses (RGN and EGN) FTEs: demand (Shaded area: 5th-95th percentile).	
Figure 5.2 Year-on-year FTE gap: Base case demand model (general n (Shaded area: 5th-95th percentile)	

Figure	5.3 Annual incremental FTE gap: Base case demand model (general nurse (RGN and EGN)) (Shaded area: 5th-95th percentile)
Figure	5.4 Projected number of psychiatric nurse (RPNs and EPNs) FTE: Base case supply and demand (Shaded area: 5th-95th percentile)
Figure	5.5 Year-on-year FTE gap: Base case demand model (psychiatric nurse (RPNs and EPNs) (Shaded area: 5th-95th percentile)
Figure	5.6 Annual incremental FTE gap: Base case demand model (psychiatric nurse (RPNs and EPNs) (Shaded area: 5th-95th percentile)
Figure	5.7 Projected number of midwife FTEs: Base case supply and demand (by SVM) (Shaded area: 5th-95th percentile)
Figure	5.8 Year-on-year FTE gap: Base case demand model (midwife) (Shaded area: 5th- 95th percentile)
Figure	5.9 Annual incremental FTE gap: Base case demand model (midwife) (Shaded area: 5th-95th percentile)
Figure	5.10 Projected number of general nurse (RGN and EGN) FTEs: Base case adjusted for the best guestimate (Shaded area: 5th-95th percentile)201
Figure	5.11 Year-on-year FTE gap: Adjusted for the best guestimate (general nurses (RGN and EGN)) (Shaded area: 5th-95th percentile)202
Figure	5.12 Annual incremental FTE gap: Adjusted for the best guestimate (general nurses (RGN and EGN)) (Shaded area: 5th-95th percentile)202
Figure	5.13 Projected number of psychiatric nurse FTE's: Base case adjusted for the best guestimate (Shaded area: 5th-95th percentile)203
Figure	5.14 Year-on-year FTE gap: Adjusted for the best guestimate (psychiatric nurse (RPNs and EPNs) (Shaded area: 5th-95th percentile)203
Figure	5.15 Annual incremental FTE gap: Adjusted for the best guestimate (psychiatric nurse (RPNs and EPNs) (Shaded area: 5th-95th percentile)204
Figure	5.16 Projected number of midwife FTE's: Base case adjusted for the best guestimate (Shaded area: 5th-95th percentile)
Figure	5.17 Year-on-year FTE gap: Adjusted for the best guestimate (midwife) (Shaded area: 5th-95th percentile)205
Figure	5.18 Annual incremental FTE gap: Adjusted for the best guestimate (midwife) (Shaded area: 5th-95th percentile)205
Figure	6.1 Historical and projected number of general nurse FTEs: Base case supply and omnibus scenario demand (Shaded area: 5th-95th percentile)
Figure	6.2 Year-on-year FTE gap: Omnibus demand model (Shaded area: 5th-95th percentile)
Figure	6.3 Annual incremental FTE gap: Omnibus demand model (Shaded area: 5th-95th percentile)
Figure	6.4 Historical and projected number of psychiatric nurse FTEs: Base case supply and omnibus scenario demand (Shaded area: 5th-95th percentile)

Figure 6.5 Year-on-year FTE gap: Omnibus scenario demand model (Shac	led area: 5th-95th
percentile)	
Figure 6.6 Annual incremental FTE gap: Omnibus scenario demand mode 95th percentile)	*

List of Appendices

Appendix A(i): Summary of manpower planning and forecasting models (Australia, Ca	anada,
Netherlands)	221
Appendix A(ii): Summary of manpower planning and forecasting models (New Zealar	ıd,
Scotland, United Kingdom)	225
Appendix A(iii): Summary of manpower planning and forecasting models (Japan, Sing	gapore,
USA)	228
Appendix B: Manpower planning literature by healthcare professional group	231
Appendix C Nursing programmes in Hong Kong	272
Appendix D Projected nurses supply - HKU	274

1 Introduction

Manpower or workforce planning, which is defined as "ensuring that the right people are available to deliver the right services to the right people at the right time" (1), is believed to be the appropriate approach to tackling the allocative and technical efficiency issues associated with the 'production' function of healthcare. Human resources for health (HRH) planning and forecasting is an important strategic objective in many countries and often reflects an increasing mismatch between the need/demand for and supply of healthcare professionals at regional as well as national levels.

Historically, HRH forecasting has been weakly linked to national health policies and population health needs. It was based on the assumption that more healthcare input produced better health, and was done by modelling supply, demand and need for manpower independently (2-4).

HRH forecasting is extremely complex and often framed by healthcare financing models and resources allocated to healthcare, service delivery models, the level and mix of healthcare services, controls on the volume and appropriateness of clinical activity, productivity, elasticity of supply, work-force complementarity and substitution (3, 5). Comprehensive forecasting models combine economic concepts with determinants of health, the peculiarities of the medical environment, and training time lags (6).

Modelling is an essential tool for manpower projections. Depending on the underlying assumptions, the models adopted may be deterministic or stochastic. Deterministic models are used when the outcome is certain, whereas stochastic models allow for uncertainty and flexibility in the model and deliver different results over multiple runs. Over time stochastic models are believed to reveal the most likely outcome, but they are more computational involved, use complex programming, and present analytical challenges. There are, however, also methodological limitations in these stochastic models including the lack of easily accessible clinical, administrative and provider databases for modelling, as well as conceptual challenges. Many of these models are of variable quality, and/or project only for (a) specific diseases(s) or professional group only. The quantity and quality of the data will directly determine how accurately the model reflects the real situation and therefore the reliability of the projections (7).

Considering the many factors that shape projection models (e.g. availability and quality of data, assumptions regarding characteristics of population change and growth, developments in medical technology, and/or clinical practice) selecting the model structure and attributes most suitable for the setting is essential. A number of projection models are described in the formal academic and grey literature; however, a comprehensive "gold standard" that fits all situations equally well remains elusive. There is little consensus on the best methods for estimating healthcare manpower in the literature. The most common approaches include workforce-population ratios, need-based, demand/utilisation-based, and supply models (8). Each method has its strengths and limitations and requires many compromises, simplifications, and assumptions.

2 Setting the scene

2.1 Models for policy level planning

2.1.1 Need-based models

Need-based models allow for estimates of true population need by considering changes in health status and efficacy of healthcare services (3, 8, 9) while adjusting for population size and characteristics including age, sex, household income, risk behaviour, and self-perceived health. These models project healthcare deficits as well as healthcare service need (both professional staff or quality of service to an optimum standard). As need-based approaches have greater data demands than approaches based on supply or utilisation, epidemiological data is an important limiting factor. For these models, detailed information on the efficacy of individual medical services for specific medical conditions is required (8). Although need-based models usually cannot account for historically unmet need they can avoid perpetuating existing inequity and inefficiency within the healthcare delivery system, a common problem with other forecasting models, however, the assumption that healthcare resources will be used in accordance with relative levels of need is seldom verified.

2.1.2 Demand/utilisation-based models

Demand/utilisation models are built on service utilisation data (8), under the assumption that healthcare workload remains constant over time, and population growth directly leads to increased workload (4, 9). Demand models commonly include 1) estimates of healthcare demand or at least historical utilisation patterns (most frequently by diagnosis), 2) anticipated change in practice patterns, 3) the impact of current and emerging technologies, and 4) policy

change. The projections are often limited to age and sex although other characteristics of the population, market conditions, institutional arrangements, and patterns of morbidity may be included. Previous demand models have often assumed that doctors were required for all demanded service, current demand was appropriate, age and sex specific resource requirements were constant; and demographic change was predictable over time (8).

2.1.3 Benchmarking

Benchmarks refer to a current best estimate of a reasonable workforce. These estimates are valid for comparison only if communities and healthcare planning are comparable, i.e. adjusted for key demographic, health and health system parameters. Estimates of manpower requirements are based on healthcare worker-to-population ratios and current healthcare services. For such models to be relevant adjustments for differences in population demography, population health, health insurance, productivity and health system organization are important (8).

2.1.4 Trend analysis

Based on aggregate level, and time series historical data, trend analysis uses observed historical population growth and ageing trends for predicting future trends. It is a macro simulation based on the extrapolation of past trends. Trend analysis is often useful for projecting likely growth particularly in the private sector (7, 10). These models assume 1) a causal relationship between economic growth and the number of doctors per capita, 2) that future requirements will reflect current requirements (e.g. the current level, mix, and distribution of providers are sufficient), 3) productivity remains constant, and 4) demographic profiles (such as population growth) are consistent with observed trends (8, 11). Some argue these models have 'labour myopia' and should be revised to include determinants of doctor productivity and elasticity of labour supply for different provider groups (5). These models do not consider the evolution of the demand for care.

2.2 Learning from international organisations

2.2.1 World Health Organisation

The mission of the Department of Human Resources for Health, World Health Organisation (WHO), is to "provide equitable access for all people to an adequately trained, skilled, and supported health workforce to contribute towards the attainment of the highest possible level of health" (12). The strategic direction of the department is to provide technical and

administrative coordination through several priority programmes one of which is the Health Workforce Information and Governance team. This team provides countries and other healthcare partners policy and planning advice, and technical support in the form of tools, guidelines, norms and standards on health workforce assessment, planning, monitoring and evaluation (7, 13-21). The WHO has identified three fundamental principles associated with the integration of healthcare service and the development of health personnel (13). First, the planning, production, and management functions for HRH must go together. Second, human resources are to serve the needs of the health system. Third, the health system must serve the people's needs. The WHO has developed a conceptual framework for HRH projection which pulls all these activities together. It consists of 4 different phases including: 1) situation analysis, 2) planning, 3) implementation, and 4) monitoring and evaluation (22). While the HRH framework is applicable in all countries, its application will be influenced by elements specific to the country context. Figure 2.1 provides the outline adopted by the WHO to identify the mechanism by which balance in the requirements (demand for healthcare provision) and the supply can be achieved.

The WHO uses simulation as the tool to assess the potential impact of various strategies on change in the model outcomes. Both deterministic and stochastic processes can be applied to this model. Typically the variables included in these models are demographic growth and change; health policy and related legislation; technological change; burden of disease; service and provider utilisation; relevant service quality standards; organisational efficiency; skills mix; individual provider performance; public demand and expectations; and availability and means of financing. The most commonly used approaches to project workforce requirements are workforce-to-population; health-needs; service-demand; and service targets methods. Each has its advantages and disadvantages. Although supply side projections are relatively less complex and simpler, careful accounting is needed to ensure all relevant and available workers are included in the estimates. Aspects to consider are the capacity to produce healthcare workers, the different types of healthcare workers needed for future work, loss rates due to retirement, and emigration, death or pre-retirement leaving.




Figure 2.1 (reproduced from WHO original) WHO concepts for linking healthcare workforce requirements and supply projections (7)

2.2.2 Organisation for Economic Cooperation and Development (OECD)

The Health Division of the Directorate for Employment, Labor and Social Affairs of the OECD advises countries on how to meet future demand for health professionals and help countries improve health workforce planning (23). With a focus on doctors and nurses, the OECD has identified trends shaping the current and future health workforce in member states over the past decades in cross-country reports (24) and country-specific health system reviews (25). Both a prolonged increase in the supply of doctors and nurses across member states was identified. Factors identified as influencing the change in demand for doctors and nurses were increasing incomes, changing medical technology, and population ageing. Supply factors influencing the growth rate for doctors were controls on entry into medical school, for nurses capping the number of hospital beds, and for both professions: immigration, emigration, and changes in productivity (26). Factors likely to impact the shape and potential shortage of the future health workforce were: workforce ageing, feminisation, expectations of younger generations in terms of work-life balance, increasing specialisation,

and changes in delivery of service such as an increase in day case treatment, and overall declining length of stay (26).

The OECD has also explored specific issues such as the impact of skill-mix and policy change on the health workforce (27), staff shortages (28), and strategies on how to adapt supply to a growing demand within particular workforce specialties (29).

The extensive work undertaken by the WHO and the OECD, and the development of manpower planning and forecasting tools by these organisations, are useful guides for manpower projections in Hong Kong. They provide an excellent source of benchmarking tools in the area of health manpower planning for both developing and developed countries.

2.3 Learning from overseas jurisdictions

To learn from international approaches to workforce planning, nine jurisdictions were selected for review – Australia (30), Canada (31), Japan (32), The Netherlands (33), New Zealand (34), Scotland (35), Singapore (36), United Kingdom (37), and the United States (38, 39) to determine: 1) strategies for national level manpower planning and forecasting; 2) methods used to project population level healthcare professional demand and supply, and 3) methods to improve workforce productivity and capability. **Appendix A (i), (ii) and (iii)** illustrates the context, framework, methods, and assumptions guiding these manpower planning and forecasting models. These jurisdictions were selected for the maturity of their manpower planning models, and comparability of workforce issues to Hong Kong.

2.3.1 Australia

Set up by the Council of Australian Governments and reporting to the Australian Health Ministers' Advisory Council, Health Workforce Australia (HWA) is responsible for projecting the healthcare manpower requirements in Australia, and advising and informing governing bodies on the dynamic changes in the healthcare workforce (30). HWA has adopted a 'models of care' approach based on competencies required for the delivery of the best healthcare. The HWA projects manpower requirements based on the expected change in model parameters (such as changes in immigration, innovation/technology, healthcare and health system reform, as well as skills or roles or healthcare professionals) through scenarios analyses. The HWA 2025 healthcare workforce projection for midwives, registered and enrolled nurses used a stock and flow supply model and applied a constant linear growth rate model to calculate demand (40). Supply model parameters included graduates, immigration of nurses, no longer available for nursing practice, training time, and hours worked. The demand model parameters included total hospital bed-days by population growth, service related groups (similar to Diagnostic Related Groups), total number of aged care packages by population growth aged 70 years and over, service utilisation, total number of projected births, and total number of projected Registered Nurse (RN)/ Enrolled Nurse (EN) full time equivalent (FTE)¹ by population ratio (40).

The HWA adopted a similar model for the November 2012 projection of medical specialties. The stock and flow supply model parameters included workforce headcount, demographic characteristics, number of graduates and medical fellows, immigration of overseas specialists, lost to medical practice, FTE benchmarks, training time, and number of hours worked (40). The demand model parameters were service utilisation by sex and five-year age cohort, public/private hours worked, services related groups and enhanced service related groups. Diagnosis groups were used to assign medical services to medical specialties and subspecialties (41) and to adjust for complexity of care (proxy for severity of illness). The assumption being that higher complexity inherently drives manpower requirements. These models derive estimates from a baseline year and assume a consistent linear future trend in healthcare need and technological change.

2.3.2 Canada

Prior to 2003, healthcare workforce planning in Canada was undertaken by each jurisdiction or province independently and did not address pan-Canadian supply and demand. In seven of the ten provinces, historical patterns of health service utilisation and health human resource supply, as proxies for public sector demand and supply, were used to project healthcare manpower requirements. The remaining three provinces adopted a need-based approach. Since 2003, Health Canada (a department of the federal government) has worked with the provinces and territories to improve coordination in and develop a conceptual model for human health resource planning (42). The proposal includes a stock and flow model for supply and a need-based model using utilisation of curative and preventive services (43).

¹ **Full-time equivalent (FTE)** is a standardized measure of time at work for an employed person. An FTE of 1.0 indicates a full-time worker, whereas FTE of 0.5 signals half-time.

More specifically, most jurisdictions calculated health workforce supply using parameters such as new local and non-local registrants, attrition, and employment status (44). Although many parameters were available to project manpower demand and supply, most of the provinces used historical trends (age and sex stratified) to project future healthcare workforce requirements (44). The newer projection models adopt additional supply-side parameters such as education, immigration, and career patterns (44). Overall, Canadian healthcare manpower demand models project FTE requirements on current utilisation patterns including parameters such as changes in the total population size and age-sex structure. Only two jurisdictions report including parameters such as socio-economic characteristics in the models or addressing the impact of externalities such as change in healthcare policy.

Although Health Canada is coordinating healthcare manpower planning and forecasting, as with most other health care issues, healthcare manpower regulation and registration, planning and forecasting remains the jurisdiction of the provinces. While there are similarities and commonalities between provinces, the models as developed and applied are broadly applicable only to the province of origin.

2.3.3 Japan

The Ministry of Health, Labour and Welfare (Japan) projects the supply and demand for healthcare personnel (45). The 7th Projection of Estimated Supply and Demand for Nursing Personnel was prepared in 2010, estimated a shortfall of 15,000 nurses in 2016 (46). The supply parameters included current employment status by year, local and international graduates, re-employment and retirement. The demand parameters included service utilisation by hospitals, clinics, maternity clinics, long-term care facilities, social welfare facilities, health centres and municipal facilities; educational institutions, workplaces, and schools (46). Currently, the full report of the 7th Projection of Estimated Supply and Demand for Nursing Personnel is not released, thus more specific methods are not publicly available. Historical trends were used to quantify but not project the demand for other healthcare professionals, such as doctors, dentists and pharmacists (46).

2.3.4 The Netherlands

The Netherlands Institute for Health Services Research (NIVEL) is an independent organisation with manpower planning as a particular area of research (47). NIVEL deployed stock and flow methods to project supply and demand for healthcare professionals (48).

Parameters used in their supply model included working capacity, primary activity, graduates, drop-out rates, expected age of retirement, working hours and task delegation (48). The supply model also incorporated the flow of medical professionals by sex in and out of the healthcare market and projected total FTE. The demand model (a three-part model) used simulation methods to project service utilisation on demographic and epidemiological developments (48). Part 1 established the baseline supply and demand of healthcare professionals by FTE adjusted by gender (49). The manpower gap between the supply and demand was then estimated. Part 2 projected supply and demand FTE requirements for the target year by projecting parameters such as demographic change, and the inflow and outflow of health professionals (49). Part 3 compared the expected manpower supply by FTE from labour market returns with projected FTE supply in three scenarios (49). The base scenario used trend analysis to forecast the impact of demographic change on the demand for healthcare. The first scenario included parameters such as epidemiological, socio-cultural and technical developments as well as, efficiency change, horizontal substitution and working hours per FTE in the demand model. The second scenario considered the impact of vertical substitution on demand (49).

Although a comprehensive methodology has been used for healthcare manpower planning in the Netherlands, the models generally draw on a subjective interpretation of the demand (expert opinion determines unmet demand).

2.3.5 New Zealand

In New Zealand, Health Workforce New Zealand (HWNZ) has the overall responsibility for planning and development of the health workforce, ensuring that staffing issues are aligned with planning on the delivery of services, and that New Zealand's healthcare workforce is fit for purpose (50). Currently, HWNZ is undergoing workforce service review with the objective of determining future health workforce requirements in 13 areas: aged care, anaesthesia, eye health, palliative care, musculoskeletal diseases, gastroenterology, youth health, diabetes, mental health, rehabilitation, mother and baby, healthcare for the Maori, and healthcare for Pacific Islanders (50). The HWNZ has used trend analysis and predicted service utilisation to determine future requirements.

The HWNZ has projected healthcare manpower (51) from the Health Workforce Information Programme. The supply model projection used a dynamic supply model to calculate

headcount and FTE from historical trends of new graduates, return rates, and retirements rates. Model parameters included current workforce inflow and outflow, age, sex, ethnicity, and occupation (51). The demand model included the following parameters population growth, age, sex, ethnicity, change in service, change in the care model, and the impact of current and emerging technologies (51). HWNZ contends that due to the shift toward population based healthcare delivery, the total population health needs and achievements are of particular importance in the forecast for demand.

The projection models rely heavily on trend analysis and linear regression to estimate manpower requirements. While simple models can provide a quick snapshot of current needs of population they lack the dynamic variation in scenarios and may misrepresent the demand for healthcare.

2.3.6 Scotland

NHS Scotland Workforce section of Information Services Division has used trend analysis to assess the supply and demand of medical, dental, nursing and midwifery, allied health professions, health science, ambulance staff, psychology, and pharmacy workforce (52). Parameters such as changing demography, and service utilisation, were used for the demand models and, workforce dynamics, workforce inflows and outflows for the supply models (53).

Three methods, dynamic models (stock and flow), healthcare professional-to-population ratio, demand/utilisation-based models were used to project healthcare professional supply and demand. The model parameters included service utilisation, service delivery, changing models of care, workforce skill mix (roles and competencies), integration and engagement of the workforce across the professions, health and social care, and care by sector (primary, secondary and tertiary) attendance rate, treatment rates, and for dentists average quantity of treatment per dentist per year (54, 55).

The supply model adopts stock and flow methods, that are commonly used by many other countries. The demand/utilisation-based models, while more sophisticated, require extensive and complex data, are susceptible to larger measurement error than projections based on population ratios (53).

2.3.7 Singapore

The National Manpower Council of the Singapore Ministry of Manpower is the decisionmaking body for the National Manpower Planning Framework (56). The Council has adopted an approach, where the future demand for healthcare manpower is based on trend analysis of population demographics and current healthcare workforce supply (57). In 2009-2011, the overall supply of doctors, registered nurses, enrolled nurses, dentists, pharmacists and optometrists increased across the board (58). As at 2012, Singapore had 10,225 doctors, (doctor-to-population ratio of 1:520), 60% of whom work in the public sector (58); 34,507 nurses and midwives (nurse-to-population ratio of 1:150). Strategies to manage the in- and out-flows of healthcare professionals (i.e. doctor, specialist, nurse) and to recruit more internationally qualified healthcare professionals from developed countries have been put in place to reduce workload demand. Included in this approach is the talent outreach programme (36). The Healthcare 2020 Masterplan healthcare demand and workforce planning projection parameters (57) included population growth and ageing, education, healthcare sector productivity and change in healthcare worker role (i.e. role extension), immigration of foreign healthcare workers and changes in the service delivery model. The supply model includes education and training of local professionals, and the recruitment of non-local graduates.

The available data from the Ministry of Health are total number of healthcare professionals by sectors (i.e. private and public sectors), and the professional-to-population ratio or vice versa (58). No full-time equivalent information was considered are given. For some healthcare professionals, professional-to-doctors ratio was used in the trend analysis.

2.3.8 United Kingdom

The Centre for Workforce Intelligence (CWI) provides advice and information to health and social care systems on workforce planning and development in the United Kingdom (37). CWI works closely with various organisations such as the NHS Information Centre, the medical Royal Colleges, and other regulatory bodies to access the highest quality, accurate and timely data for healthcare manpower planning (37). The CWI has focused on the supply of various health professions, (medical, dental, nursing, midwifery, and other allied health professionals). CWI released several reports in 2012 on technological, economic, environmental, political, social, and ethical factors that they consider/use in their supply and demand projection models (59, 60). Parameters used in the stock and flow model for medical

and dental supply include current workforce, workforce participation, working time spent delivering service, active workforce, number of entering and returning to workforce, immigration, attrition, emigration, those not available for work at present, and retirement or other attrition. Parameters for the demand models include population size and characteristics, disease prevalence, level of need, and amount of service delivered by doctors and dentists (61). Baseline need was measured by types of care (acute, long-term or primary), and age sex subgroups. Population need was projected for each type of care using indicators such as number of general practitioner (GP) visits per type of care, or bed-days per type of care (61).

The CWI has adopted a need-based model where need was proxied by type of care. This approach assumes that 'type of care' appropriately reflects manpower requirements and that all care is in the 'formal' care sector. However, such a model cannot account for the multidisciplinary nature of patient care or for the complex determinants of the location of or patient placement for care (e.g., patients not discharged due to insufficient home care places or social services)

2.3.9 United States

The Health Resources and Services Administration (HRSA) and the National Center for Health Workforce Analysis of the US Department of Health and Human Services are the primary federal agencies for developing the tools to project the supply and demand for healthcare professionals in the US (62, 63). HRSA has released reports for doctors (by subspecialty), registered nurses (RN), licensed practical nurses (LPN), pharmacy, dentistry, public health and clinical laboratory workforce (64). The stock and flow supply model parameters included licence renewal, retirement, death, disability, local and international graduates, productivity, career change and projected FTE. Specific to RNs, the model captures the progression from one educational level to another, and their interstate migration (65).

The demand model used a utilisation-based approach and included parameters such as service utilisation, demographics, insurance coverage/healthcare payment system, patterns of care delivery, technology, healthcare regulation, and workload measures such as inpatient days, visits, and nursing facility residents. Care delivery patterns were expressed as healthcare professional-to-population ratios by specialty and population segment defined by age, sex, geographical location, and insurance type. The demand model projected FTE's by service

sector (65). The manpower gap between the supply and demand was expressed as an FTE ratio (65). The supply models used trend analysis and stock and flow methods. Supply model parameters included graduates, male-female ratio, death, retirement and projected FTE or FTE-to-population ratio.

HRSA has developed numerous models by healthcare professional groups and identified the core model parameters. The HRSA models could be improved by incorporating explicit measures of externalities in the model parameters.

2.4 Learning from commonly adopted technical approaches

Although a demand/utilisation-based approach was the most frequently used manpower projection method, need-based methods, trend analysis, and benchmarking (healthcare professional to population ratio) were also used. Demand/utilisation-based models for doctors, dentists, nurses and pharmacists project FTE based on service utilisation and have usually included the following parameters, hospital admissions and patient visits, utilisation weighted patient diagnosis, outpatient visits, treatment, population growth and age distribution, economic indicators, geographic factors, insurance status, and staffing intensity. For pharmacists the parameters have included the number of prescriptions filled, growth in prescription volume for pharmacists, direct-to-consumer marketing and Aggregate Demand Index (a measure of unmet demand at the population level). Many of the projection models were stratified by service sector. Data was derived from aggregate data from annual reports, historical utilisation data and doctor – population ratios. Model validity and reliability was compromised by data availability and quantity. A positive linear relationship between population and economic growth, healthcare utilisation and demand was assumed by most.

Model assumptions were often tested by scenario analysis including change in 1) supply (e.g. number of graduates, registered practitioners, or entrants to higher education, number of training places, migration, retirement rates, changes in funding, reimbursement and recruitment), 2) productivity and efficiency (activity rates), 3) population demographics, 4) burden of disease health and healthcare utilisation, 5) economic development, and 6) patient/staff satisfaction. The lack of normative standards defining work and productivity was a major impediment to workload analysis. Manpower requirements were most often expressed in FTE.

While methods for modelling manpower demand for other healthcare professionals (i.e., not doctors) are not as well developed, utilisation, service delivery, expected service growth and number of vacant positions were used to project FTE requirements. Some models based demand projections on subjective assessment of demand, workload and productivity. Scenarios, testing change in population demographics, service utilisation, service provision or practice structure, disease incidence and prevalence, and norms of care were used to assess the projection performance.

Existing supply models have used stock and flow methods to project headcount or FTE. These models have included parameters also used by supranational agencies (WHO and OECD) and national models. These included age, sex, number of graduates, number of registered doctors, attrition (retirement, immigration, or emigration), and practice location. Adjusted trend analysis and straight-line projections have been used for physiotherapist manpower supply projections. The models projected manpower requirements by headcount, FTE or by healthcare professional-to-population ratio.

Table 2.1 summarises projection methods, demand and supply parameters for manpower projection models by healthcare professionals (doctors, dentists, nurses, Chinese Medicine Practitioners (CMP), pharmacists (Pharm), chiropractors (Chiro), medical laboratory technologists (MLT), occupational therapists (OT), optometrists (Opt), physiotherapists (PT), radiographers (Radio), and dental hygienists (DentH). See **Appendix B** for the full list of healthcare manpower planning and forecasting publications.

	Model methods	Demand parameters	Supply parameters
Doctors	Supply: stock and	Age, Gender, Population density,	Age, Sex, Population growth,
(11, 66-77)	flow, trend analysis	Consultation length, Number of	Retirement, Death, Migration,
		consultations or procedures, Morbidity,	Re-entrants, Movement
	Demand:	Mortality, Life expectancy, Fertility rate,	between occupations,
	regression-based	Literacy, GDP; GNI, Health expenditure,	Graduates, Work location,
	physician density	Insurance status,	Working hours, Level of
	model,	Epidemiology, Inputs of other types of	service, Intensity of work,
	demand/utilisation-	professionals,	
	based model, need-		
	based model,		
	benchmarking		
Dentists	Supply: stock and	Population projection, Income of	Retirement, Death, Graduates,
(78-91)	flow	population,	Migration, Number of new
		Socio-demographic characteristics,	dental schools, Number of other
	Demand:	Projected utilisation increase, Decayed,	dental professionals, Population
	demand/utilisation-	missing and filled teeth rates, Prostheses	estimates, Gender ratio,
	based model, need-	rates, Rates of edentulousness, Rates for	Working hour, Productivity
	based model	other dental procedures, Dental	
		attendance pattern,	
		Patterns of disease, Dentist-to-population ratio	
Numana	Sumply: stool; and		Creductos Do ontront
Nurses (65, 92-111)	Supply: stock and flow, trend analysis,	Bed capacity/ occupancy rate, Working	Graduates, Re-entrant, Retirement: Illness, disability
(03, 72-111)	benchmarking	hours, Staffing intensity, Utilisation of services, Insurance status, Population	Retirement; Illness, disability and death, Working hour,
	Deneminarking	growth and aging, Per capita income,	Migration, Population,
	Demand:	Burden of disease and injury, Surgical	Education, Age, Sex,
	benchmarking,	intervention, Race/ethnicity classification,	Career change, Maternity,
	demand/utilisation-	Area of practice, Nurse-to-physician	Renewal rate
	based model, trend	ratio, Staff norms, Turnover rates,	Renewal face
	analysis, need-based	Vacancy rates	
		vacuncy rates	
Chinese	model		
	model	manpower planning and projection models	
Medicine	model		
Medicine Practitioners	model		Age, Male: Female ratio,
Medicine <u>Practitioners</u> Pharmacists	model No specific published	manpower planning and projection models Graduation rates, Population growth and aging, Expiring drug patents, Prescription	Working hours, Graduates,
Chinese Medicine <u>Practitioners</u> Pharmacists (112-126)	model No specific published Supply: stock and flow Demand: trend	manpower planning and projection models Graduation rates, Population growth and aging, Expiring drug patents, Prescription volume, Role extension, Pharmacist-to-	Working hours, Graduates, Migration, Retirement, Death,
Medicine <u>Practitioners</u> Pharmacists	model No specific published Supply: stock and flow Demand: trend analysis,	manpower planning and projection models Graduation rates, Population growth and aging, Expiring drug patents, Prescription volume, Role extension, Pharmacist-to- technician ratio, Pharmacist-to-population	Working hours, Graduates,
Medicine <u>Practitioners</u> Pharmacists	model No specific published Supply: stock and flow Demand: trend analysis, benchmarking,	manpower planning and projection models Graduation rates, Population growth and aging, Expiring drug patents, Prescription volume, Role extension, Pharmacist-to- technician ratio, Pharmacist-to-population ratio, Direct-to-consumer marketing,	Working hours, Graduates, Migration, Retirement, Death,
Medicine <u>Practitioners</u> Pharmacists	model No specific published Supply: stock and flow Demand: trend analysis, benchmarking, demand/utilisation-	manpower planning and projection models Graduation rates, Population growth and aging, Expiring drug patents, Prescription volume, Role extension, Pharmacist-to- technician ratio, Pharmacist-to-population ratio, Direct-to-consumer marketing, Insurance coverage, Therapy	Working hours, Graduates, Migration, Retirement, Death,
Medicine <u>Practitioners</u> Pharmacists (112-126)	model No specific published Supply: stock and flow Demand: trend analysis, benchmarking, demand/utilisation- based model	manpower planning and projection models Graduation rates, Population growth and aging, Expiring drug patents, Prescription volume, Role extension, Pharmacist-to- technician ratio, Pharmacist-to-population ratio, Direct-to-consumer marketing, Insurance coverage, Therapy improvement	Working hours, Graduates, Migration, Retirement, Death, Workload, Productivity.
Medicine <u>Practitioners</u> Pharmacists (112-126) Chiropractors	model No specific published Supply: stock and flow Demand: trend analysis, benchmarking, demand/utilisation- based model Supply: stock and	manpower planning and projection models Graduation rates, Population growth and aging, Expiring drug patents, Prescription volume, Role extension, Pharmacist-to- technician ratio, Pharmacist-to-population ratio, Direct-to-consumer marketing, Insurance coverage, Therapy improvement Patient visits per week, Number of	Working hours, Graduates, Migration, Retirement, Death, Workload, Productivity.
Medicine <u>Practitioners</u> Pharmacists (112-126) Chiropractors	model No specific published Supply: stock and flow Demand: trend analysis, benchmarking, demand/utilisation- based model Supply: stock and flow; supply	manpower planning and projection models Graduation rates, Population growth and aging, Expiring drug patents, Prescription volume, Role extension, Pharmacist-to- technician ratio, Pharmacist-to-population ratio, Direct-to-consumer marketing, Insurance coverage, Therapy improvement Patient visits per week, Number of services per chiropractic user,	Working hours, Graduates, Migration, Retirement, Death, Workload, Productivity. Age, Sex , Education, Number of graduates,
Medicine <u>Practitioners</u> Pharmacists (112-126)	model No specific published Supply: stock and flow Demand: trend analysis, benchmarking, demand/utilisation- based model Supply: stock and	manpower planning and projection models Graduation rates, Population growth and aging, Expiring drug patents, Prescription volume, Role extension, Pharmacist-to- technician ratio, Pharmacist-to-population ratio, Direct-to-consumer marketing, Insurance coverage, Therapy improvement Patient visits per week, Number of services per chiropractic user, Chiropractic use per capita, Change in	Working hours, Graduates, Migration, Retirement, Death, Workload, Productivity.
Medicine <u>Practitioners</u> Pharmacists (112-126) Chiropractors	model No specific published Supply: stock and flow Demand: trend analysis, benchmarking, demand/utilisation- based model Supply: stock and flow; supply description	manpower planning and projection models Graduation rates, Population growth and aging, Expiring drug patents, Prescription volume, Role extension, Pharmacist-to- technician ratio, Pharmacist-to-population ratio, Direct-to-consumer marketing, Insurance coverage, Therapy improvement Patient visits per week, Number of services per chiropractic user, Chiropractic use per capita, Change in technology, Change in patterns of the	Working hours, Graduates, Migration, Retirement, Death, Workload, Productivity. Age, Sex , Education, Number of graduates,
Medicine <u>Practitioners</u> Pharmacists (112-126) Chiropractors	model No specific published Supply: stock and flow Demand: trend analysis, benchmarking, demand/utilisation- based model Supply: stock and flow; supply description Demand: need-	manpower planning and projection models Graduation rates, Population growth and aging, Expiring drug patents, Prescription volume, Role extension, Pharmacist-to- technician ratio, Pharmacist-to-population ratio, Direct-to-consumer marketing, Insurance coverage, Therapy improvement Patient visits per week, Number of services per chiropractic user, Chiropractic use per capita, Change in technology, Change in patterns of the diseases, Prevalence of back and neck	Working hours, Graduates, Migration, Retirement, Death, Workload, Productivity. Age, Sex , Education, Number of graduates,
Medicine <u>Practitioners</u> Pharmacists (112-126) Chiropractors (127-130)	model No specific published Supply: stock and flow Demand: trend analysis, benchmarking, demand/utilisation- based model Supply: stock and flow; supply description Demand: need- based model	manpower planning and projection models Graduation rates, Population growth and aging, Expiring drug patents, Prescription volume, Role extension, Pharmacist-to- technician ratio, Pharmacist-to-population ratio, Direct-to-consumer marketing, Insurance coverage, Therapy improvement Patient visits per week, Number of services per chiropractic user, Chiropractic use per capita, Change in technology, Change in patterns of the diseases, Prevalence of back and neck symptoms	Working hours, Graduates, Migration, Retirement, Death, Workload, Productivity. Age, Sex , Education, Number of graduates, Geographic variation
Medicine <u>Practitioners</u> Pharmacists (112-126) Chiropractors (127-130) Medical	modelNo specific publishedSupply: stock and flowDemand: trend analysis, benchmarking, demand/utilisation- based modelSupply: stock and flow; supply descriptionDemand: need- based modelSupply: trend	manpower planning and projection models Graduation rates, Population growth and aging, Expiring drug patents, Prescription volume, Role extension, Pharmacist-to- technician ratio, Pharmacist-to-population ratio, Direct-to-consumer marketing, Insurance coverage, Therapy improvement Patient visits per week, Number of services per chiropractic user, Chiropractic use per capita, Change in technology, Change in patterns of the diseases, Prevalence of back and neck symptoms Time units per activity, Number of	Working hours, Graduates, Migration, Retirement, Death, Workload, Productivity. Age, Sex , Education, Number of graduates, Geographic variation Number of graduates, Working
Medicine <u>Practitioners</u> Pharmacists (112-126) Chiropractors (127-130) Medical Laboratory	modelNo specific publishedSupply: stock and flowDemand: trend analysis, benchmarking, demand/utilisation- based modelSupply: stock and flow; supply descriptionDemand: need- based modelSupply: trend analysis; stock and	manpower planning and projection models Graduation rates, Population growth and aging, Expiring drug patents, Prescription volume, Role extension, Pharmacist-to- technician ratio, Pharmacist-to-population ratio, Direct-to-consumer marketing, Insurance coverage, Therapy improvement Patient visits per week, Number of services per chiropractic user, Chiropractic use per capita, Change in technology, Change in patterns of the diseases, Prevalence of back and neck symptoms Time units per activity, Number of laboratory tests per FTE, Population	Working hours, Graduates, Migration, Retirement, Death, Workload, Productivity. Age, Sex , Education, Number of graduates, Geographic variation Number of graduates, Working hours, Examination pass rates,
Medicine <u>Practitioners</u> Pharmacists (112-126) Chiropractors (127-130) Medical Laboratory Technologists	modelNo specific publishedSupply: stock and flowDemand: trend analysis, benchmarking, demand/utilisation- based modelSupply: stock and flow; supply descriptionDemand: need- based modelSupply: trend	manpower planning and projection models Graduation rates, Population growth and aging, Expiring drug patents, Prescription volume, Role extension, Pharmacist-to- technician ratio, Pharmacist-to-population ratio, Direct-to-consumer marketing, Insurance coverage, Therapy improvement Patient visits per week, Number of services per chiropractic user, Chiropractic use per capita, Change in technology, Change in patterns of the diseases, Prevalence of back and neck symptoms Time units per activity, Number of laboratory tests per FTE, Population characteristics,	Working hours, Graduates, Migration, Retirement, Death, Workload, Productivity. Age, Sex , Education, Number of graduates, Geographic variation Number of graduates, Working hours, Examination pass rates, Field of practice, MLT post
Medicine <u>Practitioners</u> Pharmacists (112-126) Chiropractors (127-130) Medical Laboratory Technologists	modelNo specific publishedSupply: stock and flowDemand: trend analysis, benchmarking, demand/utilisation- based modelSupply: stock and flow; supply descriptionDemand: need- based modelSupply: trend analysis; stock and flow	manpower planning and projection models Graduation rates, Population growth and aging, Expiring drug patents, Prescription volume, Role extension, Pharmacist-to- technician ratio, Pharmacist-to-population ratio, Direct-to-consumer marketing, Insurance coverage, Therapy improvement Patient visits per week, Number of services per chiropractic user, Chiropractic use per capita, Change in technology, Change in patterns of the diseases, Prevalence of back and neck symptoms Time units per activity, Number of laboratory tests per FTE, Population	Working hours, Graduates, Migration, Retirement, Death, Workload, Productivity. Age, Sex , Education, Number of graduates, Geographic variation Number of graduates, Working hours, Examination pass rates,
Medicine <u>Practitioners</u> Pharmacists (112-126) Chiropractors (127-130) Medical Laboratory Technologists	modelNo specific publishedSupply: stock and flowDemand: trend analysis, benchmarking, demand/utilisation- based modelSupply: stock and flow; supply descriptionDemand: need- based modelSupply: trend analysis; stock and flowDemand: need- based model	manpower planning and projection models Graduation rates, Population growth and aging, Expiring drug patents, Prescription volume, Role extension, Pharmacist-to- technician ratio, Pharmacist-to-population ratio, Direct-to-consumer marketing, Insurance coverage, Therapy improvement Patient visits per week, Number of services per chiropractic user, Chiropractic use per capita, Change in technology, Change in patterns of the diseases, Prevalence of back and neck symptoms Time units per activity, Number of laboratory tests per FTE, Population characteristics,	Working hours, Graduates, Migration, Retirement, Death, Workload, Productivity. Age, Sex , Education, Number of graduates, Geographic variation Number of graduates, Working hours, Examination pass rates, Field of practice, MLT post
Medicine <u>Practitioners</u> Pharmacists (112-126) Chiropractors (127-130) Medical Laboratory Technologists	modelNo specific publishedSupply: stock and flowDemand: trend analysis, benchmarking, demand/utilisation- based modelSupply: stock and flow; supply descriptionDemand: need- based modelSupply: trend analysis; stock and flowDemand: need- based modelSupply: trend analysis; stock and flowDemand: demand/utilisation	manpower planning and projection models Graduation rates, Population growth and aging, Expiring drug patents, Prescription volume, Role extension, Pharmacist-to- technician ratio, Pharmacist-to-population ratio, Direct-to-consumer marketing, Insurance coverage, Therapy improvement Patient visits per week, Number of services per chiropractic user, Chiropractic use per capita, Change in technology, Change in patterns of the diseases, Prevalence of back and neck symptoms Time units per activity, Number of laboratory tests per FTE, Population characteristics,	Working hours, Graduates, Migration, Retirement, Death, Workload, Productivity. Age, Sex , Education, Number of graduates, Geographic variation Number of graduates, Working hours, Examination pass rates, Field of practice, MLT post
Medicine <u>Practitioners</u> Pharmacists (112-126) Chiropractors (127-130) Medical Laboratory Technologists (131,132)	modelNo specific publishedSupply: stock and flowDemand: trend analysis, benchmarking, demand/utilisation- based modelSupply: stock and flow; supply descriptionDemand: need- based modelSupply: trend analysis; stock and flowDemand: need- based modelSupply: trend analysis; stock and flowDemand: nead- utilisation model	manpower planning and projection models Graduation rates, Population growth and aging, Expiring drug patents, Prescription volume, Role extension, Pharmacist-to- technician ratio, Pharmacist-to-population ratio, Direct-to-consumer marketing, Insurance coverage, Therapy improvement Patient visits per week, Number of services per chiropractic user, Chiropractic use per capita, Change in technology, Change in patterns of the diseases, Prevalence of back and neck symptoms Time units per activity, Number of laboratory tests per FTE, Population characteristics, Technology improvements	Working hours, Graduates, Migration, Retirement, Death, Workload, Productivity. Age, Sex , Education, Number of graduates, Geographic variation Number of graduates, Working hours, Examination pass rates, Field of practice, MLT post vacancy rate
Medicine Practitioners Pharmacists (112-126) Chiropractors (127-130) Medical Laboratory Technologists (131,132) Occupational	modelNo specific publishedSupply: stock and flowDemand: trend analysis, benchmarking, demand/utilisation- based modelSupply: stock and flow; supply descriptionDemand: need- based modelSupply: trend analysis; stock and flowDemand: need- based modelSupply: trend analysis; stock and flowDemand: demand/utilisation modelSupply: stock and flow	manpower planning and projection models Graduation rates, Population growth and aging, Expiring drug patents, Prescription volume, Role extension, Pharmacist-to- technician ratio, Pharmacist-to-population ratio, Direct-to-consumer marketing, Insurance coverage, Therapy improvement Patient visits per week, Number of services per chiropractic user, Chiropractic use per capita, Change in technology, Change in patterns of the diseases, Prevalence of back and neck symptoms Time units per activity, Number of laboratory tests per FTE, Population characteristics, Technology improvements	 Working hours, Graduates, Migration, Retirement, Death, Workload, Productivity. Age, Sex , Education, Number of graduates, Geographic variation Number of graduates, Working hours, Examination pass rates, Field of practice, MLT post vacancy rate New graduates, Attrition and
Medicine Practitioners Pharmacists (112-126) Chiropractors (127-130) Medical Laboratory Technologists (131,132) Occupational Therapists	modelNo specific publishedSupply: stock and flowDemand: trend analysis, benchmarking, demand/utilisation- based modelSupply: stock and flow; supply descriptionDemand: need- based modelSupply: trend analysis; stock and flowDemand: need- based modelSupply: trend analysis; stock and flowDemand: nead- utilisation model	manpower planning and projection models Graduation rates, Population growth and aging, Expiring drug patents, Prescription volume, Role extension, Pharmacist-to- technician ratio, Pharmacist-to-population ratio, Direct-to-consumer marketing, Insurance coverage, Therapy improvement Patient visits per week, Number of services per chiropractic user, Chiropractic use per capita, Change in technology, Change in patterns of the diseases, Prevalence of back and neck symptoms Time units per activity, Number of laboratory tests per FTE, Population characteristics, Technology improvements Current OT employment data, Number of vacancies (in FTE), Hospital and home	Working hours, Graduates, Migration, Retirement, Death, Workload, Productivity. Age, Sex , Education, Number of graduates, Geographic variation Number of graduates, Working hours, Examination pass rates, Field of practice, MLT post vacancy rate
Medicine <u>Practitioners</u> Pharmacists (112-126) Chiropractors (127-130) Medical Laboratory	modelNo specific publishedSupply: stock and flowDemand: trend analysis, benchmarking, demand/utilisation- based modelSupply: stock and flow; supply descriptionDemand: need- based modelSupply: trend analysis; stock and flowDemand: demand/utilisation modelSupply: stock and flowDemand: demand/utilisation modelSupply: stock and flow	manpower planning and projection models Graduation rates, Population growth and aging, Expiring drug patents, Prescription volume, Role extension, Pharmacist-to- technician ratio, Pharmacist-to-population ratio, Direct-to-consumer marketing, Insurance coverage, Therapy improvement Patient visits per week, Number of services per chiropractic user, Chiropractic use per capita, Change in technology, Change in patterns of the diseases, Prevalence of back and neck symptoms Time units per activity, Number of laboratory tests per FTE, Population characteristics, Technology improvements	 Working hours, Graduates, Migration, Retirement, Death, Workload, Productivity. Age, Sex , Education, Number of graduates, Geographic variation Number of graduates, Working hours, Examination pass rates, Field of practice, MLT post vacancy rate New graduates, Attrition and
Medicine Practitioners Pharmacists (112-126) Chiropractors (127-130) Medical Laboratory Technologists (131,132) Occupational Therapists	modelNo specific publishedSupply: stock and flowDemand: trend analysis, benchmarking, demand/utilisation- based modelSupply: stock and flow; supply descriptionDemand: need- based modelSupply: trend analysis; stock and flowDemand: need- based modelSupply: trend analysis; stock and flowDemand: demand/utilisation modelSupply: stock and flowDemand: demand/utilisation modelSupply: stock and flowDemand:	manpower planning and projection models Graduation rates, Population growth and aging, Expiring drug patents, Prescription volume, Role extension, Pharmacist-to- technician ratio, Pharmacist-to-population ratio, Direct-to-consumer marketing, Insurance coverage, Therapy improvement Patient visits per week, Number of services per chiropractic user, Chiropractic use per capita, Change in technology, Change in patterns of the diseases, Prevalence of back and neck symptoms Time units per activity, Number of laboratory tests per FTE, Population characteristics, Technology improvements Current OT employment data, Number of vacancies (in FTE), Hospital and home	 Working hours, Graduates, Migration, Retirement, Death, Workload, Productivity. Age, Sex , Education, Number of graduates, Geographic variation Number of graduates, Working hours, Examination pass rates, Field of practice, MLT post vacancy rate New graduates, Attrition and
Medicine Practitioners Pharmacists (112-126) Chiropractors (127-130) Medical Laboratory Technologists (131,132) Occupational Therapists	modelNo specific publishedSupply: stock and flowDemand: trend analysis, benchmarking, demand/utilisation- based modelSupply: stock and flow; supply descriptionDemand: need- based modelSupply: trend analysis; stock and flowDemand: demand/utilisation modelSupply: stock and flowDemand: demand/utilisation modelSupply: stock and flowDemand: demand/utilisation modelSupply: stock and flowDemand: demand/utilisation	manpower planning and projection models Graduation rates, Population growth and aging, Expiring drug patents, Prescription volume, Role extension, Pharmacist-to- technician ratio, Pharmacist-to-population ratio, Direct-to-consumer marketing, Insurance coverage, Therapy improvement Patient visits per week, Number of services per chiropractic user, Chiropractic use per capita, Change in technology, Change in patterns of the diseases, Prevalence of back and neck symptoms Time units per activity, Number of laboratory tests per FTE, Population characteristics, Technology improvements Current OT employment data, Number of vacancies (in FTE), Hospital and home	 Working hours, Graduates, Migration, Retirement, Death, Workload, Productivity. Age, Sex , Education, Number of graduates, Geographic variation Number of graduates, Working hours, Examination pass rates, Field of practice, MLT post vacancy rate New graduates, Attrition and
Medicine Practitioners Pharmacists (112-126) Chiropractors (127-130) Medical Laboratory Technologists (131,132) Occupational Therapists (133-136)	modelNo specific publishedSupply: stock and flowDemand: trend analysis, benchmarking, demand/utilisation- based modelSupply: stock and flow; supply descriptionDemand: need- based modelSupply: trend analysis; stock and flowDemand: need- based modelSupply: trend analysis; stock and flowDemand: demand/utilisation modelSupply: stock and flowDemand: demand/utilisation modelDemand: demand/utilisation model	manpower planning and projection models Graduation rates, Population growth and aging, Expiring drug patents, Prescription volume, Role extension, Pharmacist-to- technician ratio, Pharmacist-to-population ratio, Direct-to-consumer marketing, Insurance coverage, Therapy improvement Patient visits per week, Number of services per chiropractic user, Chiropractic use per capita, Change in technology, Change in patterns of the diseases, Prevalence of back and neck symptoms Time units per activity, Number of laboratory tests per FTE, Population characteristics, Technology improvements Current OT employment data, Number of vacancies (in FTE), Hospital and home care average growth rate,	 Working hours, Graduates, Migration, Retirement, Death, Workload, Productivity. Age, Sex , Education, Number of graduates, Geographic variation Number of graduates, Working hours, Examination pass rates, Field of practice, MLT post vacancy rate New graduates, Attrition and retention rate
Medicine Practitioners Pharmacists (112-126) Chiropractors (127-130) Medical Laboratory Technologists (131,132) Occupational Therapists	modelNo specific publishedSupply: stock and flowDemand: trend analysis, benchmarking, demand/utilisation- based modelSupply: stock and flow; supply descriptionDemand: need- based modelSupply: trend analysis; stock and flowDemand: demand/utilisation modelSupply: stock and flowDemand: demand/utilisation modelSupply: stock and flowDemand: demand/utilisation modelSupply: stock and flowDemand: demand/utilisation	manpower planning and projection models Graduation rates, Population growth and aging, Expiring drug patents, Prescription volume, Role extension, Pharmacist-to- technician ratio, Pharmacist-to-population ratio, Direct-to-consumer marketing, Insurance coverage, Therapy improvement Patient visits per week, Number of services per chiropractic user, Chiropractic use per capita, Change in technology, Change in patterns of the diseases, Prevalence of back and neck symptoms Time units per activity, Number of laboratory tests per FTE, Population characteristics, Technology improvements Current OT employment data, Number of vacancies (in FTE), Hospital and home	Working hours, Graduates, Migration, Retirement, Death, Workload, Productivity. Age, Sex , Education, Number of graduates, Geographic variation Number of graduates, Working hours, Examination pass rates, Field of practice, MLT post vacancy rate New graduates, Attrition and

Table 2.1 Projection methods, demand and supply parameters for manpower projection
models by healthcare professionals

	Demand: trend analysis; demand/utilisation model		retirement, or emigration	
Physiotherapists	Supply: stock and	Population growth, Increase in personal	Number of current vacant posts,	
(142-145)	flow	healthcare expenditure, Personal health insurance, Number of in-patient,	Retirement and attrition, New graduates, New	
	Demand: trend	outpatient and home-bound Patient visits	registrants, Registration	
	analysis; need-based model		renewals.	
Radiographers	Supply: stock and	Service utilisation By procedures	Age, Number of graduates,	
(146,147)	flow	By modality, (e.g. CT, MRI, ultrasound and therapeutic procedures) Population	Retirement and other attrition, Training attrition, Working	
	Demand: trend	demographics and growth	hours (full-time or part-time),	
	analysis;		Field of practice	
	demand/utilisation			
Dental	No specific published manpower planning and projection models			
Hygienists				

2.5 Learning from local experience in workforce planning

2.5.1 Department of Health

The Department of Health (DH) has conducted Health Manpower Surveys (HMS) for healthcare professional groups with registration in Hong Kong since 1980. The surveys aim to provide up-to-date information on the characteristics and employment status of healthcare personnel working in Hong Kong. The data, compiled into aggregate health manpower statistics, aids the understanding the dynamics of healthcare professional manpower supply. However these are essentially repeated cross sectional surveys with no prospective predictive function or objective, thus cannot inform future needs without further analytical processing.

2.5.2 Hospital Authority

In Hong Kong, much of the current manpower planning and forecasting for public sector has been planned within the HA, which adopted an integrated approach in projecting its future healthcare workforce requirement. The process starts with an overall assessment on the future service demand which covers a comprehensive spectrum of HA services, ranging from in-patient, day-patient to outpatient, ambulatory and community services as well as clinical supporting specialty services. The service demand projection uses age- and specialty-specific service utilisation rates in a given year as the base year and took into account anticipated changes resulting from various factors. The HA model included population growth and ageing, changes in the service delivery model and utilisation pattern, medical technology advancement, and the development of new services. To estimate the required doctor manpower, the projected service demand by specialty is translated into work-related time units (man-hours) for doctors. Together with respective specialty-specific clinical coordinating committees, the average time required for doctors to carry out other work-related tasks is estimated. Future doctor manpower requirement is then determined by assuming some specialty-specific parameters such as on- and off-site call, coaching, training and documentation, and community service. A similar work profile analysis is conducted for nurses in close collaboration with nurse representatives, and identified key nursing components of general and psychiatric work within different clinical settings.

Besides the additional demand generated by projected service growth, the future manpower requirement also considers replacement demand generated by staff turnover including retirement. Additional demand also takes into account manpower shortfall at the baseline. The HA manpower planning and projection model has provided a service level model, based on historical data. The model incorporates the impact of realised change in service delivery on future manpower requirements. While the HA provides a substantial proportion of inpatient and outpatient care to the population the model cannot represent all healthcare need (as proxied by utilisation) within the population. A comparison of the HA model and the territory wide model as presented in the report is not possible at this juncture.

2.5.3 Hong Kong Academy of Medicine

During the past decade, the Hong Kong Academy of Medicine, through the respective specialist Colleges, has reviewed medical manpower planning to determine the demand for different medical specialities and the requirements for training posts. Throughout the review a number of important externalities pertinent to manpower planning including the dynamics of the private and public interface, patient culture and expectations, and healthcare policy were identified. Individual colleges submitted estimates for manpower demand based on caseload or overseas benchmarks and provided input on the specific factors expected to influence future manpower need in their subspecialty (148). Individual colleges have found it difficult to project specialist manpower demand primarily due to difficulties in estimating the impact of the shift in practice location between the public and private sectors, medical tourism, changing technology, and areas of practice. The Academy acknowledges the limitation of assessing need from the medical perspective only and the difficulties in

accurately determining demand, however, the recommendations put forward provide valuable input to manpower planning and forecasting in Hong Kong.

2.5.4 Independent manpower planning and policy reviews

The Business Professionals Federation of Hong Kong (BPF) healthcare manpower planning report of September 2010 recommends a more scientifically based and inclusive approach to manpower planning than what had been done previously (149). The report lists three essential planning ingredients for effective planning: 1) administrative data of past and present manpower resources, 2) research personnel equipped with skills and modelling tools to undertake dynamic projections, and 3) collaboration of all stakeholders. In June 2012, HKGolden50 an independent not-for-profit research organisation, published their fourth are provided the provent "Theorem 4. World Class Medical Sectors" with the pine to "slott the size to "slott the provent states" and the provent states and the provent states are stated by the plane to "slott the provent states" and preserve to the provent states are stated by the plane to "slott the plane to the plane to

their fourth report "How to Create A World-Class Medical System" with the aim to "alert our community that despite our World Class standard in Western and Chinese medicine our healthcare system is on the brink of breaking down due to insufficient hardware and personnel coupled with surging local and foreign demand for our quality medical services" (150). Based on HA data (i.e. public in-patient data only) the authors predicted a rapidly increasing (2% a year) shortage in doctors (150). Factors influencing this shortage are suggested to include 1) surging healthcare service demand deriving from population ageing, population growth, and medical tourism (demand for private healthcare from mainland China), and 2) stagnation supply due to retirement, declining competency due to the loss of senior staff, generation gap, feminisation of the work force, high entry barriers for overseas-qualified doctors, and insufficient support staff (nurses and administrative staff).

2.6 Implications for the Hong Kong manpower project

Many manpower-planning challenges have been previously identified in our review of work already completed. These include: 1) persistent manpower shortages and mal-distribution of the healthcare workforce, 2) population ageing, 3) rising incidence of chronic diseases, 4) lack of resources for medical training, 5) lack of cooperation within and between institutions, and 6) poor reliability and credibility of current manpower forecasting models.

The country level models identified lack consensus on the methodological approach for healthcare manpower planning and forecasting, and illustrated data-related problems including a lack of standardisation in variable parameterising; limited access to the quantity and quality of the data required; limited information on productivity, workload, and utilisation; and limited information on treatment efficacy and effectiveness. These models used routine administrative data (utilisation or financial data), or data from specialised surveys, and/or applied a predetermined set of assumptions in the demand/utilisation models.

Many country level models were deterministic and lacked the flexibility to examine the dynamic relationships between manpower supply and patient outcomes. In addition, the linear analysis adopted by many was problematic due to the underlying non-linearity of the data. More current manpower planning models used system dynamic methods, considered need, supply and demand simultaneously, projected manpower requirements from multiple perspectives and provided a more complete estimate of future manpower requirements. There was little evidence (in both qualitative and quantitative terms) of the impact (or evaluation) of these human resource-planning strategies on healthcare practice.

Models that did not specify benchmark standards or methods to determine the relationship between the volume of service/ number of patients and the number of staff were unable to robustly estimate the number of staff required for specific activities. Induced demand (as measured by utilisation data and doctor defined diagnosis in demand models) was a characteristic problem of manpower planning and forecasting and was a major limitation of the current country level manpower planning and forecasting models world-wide and locally.

In Hong Kong, population ageing, rising incidence of non-communicable disease, and historical healthcare utilisation patterns is related to rapidly increasing demand for healthcare service. Elsewhere, changing patterns of referral, location of service delivery (public and private), technology, scope of practice (including complementarity and substitution between healthcare professionals), feminisation of the workforce and healthcare policy (such as extended personal insurance coverage, increased in public healthcare benefits) and service delivery regulation (such as the recommendations of the Review Committee on Regulation of Pharmaceutical Products) have been implicated with increased demand for healthcare service (151). The increased demand arising from the mainland visa-free tourist policy are expected to increase future manpower demand. Economic and healthcare policy (i.e. Closer Economic Partnership Arrangement II (CEPA)), changing population demography, inter-regional and inter-sectoral (public/private) movement of healthcare professionals and patients, and medical tourism are expected to increase future healthcare demand and further complicate manpower projection.

Manpower projection is a highly data intense activity. Although public sector in-patient and outpatient data suitable for manpower projections is readily available, a substantial proportion of patient care occurs in the private sector, where data is less complete, more complex or simply unavailable. Such an environment necessitates manpower projection models that are adaptable to changing parameters and model structures.

3 Projecting demand

The overall model for Hong Kong manpower projection comprises two sub models, the utilisation model and the supply model. Building on an endogenous, historically-informed base case scenario (where current utilisation (proxying demand) and supply are assumed to be in equilibrium), this model can be adopted to adjust for the impact of externalities such as: 1) de novo (i.e. exogenous) additional new hospital capacity (new public and private hospital in-patient beds) over and above endogenous historical growth, 2) the proposed new Health Protection Scheme and 3) the new Community Care Service Voucher. The difference between the demand and supply projections (in terms of total FTE numbers, year-on-year and annual incremental FTE from 2012 -2041) is the manpower 'gap' or 'surplus/shortfall'.

3.1 Modelling demand

After a thorough literature review, assessing the suitability to the local context and exploratory analyses with the various possible projection modes, three approaches for projecting healthcare utilisation are shortlisted for further consideration, the 'empirically observed historical' (EOH), the 'macroeconomic scenario driven' (MSD) and the 'Andersen-type' (Andersen) approach within a 'top down' and 'bottom up' framework (Figure 3.1). Given the lack of required data elements for the Andersen approach, namely detailed individual-level data on predisposing and enabling factors as well as panel studies locally, the two 'top down' approaches are eventually executed.




Figure 3.1 Approaches to estimating demand

3.1.1 Empirically observed historical (EOH) approach

The EOH projection model expresses utilisation as the product of population *P* and utilisation rate *R*:

Utilisation
$$z(y)$$
 at year $y = \sum_{a} \sum_{s} P(a, s, y) \times R(a, s, y)$

where P(a,s,y) is the population age-, sex-specific groups (a,s) at year y, and R(a,s,y) is the utilisation rate by age-, sex-specific groups (a,s) at year y. Census and Statistics Department population projections are used for the projected P(a,s,y), historical data inform the computation of R(a,s,y).

3.1.1.1 Support vector machine (SVM)

 SVM^2 is used to estimate the utilisation rate of each age-, sex-specific group at a given year. SVM is a kernel-based neural network that maps an input x to an output y where w_i is the weight and B is the bias term by the following expression:

$$\mathbf{y} = \sum_{i} \mathbf{w}_{i} \kappa(\mathbf{x}_{i}, \mathbf{x}) + \mathbf{B}$$

² Artificial neural networks (ANN) and specifically the Support Vector Machine (SVM) used for these projections are able to predict the complex relationships driving utilisation. Support vector machine (SVM) is a supervised learning method that analyses data and recognizes data patterns in the historical data. As such this artificial intelligence predicts for each given variable the corresponding outcome. SVM was chosen for the projection as it will 'evolve' an optimal structure and estimate the service utilisation of a given individual based on characteristics such as age, and sex.

As compared with linear and exponential regression models, SVM has the flexibility to 'evolve' an optimal structure according to historical data. A Gaussian radial basis kernel i.e. $\kappa(\mathbf{x}, \mathbf{y}) = \exp(C||\mathbf{x} - \mathbf{y}||)$ is used as it is the 'universal approximator'. The structure is well regularised, and the generalisation ability of the network is maximized.

SVM *learn* the utilisation rate pattern from historical data expressed as:

$$\begin{bmatrix} a_1, s_1, y_1 | r_1 \\ a_2, s_2, y_2 | r_2 \\ a_3, s_3, y_3 | r_3 \\ \vdots \end{bmatrix}$$

where r_i is the utilisation rate of age-, sex-specific group (a_i, s_i) at year y_i . A specific network construction algorithm is designed to evolve the structural parameters $\{w_i\}$ and B. The trained SVM projects the utilisation rate R(a,s,y) of an age-, sex-specific group (a, s) at projection year $y = 2012, 2013, \ldots$ using the following equation:

$$R(a,s,y) = \sum_{i} w_{i} exp\left(-\frac{(a-a_{i})^{2} + (s-s_{i})^{2} + (y-y_{i})^{2}}{2\sigma^{2}}\right) + B$$

The utilisation volume at year y is computed as:

$$\sum_{a,s} R(a,s,y) \times P(a,s,y)$$

where P(a,s,y) is the population size of the age-sex group (a,s) at year y.

3.1.1.2 Regression-based method (RBM)

In the RBM approach, R(a, s, y) is estimated by Poisson regression, which assumes:

$$N(a, s, y) \sim Poisson(O(a, s, y)R(a, s, y))$$
$$\log R(a, s, y) = \alpha(a, s) + \beta(a, s)y$$

where N(a, s, y) denotes the utilisation volume and O(a, s, y) is an offset term in age group a, sex s, and year y. For the projection of all utilisation measures except average length of stay, the population of age group a, sex s, and year y are used for the offset term O(a, s, y).

For the projection of average length of stay, the offset term is the number of discharges. Since $\log R(a, s, y)$ is a linear function of y, R(a, s, y) is an exponential function of y all ageand sex-specific demand variables are included in the Poisson regression. For utilisation measures where there are clear differences in slopes across age-, sex-specific groups (including public and private day case, acute care in-patient discharge and average length of stay (ALOS), as well as HA general outpatient (GOP), specialist outpatient (SOP), accident and emergency (A&E), and private outpatient visits), the projections have age-, sex-specific intercepts and slopes. For all other utilisation measures (public long stay discharge and average length of stay, as well as all DH service visits), the age-, sex-specific intercepts and slopes are constrained to be the same across age and sex groups.

In sensitivity analyses, the Poisson regression projections are compared with projections based on a linear trend. As utilisation rates in linear trend projections may drop below 0, linear projections are used only for utilisation rates that show an increasing trend. The utilisation rate increase is assumed to be the same across all age-, sex-specific groups for SOP, A&E, private outpatient, and all DH visit rates projections lest projections for individual age and sex groups reach zero.

A weighted linear regression is deployed, where the population in age group *a*, sex *s*, and year *y* are used as weights (i.e., P(a, s, y)). The following function is minimised with respect to $\alpha(a, s)$ and $\beta(a, s)$.

$$\sum_{a,s,y} P(a,s,y)(R(a,s,y) - \alpha(a,s) - \beta(a,s)y)^2$$

Projections of rates are given as:

$$\widehat{R}(a, s, y) = \alpha(a, s) + \beta(a, s)y$$

The weights are needed to ensure the estimated age, sex, and year-specific rates $\hat{R}(a, s, y)$ are consistent with the observed rates R(a, s, y).

3.1.1.3 Time series approach

As the elderly and rehabilitation service provision is land-driven, a time-series analysis is used to project the historical growth patterns for elderly and rehabilitation services assuming growth trends u(y) as follow:-

Linear trend

Where the number of places / cases is a linear function of projection year y:-

u(y) = ay + b

Exponential decay trend

Where the number of applications is expected to decrease exponentially:-

$$u(y) = we^{-\alpha y} + c$$

Constant trend

Where service provision is stable and held constant as at the baseline year:-

 $u(y) = u_0$

3.1.2 Macroeconomic scenario drive (MSD) approach

As in the EOH-RBM approach, the MSD approach expresses utilisation as the product of population *P* and utilisation rate *R*:

Utilisation
$$z(y)$$
 at year $y = \sum_{a} \sum_{s} P(a, s, y) \times R(a, s, y)$

where P(a,s,y) is the age-, sex-specific population (a,s) at year y, and R(a,s,y) is the age-, sexspecific utilisation rate (a,s) at year y. Population projections of the Census and Statistics Department are used for P(a,s,y). R(a,s,y) and estimated as follows:-

$$R(a, s, y) = R(a, s, 2011) \times (1 + x)^{y - 2011}$$

Three methods (constant growth, historical growth, and capped growth) are used to calibrate healthcare utilisation trends against observed data.

3.1.2.1 Constant growth rate

The constant growth rate method sets 'excess healthcare price/cost inflation'³ growth at 0.2% public sector and 1% for the private sector, consistent with the international literature and to a previous local exercise (152). The public sector growth rate for each variable is benchmarked to the OECD (1999)(153). As the OECD reports utilisation growth rates of 0.4% per year, the model assumes a growth rate of 0.2% (154) because half of the growth is due to the net growth in the utilisation rate while the other half is assumed to be due to demographic changes.

Private sector growth rates are benchmarked to OECD (1999)(153) data for the United States and Switzerland, as these two countries predominantly provide healthcare in the private, albeit regulated, sector. The OECD reports an annual growth of 2.7% and 2.4% for the United States and Switzerland respectively. As the healthcare in Hong Kong is equally shared between the public and private sector, the utilisation growth rate in the private sector is assumed to be 1% (154).

3.1.2.2 Historical growth rate

For the historical growth rate method, 'excess healthcare price/cost inflation' x is estimated from the public and private hospital in-patient discharges and outpatient visits in Hong Kong. To estimate x, the following function is minimised:

$$\sum_{y} |N(y) - z(y)|$$

where N(y) is the utilisation volume (number of public and private sector in-patient discharge and outpatient visits) and z(y) is the estimated utilisation volume for that year:

$$z(y) = \sum_{a} \sum_{s} P(a, s, y) \times R(a, s, y)$$
$$R(a, s, y) = R(a, s, 2011) \times (1 + x)^{y - 2011}$$

³ The 'excess healthcare price/cost inflation' method is based on the United Kingdom Treasury's Wanless projection method which requires health expenditure to be broken down by age, sex, unit cost and activity level (i.e. volume in terms of healthcare utilisation). The projections take into account aspects of medical inflation (that is medical inflation over and above per capita Gross Domestic Product growth), changes in the utilisation of healthcare services as a result of demographic change, and total health care expenditure (activity levels multiplied by projected unit costs). This comprises two components, medical price increase and per capita volume growth, according to Huber's review of health expenditure among OECD countries in 1999.

3.1.2.3 Capped growth rate

As it may be inappropriate to assume ever exponentially increasing utilisation rates, the capped growth rate method is applied to the projection of discharge rates and outpatient (SOP and GOP) visit rates, such that rates would not indefinitely grow exponentially as follows:

$$R(a, s, y) = R(a, s, 2011) \times \underbrace{\left(\frac{W}{1 + e^{-\alpha(y - y_0 - \mu)}} + B\right)}_{sigmoid\ function}$$

where R(a, s, 2011) is the age-, sex-specific utilisation rate for the baseline year 2011. For average length of stay projections, a biased exponential function is used rather than the sigmoid function to prevent the projection falling below zero.

$$ALOS(a, s, y) = ALOS(a, s, 2011) \times \underbrace{e^{-\alpha(y-\mu)}}_{biased \ exponential \ function} + B$$

The parameters w, α , μ and B are estimated by optimising the objective function:

$$\sum_{y} |N(y) - z(y)|$$

as in the historical growth rate model.

3.1.3 Adjusting for under-reporting

THS under-reporting rates for outpatient visits for the public and private sector are estimated for the THS 2002, 2005, 2008, and using routine HA and private hospital outpatient visits data (Figure 3.2). Due to data unavailability, estimates of under-reporting rates for private sector outpatient visits is not possible. Private sector under-reporting rates are assumed to be the same as for HA outpatient visits.




Figure 3.2 Under-reporting adjustment of THS outpatient visit data

3.1.4 Capping rates

The RBM gives exponential rate increases across all utilisation variables. This leads to projections that are too extreme to be realistic beyond the first few years. To address this problem, age-, sex-specific utilisation rates are allowed to continue until 2016 after which they are held constant (i.e. capped) for the rest of the projection period. The discharge and outpatient visit rate caps are benchmarked to the historical OECD utilisation trend data (OECD 2012) (154).

To set the discharge rate cap, the current OECD acute care in-patient discharge rate for Hong Kong (178 discharges/1000 person-year (152)) is compared to OECD individual country trends (Figure 3.3). Hong Kong discharge rate increase is benchmarked to the 90th percentile of the 2011 OECD countries discharge rate (237 discharges/1000 person-year) (representing an average discharge rate increase of 33%). Based on historical data Hong Kong will reach this estimated discharge rate by 2016, after which the discharge rate increase is capped.




Figure 3.3 Comparison of Hong Kong and OECD acute care in-patient hospital discharge rates (152,153)

Similarly for outpatient visit rates, the doctor visit rate as published by the OECD for HK (2011) (11.2 visits per person-year (152)) is benchmarked against OECD individual country trends (highest rate 13.1 visits per person per year in Japan) (Figure 3.4). Based on this comparison, Hong Kong outpatient visit rates are expected to increase by 17% and will reach this target by 2016. The outpatient visit rate is capped after 2016.




Figure 3.4 Comparison of Hong Kong and OECD doctor outpatient visit rates (152,153)

3.2 Parameters for demand model projections

The demand projection considers population growth projections, historical healthcare utilisation volumes for 2 sectors and 11 settings, social welfare utilisation and the number of students in the academic sector. For the public sector, all HA age-, sex-specific in-patient discharge records (2005 to 2011; including day case (stratified by general and psychiatric), A&E, acute care in-patient (stratified by general and psychiatric) and long stay (stratified by general and psychiatric)), age-, sex-specific bed-days (2005-2011; including acute care inpatient (stratified by general and psychiatric) and long stay (stratified by general and psychiatric) and all age-, sex-specific outpatient visits (for general and specialist outpatients, 2005-2011), DH service attendances (2005-2011), Social Welfare Department (2005-2013) number of day care and home care service cases, subsidised and non-subsidised residential service places, and pre-school cases and the number of applicants on the Central Waiting List are available for the healthcare utilisation projections. For the public sector model only data from 2005 are used as the data prior to these years would have been unduly influenced by organisational change within the HA and by the SARS epidemic. Table 3.1 specifies the setting, variables, parameterisation and data sources. Attendances for DH clinical service units are age-, sex-specific and grouped by service type (Table 3.2).

Variables	Parameterisation	Data source		
Population to be served				
Resident population	Age- sex-stratified ²	C&SD 1999 through 2011		
Population forecast	Age- sex-stratified ²	C&SD population projections 2012 - 2041		
In-patient				
Number of day cases				
Public sector	Age- sex-stratified ²	HA records 2005-2011		
Private sector ¹	Age- sex-stratified ²	Hong Kong private hospitals 2007-2011 ¹		
Number of acute discharges				
	Age- sex-stratified ²	HA records 2005-2011; for psychiatric		
Public sector	General-psychiatric stratified	discharges 2005-2009		
Private sector ¹	Age- sex-stratified ²	Hong Kong private hospitals 2007-2011 ¹		
Number of long stay discharges				
	Age- sex-stratified ²	1 2005 2011		
Public sector	General-psychiatric stratified	HA records 2005-2011		
Number of acute care bed-days	1 5			
	Age- sex-stratified ²			
Public sector	General-psychiatric stratified	HA records 2005-2011		
Private sector ¹	Age- sex-stratified ²	Hong Kong private hospitals 2007-2011 ¹		
Number of long stay bed-days		888		
	Age- sex-stratified ²	HA records 2005-2011; for psychiatric		
Public sector	General-psychiatric stratified	bed-days 2005-2009		
Outpatient				
Number of visits (HA GOP/ SOP				
and A&E)	Age- sex-stratified ²	HA records 2005-2011		
	Age- sex-stratified ² by service			
DH service unit attendances	unit	Department of Health 2005-2011		
	unit	THS 2005-2009, 2011 adjusted for under		
Number of visits (Private)	Age- sex-stratified ²	reporting using HA outpatients records		
Number of visits (Frivate)	Age- sex-suamed	2005-2011		

Table 3.1(a) Demand model variables, parameterisation and data sources

¹Private hospitals: Evangel Hospital, Hong Kong Adventist Hospital, Hong Kong Baptist Hospital, Hong Kong Central Hospital, Hong Kong Sanatorium and Hospital, Matilda International Hospital, Precious Blood Hospital, St Paul's Hospital, St Teresa's Hospital, Tsuen Wan Adventist Hospital, Union Hospital, The Canossa Hospital ²All data were stratified by age and sex groups in 5-year age categories.

Variables	Parameterisation	Data source
Elderly service		
Day / Home Care Services		
Number of places/cases	By service unit	Social Welfare Department 2005-2013
i. Day Care Services		
Day Care Centre		
Unit for the Elderly		
ii. Home Care Services		
Enhanced Home and Community		
Care Services		
Integrated Home Care Services		
(Frail Cases)		
Subsidised residential services		
Number of places/cases	By service unit	Social Welfare Department 2005-2013
iii. Group 1		
Hostel for the Elderly		
iv. Group 2		
Home for the Aged		
v. Group 3		
Care and Attention Homes for		
the Elderly		
Conversion Home providing		
continuum of care		
Contract Homes (Care and		
Attention places)		
Enhanced Bought Place at EA1		
Level		
Enhanced Bought Place at EA2		
level		
vi. Group 4		
Nursing Home Place Purchase		
Scheme		
Contract Homes (Nursing Home)		
vii. Group 5		
Nursing Homes		
viii. Group 6		
Infirmary Unit attached to Care and Attention Homes		
Non-subsidised residential services		
Non-substatised residential services Number of places/cases	By service unit	Social Welfare Department 2005-2013
ix. Private Home places	by service unit	Social Wenale Department 2003-2015
(excluding EBPS places)		
x. Non-subsidised places in		
Contract Homes		
xi. Self-financing Homes		

Table 3.1(b) Demand model variables, parameterisation and data sources

Table 3.1(c) Demand model variables, parameterisation and data so	urces
---	-------

Variables	Parameterisation	Data source		
Rehabilitation service				
Pre-school services				
Number of places/cases	By service unit	Social Welfare Department 2005-2013		
Early education and training				
Special child care centre				
Day services				
Number of places/cases	By service unit	Social Welfare Department 2005-2013		
Day activity centre				
Integrated vocational training				
centre				
District support centre				
Integrated community centre for				
mental wellness				
Residential services				
Number of places/cases	By service unit	Social Welfare Department 2005-2013		
Residential Special Child Care				
Centre				
Long Stay Care Home				
Halfway House (including 110				
places with Special Provision)				
Hostel for Severely Mentally				
Handicapped Persons				
Care and Attention Home for				
Severely Disabled Persons				
Hostel for Severely Physically				
Handicapped Persons				
Care and Attention Home for the				
Aged Blind				
Community Care Service	Number of applicants	Central Waiting List 2005-2011		
Voucher				
Others				
Academic	Aggregated student intake and			
	graduates	nursing programs		

¹Private hospitals: Evangel Hospital, Hong Kong Adventist Hospital, Hong Kong Baptist Hospital, Hong Kong Central Hospital, Hong Kong Sanatorium and Hospital, Matilda International Hospital, Precious Blood Hospital, St Paul's Hospital, St Teresa's Hospital, Tsuen Wan Adventist Hospital, Union Hospital, The Canossa Hospital ²All data were stratified by age and sex groups in 5-year age categories.

Table 3.2 Grouping of Department of Health clinical service units
Group
Group 1: Child Assessment Service and Student Health Service
Group 2: Maternal and Child Health Centres
Group 3: Elderly Health Service
Group 4: Methadone Clinics
Group 5: Social Hygiene Service, Special Prevention Programme and TB & Chest
Service
Group 6: Port Health

4 CTT 1/1 1° ° 1

For the private sector, private hospital age-, sex-specific in-patient discharge records (2007-2011: including day case and acute care in-patient) are used as utilisation trends and data available prior to 2007 were of inconsistent quality. Age-, sex-specific outpatients visits from the THS 2005, 2008, 2009 and 2011 are used for the private sector outpatient utilisation projections with adjustment for underreporting.

3.3 Model comparison

T 11 220

The top down methods (EOH and MSD), with relatively fewer data requirements, are based on the expectation that simple, aggregate models provide more reliable and reproducible healthcare utilisation projections. Further consistent, comprehensive data (number of observations and data-points) are available for the public sector. Much less reliable data are available for the private sector. The performance of a model is represented by the sum of absolute rate error $E(\theta, u)$:

$$E(\theta, u) = \sum_{a, s, y} \left| \widetilde{M_u}(a, s, y | \theta) - R_u(a, s, y) \right|$$

where $E(\theta, u)$ is the sum of absolute rate error of model $\theta \in \{\text{EOH-SVM}, \text{MSD-constant}$ growth rate, MSD-historical growth rate} on utilisation rate u $\widetilde{M_u}(a, s, y | \theta)$ is the estimated utilisation rate on u of age-sex group (a, s) at year y by model θ

 $R_u(a,s,y)$ is the actual utilisation rate on *u* of age-sex group (a,s) at year *y*.

Note that the index *y* in the formulate of $E(\theta, u)$ has different range for different utilisation measures: $y \in \{2005, 2006, ..., 2011\}$ for public sector and private outpatient utilisation; and $y \in \{2007, 2008, ..., 2011\}$ for private sector inpatient utilisation. Table 3.3 lists the estimation error of EOH-SVM, MSD-constant growth rate and MSD-historical growth rate. The EOH-SVM models give a better model fit than the MSD models (Table 3.3). The EOH- SVM estimation errors are smaller than those for the MSD-constant growth or MSDhistorical growth rate models.

	EOH-SVM	MSD – constant	MSD – historical	
		growth rate	growth rate	
Day case discharge rate (public)	0.93	7.56	1.53	
Acute care in-patient discharge rate (public)	0.82	3.83	2.05	
Acute care in-patient bed day rate (public)	7.29	44.65	17.19	
Long stay discharge rate (public)	0.03	0.08	0.05	
Long stay bed day rate (public)	11.09	28.42	20.21	
SOP visit rate	3.67	8.09	8.08	
GOP visit rate	4.04	16.95	10.06	
A&E attendance rate	2.26	5.30	4.69	
Day case discharge rate (private)	0.18	0.57	0.48	
Acute care in-patient discharge rate (private)	0.11	0.42	0.33	
Acute care in-patient bed day rate (private)	1.06	2.45	2.28	
Private outpatient rate	99.03	252.69	251.94	

Table 3.3 Comparison of EOH-SVM, MSD-constant growth, MSD-historical growth rate estimation errors

In a sensitivity analysis, as would be expected, the EOH-RBM linear based model gives projections that are less steep than the Poisson model (which assumes an exponential trend) however, the data do not support a linear trend more than an exponential trend. The mean squared error is smaller for most utilisation measures projected by the RBM-Poisson model (Table 3.4). To avoid negative values, age-, sex-specific utilisation measures in the RBM linear model, share the same intercepts and slopes.

Demand/utilisation variables	Natural scale		Log scale	
Demand utilisation variables	Linear	Exponential	Linear	Exponential
Public day cases	25.8	18.0	0.0038	0.0026
Public specialist outpatient	700	522	0.0014	0.0007
visits				
Public general outpatient	1189	830	0.0038	0.0017
visits				
Accident and Emergency	165.4	125.8	0.0021	0.0016
visits				
Private day cases	1.63	1.76	0.0029	0.003
Private acute care in-patient	6.13	6.69	0.0028	0.0013
discharges				
Private outpatient visits	771405	561993	0.032	0.026
DH Student and child	1022	982	1.21	0.09
services				
DH Port Health Office	0.20	0.18	0.18	0.05

Table 3.4 Comparison of the linear and exponential RBM utilisation projections mean squared error (MSE) for selected demand/utilisation variables.

SVM models have the ability to generalize, learn from examples, adapt to situations based on historical data and generalize patterns from historical data in response to unknown situations. SVM implicitly detects complex nonlinear relationships between independent and dependent variables. When responding to nonlinearity between the predictor variables and the corresponding outcomes, the model automatically adjusts its structure to reflect these nonlinearities. The predictor variables in SVM undergo multiple nonlinear transformations and can thereby potentially model much more complex nonlinear relationships than RBM.

Regression models can also be used to model complex nonlinear relationships. However, these models require an explicit search for these relationships by the model developer and these may not be known or well understood. Appropriate transformations may not always be available for improving model fit, and significant nonlinear relationships may go unrecognized by model developers.

When complex data and relationships are involved, as compared to RBM, SVM would in theory at least, and empirically shown by the model fit statistics above, provide a more robust projection outcome, more flexibly integrates complex data into the model, and is not dependent on a pre-determined hypotheses about the relationships between model variables. For these reasons, the EOH-SVM approach has been used for all model projections in the report.

Support vector machine (neural network analysis), time series, and stock and flow method, are variously deployed to project the required number of nurses as a function of healthcare demand/utilisation and nurse supply to 2041. The projections are stratified by service type (in-patient, outpatient, elderly and rehabilitation services) and by service location (public or private sector).

3.4 Demand indicators

3.4.1 Average length of stay (acute care and long stay patients)

Average length of stay (ALOS) (total bed-days by age-, sex-specific discharges) is separately calculated for public acute care in-patients and long stay patients, and private acute care in-patients. Age-, sex-specific ALOS for acute care in-patients (length of stay (LOS) > 1 day, excluding long stay⁴ episodes) is determined from HA in-patient discharge records (2004-2011) and private hospital in-patient discharge records (2007-2011). Age-, sex-specific ALOS for long stay in-patients (those designated officially as long stay episodes) is determined from HA in-patient discharge records (2005-2011).

3.4.2 Discharge rates (day case, acute care, long stay)

The discharge rates are based on HA (2005-2011) general and psychiatric and private hospital in-patient (2007-2011) discharge records. All age-, sex-specific general and psychiatric in-patient (day case (LOS ≤ 1 day), acute care (LOS > 1 day excluding long stay episodes) and long stay (those designated officially as such)) discharges are included. As the length of stay for psychiatric inpatients approximates 600 days, the psychiatric long stay projections use historical data from 2005-2009 only.

⁴ Long stay episodes fulfil one of the following criteria: discharge specialty denoted by HA as either "infirmary", "mentally handicapped", or "psychiatry AND total length of stay >90 days

While the number of public hospital day cases (total and general) (Figure 3.5(a) and 3.7(a)) are projected to increase throughout the period, psychiatric day cases (Figure 3.9(a)) grow at a much slower rate and do not reach historical peak values by the end of the projection period. The growth trajectory for day case discharge rates (total and general) slows from 2025 (Figure 3.6(a) and 3.8(a)) and psychiatric discharge rates decline (Figure 3.10(a)). Increased utilisation volumes in public sector day cases (total and general) is observed for both sexes with greater increases in men with ageing (Figure 3.5 (b-c) and 3.7(b-c)); however, women have more variable general day case discharge rate changes throughout the adult years (Figure 3.6(b-c) and 3.8(b-c)). Utilisation volumes for psychiatric day cases remain stable (Figure 3.19(b-c).

Although acute care in-patient discharges (total, general and psychiatric) increase throughout the period (Figure 3.11(a), 3.13(a) and 3.15(a)) after adjusting for population demographics the acute care in-patient discharge rates (total and general) decline (Figure 3.12(a) and 3.14(a)) whereas psychiatric in-patient discharge rates remain stable (Figure 3.16(a)). Increased utilisation volumes in public sector in-patient discharges is observed for both sexes with greater increases in women with ageing except for psychiatric acute in-patient discharges where the increased utilisation volume is observed throughout the middle years (Figure 3.11(b-c), 3.13(b-c) and 3.15(b-c)). Men in contrast have higher acute care in-patient discharge rates (Figure 3.12(b-c), 3.14(b-c) and 3.16(b-c). Sex-stratified psychiatric day case and acute care inpatient discharges and annual discharge rates are moderately variable throughout the adult years and across the projection period (Figure 3.9(b-c), 3.10(b-c), 3.15 (b-c) and 3.16 (b-c)). Though the psychiatric long stay discharges increase throughout the projection period the psychiatric long stay discharge rate remains stable (Figure 3.21(a) and 3.22(a)). In contrast to older women, the projected number of acute care in-patient, long stay, psychiatric discharges and discharge rates for older men increased (Figure 3.11(b-c), 3.13(bc), 3.17(b-c) 3.18(b-c), and 3.19(b-c), 3.20(b-c), 3.21(b-c) and 3.22(b-c)).




Figure 3.5(a) Projected number of public sector day case discharges (2005-2041)




Figure 3.5(b) Projected number of public sector age-specific day case discharges – male (2005-2041)




Figure 3.5(c) Projected number of public sector age-specific day case discharges – female (2005-2041)




Figure 3.6(a) Projected annual age-sex standardized public sector day case discharge rates (2005-2041)




Figure 3.6(b) Projected annual public sector day case discharge rates - male (2005-2041)




Figure 3.6(c) Projected annual public sector day case discharge rates – female (2005-2041)




Figure 3.7(a) Projected number of public sector general day case discharges (2005-2041)






Figure 3.7(b) Projected number of public sector age-specific general day case discharges – male (2005-2041)








Figure 3.8(a) Projected annual age-sex standardized public sector general day case discharge rates (2005-2041)




Figure 3.8(b) Projected annual public sector general day case discharge rates - male (2005-2041)




Figure 3.8(c) Projected annual public sector general day case discharge rates – female (2005-2041)




Figure 3.9(a) Projected number of public sector psychiatric day case discharges (2005-2041)






Figure 3.9(b) Projected number of public sector age-specific psychiatric day case discharges – male (2007-2041)








Figure 3.10(a) Projected annual public sector psychiatric day case discharge rates (2007-2041)




Figure 3.10(b) Projected annual public sector age-specific psychiatric day case discharge rates - male (2007-2041)




Figure 3.10(c) Projected annual public sector age-specific psychiatric day case discharge rates - female (2007-2041)




Figure 3.11(a) Projected number of public sector acute care in-patient discharges (2005-2041)




Figure 3.11(b) Projected number of public sector age-specific acute care in-patient discharges – male (2005-2041)




Figure 3.11(c) Projected number of public sector age-specific acute care in-patient discharges – female (2005-2041)




Figure 3.12(a) Projected annual age-sex standardized public sector acute care in-patient discharge rates (2005-2041)




Figure 3.12(b) Projected annual public sector acute care in-patient average discharge rates - male (2005-2041)




Figure 3.12(c) Projected annual public sector acute care in-patient average discharge rates – female (2005-2041)




Figure 3.13(a) Projected number of public sector general acute care in-patient discharges (2005-2041)




Figure 3.13(b) Projected number of public sector age-specific general acute care in-patient discharges – male (2005-2041)




Figure 3.13(c) Projected number of public sector age-specific general acute care in-patient discharges – female (2005-2041)




Figure 3.14(a) Projected annual age-sex standardized public sector general acute care inpatient discharge rates (2005-2041)




Figure 3.14(b) Projected annual public sector general acute care in-patient average discharge rates - male (2005-2041)




Figure 3.14(c) Projected annual public sector general acute care in-patient average discharge rates – female (2005-2041)




Figure 3.15(a) Projected number of public sector psychiatric acute care inpatient discharges (2005-2041)




Figure 3.15(b) Projected number of public sector age-specific psychiatric acute care inpatient discharges – male (2007-2041)




Figure 3.15(c) Projected number of public sector age-specific psychiatric acute care inpatient discharges – female (2007-2041)




Figure 3.16(a) Projected annual age-sex standardised public sector psychiatric acute care inpatient discharge rates (2007-2041)




Figure 3.16(b) Projected annual public sector age-specific psychiatric acute care inpatient discharge rates - male (2007-2041)




Figure 3.16(c) Projected annual public sector age-specific psychiatric acute care inpatient discharge rates - female (2007-2041)




Figure 3.17(a) Projected number of public sector long stay discharges (2005-2041)





Figure 3.17(b) Projected number of public sector age-specific long stay discharges – male (2005-2041)








Figure 3.18(a) Projected annual age-sex standardised public sector long stay discharge rates (2005-2041)




Figure 3.18(b) Projected annual public sector long stay average discharge rates – male (2005-2041)




Figure 3.18(c) Projected annual public sector long stay average discharge rates - female (2005-2041)




Figure 3.19(a) Projected number of public sector general long stay discharges (2005-2041)





Figure 3.19(b) Projected number of public sector age-specific general long stay discharges – male (2005-2041)








Figure 3.20(a) Projected annual age-sex standardised public sector general long stay discharge rates (2005-2041)




Figure 3.20(b) Projected annual public sector general long stay average discharge rates – male (2005-2041)




Figure 3.20(c) Projected annual public sector general long stay average discharge rates - female (2005-2041)




Figure 3.21(a) Projected number of public sector psychiatric long stay discharges (2005-2041)






Figure 3.21(b) Projected number of public sector age-specific psychiatric long stay – male (2007-2041)








Figure 3.22(a) Projected annual age-sex standardised public sector psychiatric long stay discharge rates (2007-2041)




Figure 3.22(b) Projected annual public sector age-specific psychiatric long stay discharge rates - male (2007-2041)




Figure 3.22(c) Projected annual public sector age-specific psychiatric long stay discharge rates - female (2007-2041)

In contrast to the public sector, the number of private sector day cases (Figure 3.23(a)) and acute care in-patient discharges (Figure 3.25(a)) increase and then plateau from 2020. Similarly private sector day case and acute care inpatient population-adjusted discharge rates increase to 2020 and then plateau (Figure 3.24(a) and 3.26(a)). Higher male vs. female private sector day case discharge rates at both ends of the age spectrum are observed (Figure 3.24(b-c). The increased day case discharges in the 35-65 year age groups for both sexes may suggest increased ability to pay for private acute care hospitalisation in these age groups (Figure 3.23(b-c)). In the private sector, increases in acute care in-patient discharges and discharge rates adjusted for population demographics are observed for the 0-5 year age groups and women of childbearing age (suggests an increase in the use of private hospitals for births) (Figure 3.25(b-c) and 3.26(b-c)).




Figure 3.23(a) Projected number of private sector day case discharges (2005-2041)




Figure 3.23(b) Projected number of private sector age-specific day case discharges – male (2005-2041)




Figure 3.23(c) Projected number of private sector age-specific day case discharges – female (2005-2041)




Figure 3.24(a) Projected annual age-sex standardised private sector day case discharge rates (2007-2041)




Figure 3.24(b) Projected private sector average day case discharge rates - male (2007-2041)




Figure 3.24(c) Projected private sector average day case discharge rates - female (2007-2041)




Figure 3.25(a) Projected number of private sector acute care in-patient discharges (2007-2041)




Figure 3.25(b) Projected number of private sector age-specific acute care in-patient discharges – male (2007-2041)




Figure 3.25(c) Projected number of private sector age-specific acute care in-patient discharges – female (2007-2041)




Figure 3.26(a) Projected annual private sector acute care in-patient discharge rates (2007-2041)




Figure 3.26(b) Projected private sector average acute care in-patient discharge rates - male (2007-2041)




Figure 3.26(c) Projected private sector average acute care in-patient discharge rates – female (2007-2041)

3.4.3 Outpatient visit rates

HA A&E, general and specialist outpatient visit records per year (2005-2011) and DH service unit attendances (2005-2011) are used to project age-, sex-specific public sector outpatient visit rates. Due to the limited number of data points for private sector outpatient visits (THS data for 2005, 2008, 2009 and 2011) outpatient visits for 2006, 2007, and 2010 are estimated using the observed public (HA, excluding A&E and DH) : private outpatient visit proportion as follows:-

Number of private outpatient visits (*a*, *s*, *y*)

= Number of HA outpatient visits (a, s, y)

× Ratio of private to public outpatient visit (THS(y), a, s)

The ratio of private to public outpatient visits for years 2006, 2007, and 2010 (for which no THS was available) were estimated by interpolating from the ratios estimated from THS 2005, 2008, 2009, and 2011. Only HA outpatient visits are included as DH service attendances are seriously under-reported in the THS data. Private sector outpatient visits include solo practice clinics (single practitioner), group practice clinics (multiple practitioners

of single or multiple specialties), private hospital outpatient clinics, institutional clinics (charitable organization and 'exempted' clinics), university/tertiary institution clinics and Family Planning Association of Hong Kong clinics.

General and Specialist Outpatient Clinics

The number of GOP visits increase slowly (Figure 3.27(a)), however after adjustment for population demographics the GOP visit rates decrease reflecting the supply ceiling (lack of capacity to provide more service) in the public sector (Figure 3.28(a)). The public sector SOP number of visits and visit rates (after adjustment for population demographics) increase slowly (Figure 3.29(a) and 3.30(a)). There are more GOP and SOP visits for older women vs. men (Figure 3.27(b-c), 3.29(b-c)). The visits rates for older women vs. men are also higher (Figure 3.28(b-c) and 3.30(b-c)). In contrast, the number of private sector outpatient visits (Figure 3.31(a)) and visit rates increase and plateau from 2025 (Figure 3.30(a)). Women of child-bearing age have many more private sector visits than men (Figure 3.31(b-c)). However, the private sector outpatient analysis should be interpreted with caution as the data for the private sector projections is less reliable than that for the public sector as these are based on interpolated estimates of the THS data.






Figure 3.27(a) Projected number of public sector general outpatient visits (2005-2041)








Figure 3.27(c) Projected number of public sector age-specific general outpatient visits – female (2005-2041)




Figure 3.28(a) Projected annual age-sex standardised public sector general outpatient visit rates (2005-2041)




Figure 3.28(b) Projected public sector general outpatient average visit rates - male (2005-2041)




Figure 3.28(c) Projected public sector general outpatient average visit rates - female (2005-2041)




Figure 3.29(a) Projected number of public sector specialist outpatient visits (2005-2041)




Figure 3.29(b) Projected number of public sector age-specific specialist outpatient visits - male (2005-2041)




Figure 3.29(c) Projected number of public sector age-specific specialist outpatient visits - female (2005-2041)




Figure 3.30(a) Projected annual age-sex standardised public sector specialist outpatient visit rates (2005-2041)






Figure 3.30(b) Projected annual public sector specialist outpatient average visit rates - male (2005-2041)








Figure 3.31(a) Projected number of private sector outpatient visits (2005-2041)




Figure 3.31(b) Projected number of private sector age-specific outpatient visits - male (2005-2041)




Figure 3.31(c) Projected number of private sector age-specific outpatient visits - female (2005-2041)




Figure 3.32(a) Projected annual age-sex standardised private sector outpatient visit rates (2005-2041)




Figure 3.32(b) Projected annual private sector outpatient average visit rates - male (2005-2041)




Figure 3.32(c) Projected annual private sector outpatient average visit rates - female (2005-2041)

Accident and Emergency Department

Although the total number of Accident and Emergency Department (A&E) attendances increase rapidly (Figure 3.33(a)), after adjustment for population demographics the attendance rate increase is less steep (Figure 3.34(a)). There are few male vs. female differences in the number of age-specific attendances (Figure 3.33(b-c)). However the attendance rate adjusted for population demographics is higher among younger and older males than females (Figure 3.34(b-c)).




Figure 3.33(a) Projected number of public sector accident and emergency department attendances (2005-2041)




Figure 3.33(b) Projected number of public sector age- specific accident and emergency department attendances – male (2005-2041)




Figure 3.33(c) Projected number of public sector age- specific accident and emergency department attendances– female (2005-2041)




Figure 3.34(a) Projected annual age-sex standardised public sector accident and emergency department attendance rates (2005-2041)




Figure 3.34(b) Projected annual public sector accident and emergency department average attendance rates - male (2005-2041)




Figure 3.34(c) Projected annual public sector accident and emergency department average attendance rates - female (2005-2041)

Department of Health services

Although the total number of attendances at the DH clinical service units is available per year (2005-2011), age-, sex-specific visit data are not available for all clinics or for all years. For some services, the age-, sex-specific distribution is interpolated from the distribution of a related service, or estimated from a sample. For example, the age-, sex-specific distribution of Elderly Health Service (EHS) attendances for medical consultations is derived from the distribution of Elderly Health Service attendances for health assessment. For other services, attendance records are available for a limited number of years. The missing data are interpolated from the age-, sex-specific distribution in the nearest year for which data are available assuming no change in attendance patterns.

Stable or declining number of attendances are observed across all DH services except for Port Health (Figures 3.35(a-c), 3.37(a-c), 3.39(a-c), 3.41(a-c), 3.43(a-c), 3.45(a-c)). The annual adjusted (by population demographics) attendance rates for the Child Assessment Service and Student Health Service and Port Health increase (Figure 3.36(a-c), 3.38(a-c), 3.40(a-c), 3.42(a-c), 3.44(a-c), 3.46(a-c)). In contrast, the Maternal and Child Health Service (MCHC), Elderly Health Service (EHS), and Social Hygiene Service show declining attendance rates whereas the Methadone Clinics attendance rates are stable.

Child Assessment and Student Health Service age-specific attendances and attendance rates reflect the declining birth rate. As expected age- and sex-specific differences (higher female vs. male children and for women of child-bearing age) are observed in the MCHC number of attendances and attendance rates. While EHS number of attendances are higher for females vs. males, age-specific rates are declining. Number of attendances and age-specific attendance rates are higher for males vs. females across all ages for the Methadone Clinics and for the Social Hygiene Service. In contrast, Port Health age-specific number of attendances and attendance rates are higher for females vs. male in the early – middle adult years. As much of the DH service data are imputed or estimated, reliable age-, sex-specific changes in rates across the years are difficult to determine.




Figure 3.35(a) Projected number of DH outpatient attendances: Child Assessment Service and Student Health Service (2005-2041)




Figure 3.35(b) Projected number of DH outpatient age-specific attendance: Child Assessment Service and Student Health Service – male (2005-2041)




Figure 3.35(c) Projected number of DH outpatient age-specific attendance: Child Assessment Service and Student Health Service– female (2005-2041)




Figure 3.36(a) Projected annual DH outpatient attendance rates: Child Assessment Service and Student Health Service (2005-2041)




Figure 3.36(b) Projected annual DH outpatient average attendance rates: Child Assessment Service and Student Health Service - male (2005-2041)




Figure 3.36(c) Projected annual DH outpatient average attendance rates: Child Assessment Service and Student Health Service - female (2005-2041)




Figure 3.37(a) Projected number of DH outpatient attendances: Maternal and Child Health Centres (2005-2041)




Figure 3.37(b) Projected number of DH outpatient age-specific attendance: Maternal and Child Health Centres– male (2005-2041)




Figure 3.37(c) Projected number of DH outpatient age-specific attendance: Maternal and Child Health Centres– female (2005-2041)




Figure 3.38(a) Projected annual age-sex standardised DH outpatient attendance rates: Maternal and Child Health Centres (2005-2041)




Figure 3.38(b) Projected annual DH outpatient average attendance rates: Maternal and Child Health Centres – male (2005-2041)




Figure 3.38(c) Projected annual DH outpatient average attendance rates: Maternal and Child Health Centres - female (2005-2041)




Figure 3.39(a) Projected number of DH outpatient attendances: Elderly Health Service (2005-2041)




Figure 3.39(b) Projected overall number of DH outpatient age-specific attendance: Elderly Health Service – male (2005-2041)




Figure 3.39(c) Projected number of DH outpatient age-specific attendance: Elderly Health Service– female (2005-2041)




Figure 3.40(a) Projected annual age-sex standardised DH outpatient attendance rates: Elderly Health Service (2005-2041)




Figure 3.40(b) Projected annual DH outpatient average attendance rates: Elderly Health Service - male (2005-2041)




Figure 3.40(c) Projected annual DH outpatient average attendance rates: Elderly Health Service - female (2005-2041)




Figure 3.41(a) Projected number of DH outpatient attendances: Methadone Clinics (2005-2041)




Figure 3.41(b) Projected number of DH outpatient age-specific attendance: Methadone Clinics – male (2005-2041)




Figure 3.41(c) Projected number of DH outpatient age-specific attendance: Methadone Clinics – female (2005-2041)




Figure 3.42(a) Projected annual age-sex standardised DH outpatient attendance rates: Methadone Clinics (2005-2041)




Figure 3.42(b) Projected annual DH outpatient average attendance rates: Methadone Clinics - male (2005-2041)




Figure 3.42(c) Projected annual DH outpatient average attendance rates: Methadone Clinics - female (2005-2041)




Figure 3.43(a) Projected number of DH outpatient attendances: Social Hygiene Service, Special Prevention Programme and TB & Chest Service (2005-2041)




Figure 3.43(b) Projected number of DH outpatient age-specific attendance: Social Hygiene Service, Special Prevention Programme and TB & Chest Service – male (2005-2041)




Figure 3.43(c) Projected number of DH outpatient age-specific attendance: Social Hygiene Service, Special Prevention Programme and TB & Chest Service – female (2005-2041)




Figure 3.44(a) Projected annual age-sex standardised DH outpatient attendance rates: Social Hygiene Service, Special Prevention Programme and TB & Chest Service (2005-2041)




Figure 3.44(b) Projected annual DH outpatient average attendance rates: Social Hygiene Service, Special Prevention Programme and TB & Chest Service - male (2005-2041)




Figure 3.44(c) Projected annual DH outpatient average attendance rates: Social Hygiene Service, Special Prevention Programme and TB & Chest Service - female (2005-2041)




Figure 3.45(a) Projected number of DH outpatient attendances: Port Health (2005-2041)




Figure 3.45(b) Projected number of DH outpatient age-specific attendances: Port Health – male (2005-2041)




Figure 3.45(c) Projected number of DH outpatient age-specific attendances: Port Health – female (2005-2041)




Figure 3.46(a) Projected annual age-sex standardised DH outpatient attendance rate: Port Health (2005-2041)




Figure 3.46(b) Projected annual DH outpatient average attendance rates: Port Health - male (2005-2041)




Figure 3.46(c) Projected annual DH outpatient average attendance rates: Port Health - female (2005-2041)

3.4.4 Total bed-days

While the number of public hospital acute care in-patient bed-days, psychiatric in-patient bed-days and the age-specific bed-days increase (Figure 3.47(a-c), 3.49(a-c), 3.55(a-c)), the number of long stay and psychiatric long stay bed-days decrease, general long stay bed days increase from 2025 (Figure 3.51(a), 3.53(a), and 3.57(a)). An increase in long stay and psychiatric long stay bed-days though declining through middle age is observed for women vs. men with ageing (Figure 3.53(b-c), 3.57(b-c)). After adjusting for population demographics the acute care in-patient bed day rates, the long stay and psychiatric long stay bed day rates decline (Figure 3.48(a), 3.50(a), 3.52(a), 3.54(a), and 3.58(a)) however the overall psychiatric acute care inpatient discharge rates increase (Figure 3.56(a)). The acute care and long stay bed-day population adjusted rate decrease is similar across all age-, sexspecific groups (except psychiatric acute care long stay which increase for young adults) (Figure 3.48(b-c), 3.50(b-c), 3.52(b-c), 3.54(b-c), 3.56(b-c), 3.58(b-c)). In contrast, both private sector number of acute care bed-days increase (Figure 3.59(a)) and population adjusted bed-days rate increases (Figure 3.60(a)). As expected the number of bed-days increase for young children, females in their child-bearing years and elderly men and women (Figure 3.59(b-c)). A bed-day rate increase (adjusted for population demographics) is observed for the youngest children (Figure 3.60(c-c)).




Figure 3.47(a) Projected number of public sector acute care in-patient bed-days (2005-2041)




Figure 3.47(b) Projected number of public sector age-specific in-patient bed-days – male (2005-2041)




Figure 3.47(c) Projected number of public sector age-specific in-patient bed-days – female (2005-2041)




Figure 3.48(a) Projected overall annual age-sex standardised public sector acute care inpatient bed-days rates (2005-2041)




Figure 3.48(b) Projected annual public sector average number of acute care in-patient bedday rates - male (2005-2041)




Figure 3.48(c) Projected annual public sector average acute care in-patient bed-day rates – female (2005-2041)




Figure 3.49(a) Projected number of public sector general acute care in-patient bed-days (2005-2041)




Figure 3.49(b) Projected number of public sector age-specific general acute care in-patient bed-days – male (2005-2041)




Figure 3.49(c) Projected number of public sector age-specific general acute care in-patient bed-days – female (2005-2041)




Figure 3.50(a) Projected annual age-sex standardised public sector general acute care inpatient bed-days rates (2005-2041)




Figure 3.50(b) Projected annual public sector number of general acute care in-patient bedday rates - male (2005-2041)




Figure 3.50(c) Projected annual public sector general acute care in-patient bed-day rates – female (2005-2041)




Figure 3.51(a) Projected number of public sector long stay bed-days (2005-2041)




Figure 3.51(b) Projected number of public sector age-specific long stay bed-days – male (2005-2041)




Figure 3.51(c) Projected number of public sector age-specific long stay bed-days – female (2005-2041)




Figure 3.52(a) Projected annual age-sex standardised public sector long stay bed-day rates (2005-2041)




Figure 3.52(b) Projected annual public sector average long stay bed-day rates - male (2005-2041)




Figure 3.52(c) Projected annual public sector average long stay bed-day rates - female (2005-2041)




Figure 3.53(a) Projected number of public sector general long stay bed-days (2005-2041)




Figure 3.53(b) Projected number of public sector age-specific general long stay bed-days – male (2005-2041)




Figure 3.53(c) Projected number of public sector age-specific general long stay bed-days – female (2005-2041)




Figure 3.54 (a) Projected annual age-sex standardised public sector general long stay bed-day rates (2005-2041)




Figure 3.54(b) Projected annual public sector general long stay bed-day rates - male (2005-2041)




Figure 3.54(c) Projected annual public sector general long stay bed-day rates - female (2005-2041)




Figure 3.55(a) Projected number of public sector psychiatric acute care inpatient bed-days (2005-2041)




Figure 3.55 (b) Projected number of public sector age-specific psychiatric acute care inpatient bed-days – male (2007-2041)




Figure 3.55(c) Projected number of public sector age-specific psychiatric acute care inpatient bed-days – female (2007-2041)




Figure 3.56(a) Projected annual age-sex standardised public sector psychiatric acute care inpatient bed-day rates (2007-2041)






Figure 3.56(b) Projected annual public sector age-specific psychiatric acute care inpatient bed-day rates - male (2007-2041)








Figure 3.57(a) Projected number of public sector psychiatric long stay bed-days (2005-2041)




Figure 3.57(b) Projected number of public sector age-specific psychiatric long stay bed-days – male (2007-2041)




Figure 3.57(c) Projected number of public sector age-specific psychiatric long stay bed-days – female (2007-2041)




Figure 3.58(a) Projected annual age-sex standardised public sector psychiatric acute care long stay bed-day rates (2007-2041)




Figure 3.58(b) Projected annual public sector age-specific psychiatric long stay inpatient bedday rates - male (2007-2041)




Figure 3.58(c) Projected annual public sector age-specific psychiatric long stay inpatient bedday rates - female (2007-2041)




Figure 3.59(a) Projected number of private sector acute bed-days (2005-2041)




Figure 3.59(b) Projected number of age-specific private sector acute care bed-days- male (2007-2041)




Figure 3.59(c) Projected number of age-specific private sector acute care bed-days– female (2007-2041)




Figure 3.60(a) Projected annual age-sex standardised private sector acute care bed-day rates (2007-2041)




Figure 3.60(b) Projected annual private sector acute care bed-day rates - male (2007-2041)




Figure 3.60(c) Projected overall annual private sector acute care bed-day rates - female (2007-2041)

3.4.5 Elderly Service

Elderly Service utilisation nurse demand projections are based on 11 Social Welfare Department services (2005-2013). In contrast to subsidised residential services (for groups 1, 2, 4, and 6, self-financing homes, and contract homes) where a rapid decline or constant trend is observed, a rapid increase is projected for the number of day care and home care cases, subsidised residential service places (group 3 and 5) and private home places (excluding EBPS places) (Figure 3.61 – Figure 3.71). The number of Central Waiting List applicants are projected to rapidly increase throughout the projection period (Figure 3.72).




Figure 3.61 Projected number of day care cases (2005-2041)




Figure 3.62 Projected number of home care cases (2005-2041)




Figure 3.63 Projected number of subsidised residential places (Group 1) (2005-2041)




Figure 3.64 Projected number of subsidised residential places (Group 2) (2005-2041)




Figure 3.65 Projected number of subsidised residential places (Group 3) (2005-2041)




Figure 3.66 Projected number of subsidised residential places (Group 4) (2005-2041)




Figure 3.67 Projected number of subsidised residential places (Group 5) (2005-2041)




Figure 3.68 Projected number of subsidised residential places (Group 6) (2005-2041)




Figure 3.69 Projected number of private home places (excluding EBPS places) (2005-2041)




Figure 3.70 Projected number of self-financing home places (2005-2041)




Figure 3.71 Projected number of non-subsidised contract home places (2005-2041)




Figure 3.72 Projected number of applicants on the Central Waiting List (2005-2041)

3.4.6 Rehabilitation services

The rehabilitation service nurse demand projection is based on 13 services including preschool and day activity centres, and subsidised and non-subsidised residential places (2005 – 2013). In contrast to the Integrated Vocational Training Centre and District Support Centre cases, Integrated Community Centre for Mental Wellness, Residential Special Child Care Centre, Halfway House and self-financing home places where a constant trend is observed the number of cases in Early Education and Training, Special Child Care, and Day Activity Centres, as well as Long Stay Care Home, Care and Attention Home for Severely Disabled Persons, Hostel for Severely Physically Handicapped Persons and Care and Attention Home for the Aged Blind places are projected to rapidly increase (Figure 3.73 – Figure 3.85).




Figure 3.73 Projected number of Early Education and Training Centre cases




Figure 3.74 Projected number of Special Child Care Centre cases




Figure 3.75 Projected number of Day Activity Centre cases




Figure 3.76 Projected number of Integrated Vocational Training Centre cases




Figure 3.77 Projected number of District Support Centre cases




Figure 3.78 Projected number of Integrated Community Centre for Mental Wellness cases




Figure 3.79 Projected number of Residential Special Child Care Centre places




Figure 3.80 Projected number of Long Stay Care Home places




Figure 3.81 Projected number of Halfway House (including 110 places with Special Provision) places




Figure 3.82 Projected number of Care and Attention Home for Severely Disabled Persons places




Figure 3.83 Projected number of Hostel for Severely Physically Handicapped Persons places




Figure 3.84 Projected number of Care and Attention Home for the Aged Blind places




Figure 3.85 Projected number of self-financing home places

3.4.7 Academic sector

The academic sector nurse demand projection is based the number of students in hospitalbased (public sector and private sector) and non-hospital-based training programmes (2001 – 2011). The number of students in HA training programmes are projected to decline and then remain constant whereas the number of students in private sector and academic training programmes are projected to increase and then remain constant. (Figure 3.86 – Figure 3.88).




Figure 3.86 Historical and projected number of students from Hospital Authority nursing programmes (2001-2041)




Figure 3.87 Historical and projected number of graduates from private hospital-based nursing programmes (2001-2041)




Figure 3.88 Historical and projected number of graduates from non-hospital-based nursing programmes (2001-2041)

3.5 Converting healthcare utilisation to full time equivalents (FTEs)

Two regression-based approaches are used to convert healthcare demand/utilisation to nurse FTEs by service sector (public (HA and DH), private, and social welfare (elderly and rehabilitation services)), by service type (in-patient vs. outpatient) and by practitioner type (registered general nurse, enrolled general nurse, psychiatric nurse, enrolled psychiatric nurse and midwife) and independently projected to adjust for work-related differences. FTE is expressed as a linear combination of the utilisation measures.

3.5.1 Public Sector – Hospital Authority

Hospital Authority nurses are stratified by practitioner type (general and psychiatric) and by workplace setting (in-patient, accident and emergency and outpatient).

Hospital Authority – inpatient setting

Projected number of nurses working in HA inpatient setting $FTE_{IP_HA}(y) =$ $(d_{DP}(y) + d_{AC}(y) + d_{LS}(y)) \times c_d +$ $(b_{AC}(y) - 2d_{AC}(y)) \times c_{b_AC} + (b_{LS}(y) - 2d_{LS}(y)) \times c_{b_LS}$

$d_{DP}(y)$	number of day case discharges at year y
$d_{AC}(y)$	number of acute care in-patient discharges at year y

$d_{LS}(y)$	number of long stay patient discharges at year y
$b_{AC}(y)$ - $2d_{AC}(y)$	number of acute care in-patient bed-days at year y
	(excluding admission and discharge day)
$b_{LS}(y)$ - $2d_{LS}(y)$	number of long stay patient bed-days at year y (excluding
	admission and discharge day)

The FTE conversion factors of discharge (day case, acute care inpatient and long stay), acute care inpatient bed-day and long stay bed-day c_d , c_b and c_b and c_b are estimated by:

$$[c_{d}, c_{b_AC}, c_{b_LS}] = \underset{[p,q,r]}{\operatorname{argmin}} \sum_{y} \left(\left(d_{DP}(y) + d_{AC}(y) + d_{LS}(y) \right) p + \left(b_{AC}(y) - 2d_{AC}(y) \right) q + \left(b_{LS}(y) - 2d_{LS}(y) \right) r - D_{ip}(y) \right)^{2}$$

where $D_{ip}(y)$ is the inpatient nurse demand of Hospital Authority at year *y*. Table 3.5 and 3.6 list the fitted coefficients with the corresponding average length per case.

Table 3.5 Workload coefficients for FTE conversion – Hospital Authority in-patient setting (General)

	Coefficient
Discharge (day case / acute / long stay)	0.0012
Bed-day (acute care)	0.0032
Bed-day (long stay)	0.0019

Table 3.6 Workload coefficients for FTE conversion – Hospital Authority in-patient setting (Psychiatric)

	Coefficient
Discharge (day case / acute / long stay)	0.0048
Bed-day (acute care)	0.0046
Bed-day (long stay)	0.0003

Hospital Authority – Accident and Emergency setting

HA A&E attendances are used to project RGN FTEs as follows:-

Projected number of RGNs working in HA A&E department $FTE_{A\&E}(y) = c_a \times Projected$ number of A&E attendances

where c_a is the nursing FTE per A&E attendance.

Hospital Authority - outpatient setting

HA outpatient visits (general and specialist visits) are used to project nurse FTEs as follows:-

Projected number of nurses working in HA outpatient setting $FTE_{OP}(y) = c_{OP} \times Projected$ number of HA outpatient visits

where c_{OP} is the nursing FTE per outpatient visit.

3.5.2 Public sector – Department of Health

As historical data for the number of DH nurses by service type is not available the DH nurse FTE conversion is calculated as follows:-

 $u_i(y)$ number of DH clinic attendances by type *i* at year *y*,

The 21 DH service units are dichotomised to: 1) utilisation-based service units where nurse demand is utilisation quantifiable and 2) non-utilisation based service units where nurse demand is not utilisation quantifiable. The utilisation-based settings employ 85% of all RGNs and 92% EGNs. The corresponding nurse demand is projected on the number of service unit visits. For the non-utilisation based settings, the nurse demand is held constant as at August 1st 2013 (Table 3.7).

Projected number of RNs working in DH =

 $c_D \times Projected total number of utilisation - based settings visits +$ Total number of nurses working in non-utilisation based settings as at August 1st 2013

where c_D is the setting-specific nursing FTE per visit.

Utilisation based	Registered nurse ¹	Enrolled nurse
Group 1		
Student Health Service	188	44
Child Assessment Service	25	
Group 2		
Family Health Service	431	35
Woman Health Centres	10	
Group 3		
Elderly Health Service	104	
Group 5		
Special Preventive Programme	33	
TB & Chest	93	69
Social Hygiene Service	107	12
Group 6		
Port Health Office	12	
Total	1003	160
Non-utilisation based		
Public Health Nursing Division		
Head Office	17	
Client Relations Unit	1	
Tobacco Control Office	3	
Office for Registration of	6	
Healthcare Institutions	6	
Medical Device Control Office	2	
Health Care Voucher Unit	1	
Primary Care Office	2	
Professional Development &	45	
Quality Assurance		
Centre for Health Protection	65	13
Clinical Genetic Service	3	
Posts on the establishment of		
other departments under DH's		
preview		
OCC Health Service (Labour	27	
Dept) FIRM, Centre for Food Safety	0	
(FEHD)	9	
	181	13

 Table 3.7 Public Health Nursing Division (DH) Nurse strength as at August 1st 2013

¹*Registered nurse* includes PNO, CNO, SNO, NO and RN

3.5.3 Private sector

Inpatient setting

The private sector inpatient nursing projection is based on three utilisation measures:

i. Number of day case discharges

- ii. Number of acute care inpatient discharges
- iii. Number of acute care inpatient bed-days

The FTE projection is a linear combination of the utilisation measures:

Projected number of RNs working in private hospital inpatient setting $FTE_{IP_private}(y) = (d_{DP}(y) + d_{AC}(y)) \times c_{d DP} + (b_{AC}(y) - 2b_{AC}(y)) \times c_{b AC}$

$d_{DP}(y)$	number of day case discharges at year y
$d_{AC}(y)$	number of acute care in-patient discharges at year y
$b_{AC}(y)$ - $2d_{AC}(y)$	number of acute care in-patient bed-days at year y
	(excluding admission and discharge day)

Table 3.8 lists the fitted coefficients with the corresponding average length per case.

Table 3.8 Workload coefficients for FTE conversion – private hospital inpatient setting

	Coefficient
Discharge (day case / acute)	0.0018
Bed-day	0.0051

Private outpatient clinics

By definition 'private clinic' includes general practitioner⁵, specialist and medical clinics⁶. 'Nursing' in general practitioner private clinics is shared by three parties: the RGN, EGN and clinic assistant whereas for specialist clinics, RGNs are required for complex procedures such as colonoscopy and endoscopy and other advanced practice work. RGN's are mainly employed in specialist outpatient clinics and EGNs in general outpatient clinics. Meanwhile, clinic assistants provide administrative support in both settings (Figure 3.89). The number of private SOP visits is used to project number of RGN FTE whilst the number of private GOP visits is used to project EGNs :-

Projected number of RGNs working in private clinic = $\gamma_R \times$ Projected number of private SOP visits Projected number of EGNs working in private clinic = $\gamma_E \times$ Projected number of private GOP visits

where γ_R is number of RGN per visit and γ_E is number of EGN per visit.

⁵ *General practitioner's clinic* refers to medical office operated by a registered doctor under the Medical Registration Ordinance (Chapter 161) in the private sector either under the name of his/her own or another registered doctor or a group of registered doctors.

⁶ Medical clinic refers to medical clinic registered under Section 5 of Medical Clinics Ordinance (Chapter 343).




Figure 3.89 Distributions of registered nurse, enrolled nurse and clinic assistant at private clinics

The projection held constant the historical proportion of general practice to specialist outpatient visits (9:1) (Figure 3.90).




Figure 3.90 Historical general practice to specialist private clinic outpatient visit proportion *(THS, 2005, 2008, 2009, 2011)*

3.5.4 Elderly Service

As the elderly service provided by the Social Welfare Department is organised into 11 groups, the corresponding notional staffing is computed by weighted averaging of the historical original notional staffing, as listed in Table 3.9.

	Registered nurse	Enrolled nurse		
Day Care Centre	0.0250	0.0375		
Home Care Services	0.0186	0.0214		
Subsidized residential service				
Group 1	0	1		
Group 2	0	0.0067		
Group 3	0.0120	0.0554		
Group 4	0.0400	0.1300		
Group 5	0.0208	0.1157		
Group 6	0.0750	0.1750		
Private Home places (excluding EBPS places)	0.0005	0.0007		
Non-subsidised places in Contract Homes	0.0750	0.1750		
Self-financing Homes	0.0160	0.0140		

Table 3.9 Weighted elderly service notional staffing (number of nurses per case / place)

Utilisation for the 11 elderly service projections are denoted by $\{u_i\}$ for i = 1, 2, ..., 11;

 r_i is the number of registered nurses per case / place of u_i ,

 e_i is the number of enrolled nurses per case / place of u_i .

The projected elderly service nurse demand is expressed as:-

Projected number of registered nurses =

$$\sum_{i=1}^{11} r_i u_i$$

Projected number of enrolled nurses =

$$\sum_{i=1}^{11} e_i u_i$$

3.5.5 Rehabilitation services

As the rehabilitation service provided by the Social Welfare Department is organised into 13 services, the corresponding notional staffing is computed by weighted averaging of the historical original notional staffing, as listed in Table 3.10.

	RGN	RPN	EGN	EPN
Pre-school services	0	0	0	0
i. Early education and training	0	0	0.017	0
ii. Special child care centre				
Day services				
iii. Day activity centre	0	0	0.020	0
iv. Integrated vocational training centre	0.0045	0	0	0
v. District support centre	0	0	0.500	0
vi. Integrated community centre for mental wellness	0	2	0	0
Residential services				
vii. Residential Special Child Care Centre	0	0	0	0
viii.Long Stay Care Home	0	0.020	0	0.040
ix. Halfway House (including 110 places with Special Provision)	0	0.025	0	0.075
x. Hostel for Severely Mentally Handicapped Persons	0.020	0	0.075	0
xi. Care and Attention Home for Severely Disabled Persons	0.020	0	0.120	0
xii. Hostel for Severely Physically Handicapped Persons	0.020	0	0.060	0
xiii.Care and Attention Home for the Aged Blind	0.020	0	0.080	0

Table 3.10 Rehabilitation service notional staffing (number of nurses per case / place)

Utilisation for the 13 rehabilitation service projections are denoted by $\{v_i\}$ for i = 1, 2, ..., 13

 rg_i is the number of registered general nurses per v_i ;

 rp_i is the number of registered psychiatric nurses per v_i ;

 eg_i is the number of enrolled general nurses per v_i , and

 ep_i is the number of enrolled psychiatric nurses per v_i .

The projected rehabilitation service nurse demand is expressed as:

Projected number of registered general nurses =

$$\sum_{i=1}^{13} rg_i v_i$$

Projected number of registered psychiatric nurses =

$$\sum_{i=1}^{13} rp_i v_i$$

Projected number of enrolled general nurses =

$$\sum_{i=1}^{13} eg_i v_i$$

Projected number of enrolled psychiatric nurses =

$$\sum_{i=1}^{13} ep_i v_i$$

3.5.6 Academic sector

For the academic sector, the demand for nurses is linearly proportional to the number of hospital-based (HA and private hospitals) and non-hospital based nursing students:

Projected number of RGNs working in 'Academic sector' = $\mu \times Projected$ number of nursing students

where μ is the nursing FTE per student.

3.5.7 Midwives

The demand for midwives is linearly proportional to the number of new births in public and private hospitals:-

 $\begin{array}{l} Projected \ number \ of \ midwives \ working \ in \ public \ hospitals = \\ \lambda_{birth} \times \lambda_{sector} \times Projected \ number \ of \ new \ births \\ Projected \ number \ of \ midwives \ working \ in \ private \ hospitals = \\ \lambda_{birth} \times (1-\lambda_{sector}) \times Projected \ number \ of \ new \ births \end{array}$

where λ_{birth} is the number of FTE midwives per new births, and λ_{sector} is proportional of new births delivered in public hospital.

The birth-to-midwife ratio in United Kingdom (England & Wales), Japan and Singapore range from 23:1, 39:1 and 250:1 respectively (Table 3.11). For this projection a birth-to-midwife ratio of 40 as recommended by Hospital Authority is used. 70% of pregnant women in Hong Kong (1998 and 2002) chose to deliver in public hospitals, however, this proportion declined to 50% by 2012 (Figure 3.91).

Japan⁷ Singapore⁸ UK (England & Wales)⁹

Table 3.11 Birth-to-midwife ratio of Japan, Singapore and UK (England & Wales)




Figure 3.91 Proportion of births by sector (public and private)

⁷ Data source: *Japanese Nursing Association* (https://www.nurse.or.jp/jna/english/statistics/index.html) ⁸ Data source: *MOH SINGAPORE*

⁹ Data source: Nursing and Midwife Council (http://www.nmc-uk.org/About-us/Statistics/Statistics-about-nurses-andmidwives/ and http://www.nmc-uk.org/About-us/Statistics/Statistics-about-nurses-and-midwives/)

4 Projecting nurse supply

The Hong Kong Nursing Council (NCHK) nursing data (age-, sex-specific) for 2012 is used for the nursing supply base case. Data (for past and projected number of nursing graduates for all nursing professions) from the University Grants Council (UGC), the NCHK, independent educational institutions and from the DH Healthcare Manpower Survey for Nurses (with the public sector proportion calibrated to the actual HA nursing employment records from 2004-2011) are used for the supply projections. The nursing supply projections are by nursing profession: registered nurses (RN), midwives (MW), and enrolled nurses (EN). The supply model projects RNs and ENs by general (RGN and EGN) and/or psychiatric (RPN and EPN) nurses for comprehensiveness.

4.1 Models for nurse supply

The overall nursing supply model is a non-homogenous Markov Chain Model, where workforce systems are represented as "stocks and flow's" (Figure 4.1). Flow refers to manpower supply over a period of time. Stock denotes manpower supply at a particular point in time.




Figure 4.1 Nurse supply model for Hong Kong.

There are five age-, sex-specific stocks by year (a,s,y) in the model:

n _{pre}	number of pre-existing registrants
n _{local}	number of local graduates
n _{non-local}	number of non-local graduates
n _{current}	number of current registrants
n _{active}	number of active and available registrants

Flow in the supply model represents change in the stocks and is projected by determining the number of

a) current registrants (total number of local graduates, non-local graduates and preexisting registrants):

$$n_{current}(a,s,y) = p_{renewal}(y) \times n_{pre}(a,s,y) + n_{local}(a,s,y) + n_{non-local}(a,s,y)$$

where $p_{renewal}(y)$ is the licence renewal proportion at year y.

b) active and available registrants:

 $n_{active}(a,s,y) = n_{current}(a,s,y) \times p_{active}(a,s,y)$ where $p_{active}(a,s,y)$ is the active proportion.

FTEs by service sector *c* at year *y* are calculated as:

$$FTE(y,c) = \frac{\sum_{a} \sum_{s} n_{active}(a, s, y) \times p_{sector}(a, s, y, c) \times h(a, s, y, c)}{Median \text{ working hours per week per FTE}}$$

where $p_{sector}(a,s,y,c)$ is the proportion of nurses working in the service sector *c* at year *y*, and h(a,s,y,c) is the average number of working hours per week per nurse.

The supply projection is based on the stocks and also the parameters $p_{renewal}(y)$, $p_{active}(a,s,y)$, $p_{sector}(a,s,y,c)$ and h(a,s,y,c). The average is used to project the parameters.

4.2 Determinants of supply: projecting stock and flow

4.2.1 Baseline adjustments

Due to the availability of upgrading or conversion programmes between the nursing professions (i.e., RGN to MW; or EGN to RGN; Figure 4.2) any one nurse may be recorded on multiple Gazette lists.




Figure 4.2 Conceptual model for transitioning between nursing professions in Hong Kong.

Duplication of nurses on the Gazette list gives an inaccurate representation of the total number of nurses in Hong Kong. Prior to projecting nursing supply by subgroup, nurses with multiple Gazette list entries were identified and the pre-existing baseline Gazette lists were amended such that each registered nurse coincides with a unique single entry (Figure 4.2).

As the full Gazette lists prior to 2011 were unavailable, the 2011 and 2012 Gazette lists were used as baseline to reconstruct the 2006-2010 registration lists for all RN's, MW's, and EN's based on the available lists of additions, restorations and removal of names by professional group. Duplicates were then identified by matching the Chinese and English names and dates of registration across the Gazette lists. The final 2012 registration lists were categorised by registration type (RGN, RPN, RGN&RPN, MW, RGN&MW, EGN, EPN, EGN&EPN).

Nurses were counted according to their most recent (senior) registration. See Figure 4.3 for the number of nurses by qualification and double registration in 2012.

The number of nurses by subgroup accounting for double counting is listed in Tables 4.1-4.3.

	2006	2007	2008	2009	2010	2011	2012
	N(%)	N(%)	N(%)	N(%)	N(%)	N(%)	N(%)
Gazette List							
RGN	25003	25816	26052	27082	28236	29071	30670
RPN	1862	1936	1929	1992	2026	2042	2151
MW	4646	4691	4754	4524	4589	4655	4504
Single							
registration							
RGN	19081	19811	19811	20769	21792	22388	23880
KUN	(84.4)	(84.5)	(83.9)	(83.5)	(83.9)	(83.6)	(83.7)
RPN	1598 (7.1)	1634 (7)	1604 (6.8)	1651 (6.6)	1677 (6.5)	1682 (6.3)	1736 (6.1)
Double							
registration							
EGN→RGN	1631 (7.2)	1651 (7)	1846 (7.8)	2070 (8.3)	2126 (8.2)	2316 (8.6)	2483 (8.7)
EGN→RPN	12 (0.1)	12 (0.1)	12 (0.1)	12(0)	13 (0.1)	13 (0)	13 (0)
EPN→RGN	31 (0.1)	34 (0.1)	35 (0.1)	35 (0.1)	34 (0.1)	36 (0.1)	32 (0.1)
EPN→RPN	102 (0.5)	123 (0.5)	136 (0.6)	150 (0.6)	149 (0.6)	159 (0.6)	167 (0.6)
RGN↔RPN	150 (0.7)	167 (0.7)	177 (0.7)	179 (0.7)	187 (0.7)	188 (0.7)	235 (0.8)
Total	22605	23432	23621	24866	25978	26782	28546

Table 4.1 The number of registered nurses by qualification

Table 4.2 The number of midwives by qualification

	2006	2007	2008	2009	2010	2011	2012
	N(%)	N(%)	N(%)	N(%)	N(%)	N(%)	N(%)
Gazette List							
MW	4646	4691	4754	4524	4589	4655	4504
Single registration							
MW	536 (11.5)	538 (11.5)	571 (12)	495 (10.9)	492 (10.7)	512 (11)	464 (10.3)
Double							
registration							
	4110	4153	4183	4029	4097	4143	4040
RGN↔MW	(88.5)	(88.5)	(88)	(89.1)	(89.3)	(89)	(89.7)
Total	4646	4691	4754	4524	4589	4655	4504

Table 4.3 The number of enrolled nurses qualification

	2006	2007	2008	2009	2009 2010 201		1 2012	
	N(%)	N(%)	N(%)	N(%)	N(%)	N(%)	N(%)	
Gazette List								
EGN	8630	8287	8493	8600	8735	9176	9782	
EPN	924	908	956	950	987	1011	1085	
Single								
registration								
-	6976	6613	6621	6504	6582	6833	7270	
EGN	(89.8)	(89.8)	(89.4)	(89.5)	(89.1)	(89.3)	(89.1)	
EPN	780 (10)	740 (10)	771 (10.4)	751 (10.3)	790 (10.7)	802 (10.5)	870 (10.7)	
Double								
registration								
EGN↔EPN	11 (0.1)	11 (0.1)	14 (0.2)	14 (0.2)	14 (0.2)	14 (0.2)	16 (0.2)	
Total	7767	7364	7406	7269	7386	7649	8156	




Figure 4.3 The number registered nurses by qualification in Hong Kong (2012).

4.2.2 Total number of registrants

The total number of registrants is defined as the number of pre-existing registrants (pool of registered nurses multiplied by the registration renewal proportion [as provided by the NCHK]) and the newly eligible registrants (new nursing graduates from the various institutions in Hong Kong) and non-local graduates entering the pool by year. Table 4.4 lists the projected number of local graduates by profession for 2013-2018. (Appendix C provides a detailed list of all nursing programmes in Hong Kong). Local nursing graduate data are derived from the NCHK, UGC and the independent training institutions. The estimated number of local graduates is held constant after 2018. As all nurses renew their license to practise every three years the average renewal proportion rate is used to estimate the annual registration renewal proportion.

Local Graduates	Projected Graduates							
Local Graduates	2013	2014	2015	2016	2017	2018		
Registered General Nurse ¹	1315	1356	1482	1145	1516	1515		
Enrolled General Nurse	780	576	688	563	428	780		
Registered Psychiatric Nurse ²	73	70	82	70	122	123		
Enrolled Psychiatric Nurse	120	117	128	98	98	98		
Midwives	100	100	100	100	100	100		
Total Nurses (RN and EN)	2423	2368	2101	2399	2264	2423		

Table 4.4 Projected number of local nursing graduates by professional group (2013-2018)

¹Does not include RGNs who underwent EN to RN transitioning programmes

²Does not include RPNs who underwent EN to RN transitioning programmes

4.2.3 Number clinically active

The number of clinically active/available registrants is more relevant for workforce projection than the total number of registrants in the nursing pool. The supply model stratifies clinically inactive/unavailable nurses by age and sex into four categories: no longer in nursing practice but not retired, natural attrition/retirement, otherwise unavailable, and otherwise deregistered. Although three data points are available (Table 4.5), due to concerns regarding data quality only the most recent two were used for the projection. The proportion of inactive/unavailable nurses by profession and by category is adjusted to account for the variable response by age groups for specific nursing subgroups in the HMS on Nurses (Table 4.6).

	by year	
RN	MW	EN
HMS 2004	HMS 2005	HMS 2004
HMS 2007	HMS 2008	HMS 2006
HMS 2010	HMS 2011	HMS 2009

Table 4.5 HMS data for nurses by year

	Registered Nurses		MW	Enrolle	olled Nurses	
	General	Psychiatric	IVI VV	General	Psychiatric	
Age Groups	<30	<30	<30	<30	<30	
	30-34	30-34	30-34	30-34	30-34	
	35-39	35-39	35-39	35-39	35-39	
	40-44	40-44	40-44	40-44	40-44	
	45-49	45-49	45-49	45-49	45-49	
	50-54	50-54	50-54	50-54	50-54	
	55-59	≥55	55-59	55-59	≥55	
	60-64		60-64	60-64		
	≥65		≥65	≥65		

Table 4.6 Clinically inactive/unavailable nurses by age group and by professional group.

4.2.3.1 No longer in nursing practice but not retired

Based the HMS on Nurses data for each profession, the proportion of nurses (sex-stratified) 'no longer in nursing practice but not retired' (clinically trained, qualified and registered/enrolled nurses who are no longer practicing clinically) for RGN's, RPN's, MW's, EGN's and EPN's is projected to 2025 (Figure 4.4 - 4.6). (As the HMS on Nurses 2004, includes RGNs and MWs the proportions could not be adjusted for RGNs only)




Figure 4.4 Registered general and psychiatric nurses 'no longer in practice but not retired' projections by sex (2012-2025)




Figure 4.5 Midwives 'no longer in practice but not retired' (2012-2015)




Figure 4.6 Enrolled general and psychiatric nurses 'no longer in practice but not retired' by sex (2012-2025)

4.2.3.2 Natural attrition/retirement

The natural attrition/retirement projections for each nursing profession are age-, and sex-

specific (Figure 4.7 - 4.15). The retirement proportion increases by age. Females who remain in the workforce retire earlier than their male counterparts.




Figure 4.7 'Natural attrition/retired' for RGN's by age (male, 2012-2025)




Figure 4.8 'Natural attrition/retired' for RGN's by age (female, 2012-2025)




Figure 4.9 'Natural attrition/retired' for RPN's by age (male, 2012-2025)




Figure 4.10 'Natural attrition/retired' for RPN's by age (female, 2012-2025)




Figure 4.11 'Natural attrition/retired' for midwives by age (female, 2012-2025)




Figure 4.12 'Natural attrition/retired' for EGN's by age (male, 2012-2025)




Figure 4.13 'Natural attrition/retired' for EGN's by age (Female, 2012-2025)




Figure 4.14 'Natural attrition/retired' for EPN's by age (male, 2012-2025)




Figure 4.15 'Natural attrition/retired' for EPN's by age (female, 2012-2025)

4.2.3.3 Otherwise unavailable

"Otherwise unavailable" (those who have moved away from Hong Kong) nurses are projected from the HMS on nurses by sex and year (Figure 4.16 - 4.18). (As the HMS on Nurses 2004, includes both RGNs and MWs the proportions could not be adjusted for RGNs only)




Figure 4.16 The proportion of registered general and psychiatric nurses 'otherwise unavailable' by sex and year




Figure 4.17 The proportion of midwives 'otherwise unavailable' by year




Figure 4.18 The proportion of enrolled general and psychiatric nurses 'otherwise unavailable' by sex and by year

4.3 Supply externalities

4.3.1 Workforce participation and differential work capacity

The nursing supply model uses the HMS on nurses for each profession to calculate the proportion of clinically active nurses by service sector (public [Hospital Authority, government, academic, and subvented] and private) as each has different work patterns and female-male ratios (Figure 4.19). The supply model estimates the age-, sex-specific proportion of clinically active nurses by location and sector, differential work capacity, work pattern, and standard working hours.




Figure 4.19 Distribution of nurses by profession and by workplace location in 2012

4.4 Converting workforce supply to full time equivalents (FTEs)

The model uses the age-, sex-specific stratified average working hours to determine the total

hours worked by sector. The average working hours in any sector is capped at 44 hours per week (equivalent to 1 FTE).

4.5 Nurse supply projection from 2012-2041

Tables 4.7 - 4.11 present the detailed projection outcomes for each of the variables in the supply model and the total FTE supply projection from 2015-2040. The 'Hospital Authority' and the 'Government, academic and subvented' FTE projections are combined for the overall public sector FTE. The FTE projection by sector (public and private) is presented in Figure 4.20.

Year	2012	2015	2020	2025	2030	2035	2040
Pre-existing registrants	24962	29204	36860	44369	51636	58871	65613
Number of registrants after renewal ¹	24937	29064	36402	44100	51331	58288	65149
Number of graduates							
Local ²	1515	1786	1790	1790	1790	1790	1790
Non-local ³	34	38	38	38	38	38	38
Newly eligible registrants	1549	1824	1828	1828	1828	1828	1828
Total number of registrants	26486	30888	38229	45928	53159	60115	66976
Clinically inactive/unavailable							
No longer practising in the nursing profession but not retired ⁴	3757	4366	5370	6424	7415	8374	9327
Natural attrition/retirement ⁴	1817	2746	4944	7782	10414	12801	14715
Otherwise unavailable ⁴	2112	2455	3021	3615	4174	4714	5252
Otherwise deregistered ⁵	9	9	9	9	9	9	9
Number of inactive registrants ⁶	7695	9576	13344	17830	22012	25899	29303
Number of clinically active/available registrants ⁷	21284	23757	27356	30468	33391	36357	39687
Total FTE ⁸	21065	23474	26947	30046	32978	35949	39264

Table 4.7 Registered general nurse supply projection for 2012-2040

1. The renewal rate is based on the data provided by NCHK

2. The number of local graduates are from UGC and NCHK; number of expected graduates are held constant from 2018

3. Non-local graduates projected by sigmoid function

4. Proportion of clinically inactive/unavailable RGN from the DH HMS for RGN (2007 and 2010)

5. Assume 9 permanent RGN deregistration per year

6. The total number of clinically inactive/unavailable RGN is calculated by summing the number of RGN in the categories of "No longer practising in the nursing profession but not retired", "Natural attrition/retirement", "Otherwise unavailable" and "Otherwise deregistered"

7. Total number of clinically active/available RGN less 1390 midwives working as RGNs

8. Total projected FTE

Year	2012	2015	2020	2025	2030	2035	2040
Pre-existing registrants	2022	2260	3010	3811	4588	5356	6079
Number of registrants after renewal ¹	1993	2283	3007	3823	4595	5339	6072
Number of graduates							
Local ²	66	112	153	153	153	153	153
Newly eligible registrants	66	112	153	153	153	153	153
Total number of registrants	2059	2395	3160	3976	4748	5492	6225
Clinically inactive/unavailable							
No longer practising in the nursing profession but not retired ³	126	147	192	241	288	332	376
Natural attrition/retirement ³	97	138	238	322	409	487	558
Otherwise unavailable ³	79	92	120	150	179	206	233
Otherwise deregistered ⁴	1	1	1	1	1	1	1
Number of inactive registrants ⁵	303	377	551	714	876	1025	1167
Number of clinically active/available registrants ⁶	1756	2018	2609	3262	3872	4467	5058
Total FTE ⁷	1741	1994	2564	3202	3802	4388	4972

Table 4.8 Registered psychiatric nurse supply projection for 2012-2040

1. The renewal rate is based on the data provided by NCHK; the number of pre-existing registrants may be smaller than the number of registrants after renewal, because the latter includes the newly RGN & RPN double registration who work as RPN

2. The number of local graduates are from UGC and NCHK; number of expected graduates are held constant from 2018

3. Proportion of clinically inactive/unavailable RPN from the DH HMS for RPN (2007 and 2010)

4. Assume 1 permanent RPN deregistration per year

5. The total number of clinically inactive/unavailable RPN is calculated by summing the number of RPN in the categories of "No longer practising in the nursing profession but not retired", "Natural attrition/retirement", "Otherwise unavailable" and "Otherwise deregistered"

6. Total number of clinically active/available RPN

7. Total projected FTE

Year	2012	2015	2020	2025	2030	2035	2040
Pre-existing registrants	4655	4651	4725	4803	5021	5085	5140
Number of registrants after renewal ¹	4425	4458	4702	4777	4848	5044	5097
Number of graduates							
Local ²	77	92	100	100	100	100	100
Non-local ³	2	3	3	3	3	3	3
Newly eligible registrants	79	95	103	103	103	103	103
Total number of registrants	4504	4553	4805	4880	4951	5147	5200
Clinically inactive/unavailable							
No longer practising in the							
midwifery profession but not retired ⁴	387	388	405	406	406	417	418
Natural attrition/retirement ⁴	154	248	443	670	935	1269	1511
Otherwise unavailable ⁴	143	144	150	150	150	154	155
Otherwise deregistered ⁵	1	1	1	1	1	1	1
Number of inactive registrants ⁶	685	781	1000	1227	1492	1841	2085
Number of clinically active/available MW ⁷	3819	3773	3806	3653	3459	3307	3115
Total FTE of actual MW ⁸	1303	1300	1294	1228	1148	1076	998

Table 4.9 Midwives supply projection for 2012-2040

1. The renewal rate is based on the data provided by MWCHK

The number of local graduates are from the HA; number of expected graduates are held constant from 2018 2.

3. Non-local graduates projected by sigmoid function

4. Proportion of clinically inactive/unavailable midwives from the DH HMS for Midwives (2005, 2008 and 2011)

5. Assume 1 permanent midwife deregistration per year

The total number of clinically inactive/unavailable midwives is calculated by summing the number of 6. midwives in the categories of "No longer practising in midwifery profession but not retired", "Natural attrition/retirement", "Otherwise unavailable" and "Otherwise deregistered" Total number of clinically active/available midwives

7.

8. Total projected FTE of actual midwives; assuming that the time worked in obstetrics and paediatrics is the actual midwifery working hours, the proportion is based on HMS for Midwives (2005, 2008 and 2011) for different sectors

Year	2012	2015	2020	2025	2030	2035	2040
Pre-existing registrants	6747	7956	8657	8604	8598	8591	8586
Number of registrants after renewal ¹	6557	7732	8413	8361	8356	8349	8344
Number of graduates							
Local ²	701	576	428	428	428	428	428
Non-local ³	12	14	14	14	14	14	14
Newly eligible registrants	713	590	442	442	442	442	442
Total number of registrants	7270	8323	8856	8804	8799	8792	8788
Clinically inactive/unavailable							
No longer practising in the							
nursing profession but not retired ⁴	704	800	846	839	837	837	837
Natural attrition/retirement ⁴	164	189	203	202	202	203	203
Otherwise unavailable ⁴	349	435	534	606	624	611	569
Otherwise deregistered ⁵	8	3	3	3	3	3	3
Number of inactive registrants ⁶	1225	1428	1586	1650	1667	1654	1613
Number of clinically active/available registrants ⁷	6046	6895	7270	7154	7132	7139	7175
Total FTE ⁸	5917	6744	7095	6980	6953	6958	6998

Table 4.10 Enrolled general nurse supply projection for 2012-2040

1. The renewal rate is based on the data provided by NCHK

2. The number of graduates are provided by NCHK; number of expected graduates are held constant from 2018

3. Non-local graduates projected by sigmoid function

4. Proportion of EGN clinically inactive/unavailable from the DH HMS for EGN (2006 and 2009)

5. Assume 3 permanent EGN deregistration per year

6. The total number of clinically inactive/unavailable EGN is calculated by summing up the number of EGN in the categories of "No longer practising in nursing profession but not retired", "Natural attrition/retirement", "Otherwise unavailable" and "Otherwise deregistered"

7. Total number of clinically active/available EGN

8. Total projected FTE

Year	2012	2015	2020	2025	2030	2035	2040
Pre-existing registrants	811	1007	1273	1450	1586	1689	1767
Number of registrants after renewal ¹	788	978	1237	1409	1542	1642	1717
Number of graduates							
Local ²	82	128	98	98	98	98	98
Newly eligible registrants	82	128	98	98	98	98	98
Total number of registrants	883	1122	1355	1532	1669	1775	1859
Clinically inactive/unavailable							
No longer practising in the nursing profession but not retired ³	45	56	68	76	83	88	92
Natural attrition/retirement ³	67	86	109	130	136	139	132
Otherwise unavailable ³	18	23	28	32	35	37	39
Otherwise deregistered ⁴	1	1	1	1	1	1	1
Number of inactive registrants ⁵	131	167	206	239	255	265	264
Number of clinically active/available registrants ⁶	752	955	1149	1293	1414	1509	1595
Total FTE ⁷	711	888	1051	1187	1297	1388	1470

Table 4.11 Enrolled psychiatric nurse supply projection for 2012-2040

1. The renewal rate is based on the data provided by NCHK

2. The number of graduates are provided by NCHK; number of expected graduates are held constant from 2018

3. Proportion of EPN clinically inactive/unavailable from the DH HMS for EPN (2006 and 2009)

4. Assume 1 permanent EPN deregistration per year

5. The total number of clinically inactive/unavailable EPN is calculated by summing up the number of EPN in the categories of "No longer practising in nursing profession but not retired", "Natural attrition/retirement", "Otherwise unavailable" and "Otherwise deregistered"

6. Total number of clinically active/available EPN

7. Total projected FTE

4.6 Nurse supply projection

The supply projection for each nursing group is stratified by registration type (i.e., RGN, RPN, RGN&RPN; MW; EGN, EPN and EGN&EPN). The projections are derived from different scenarios to account for the propensity of individuals in any one group to hold multiple valid registrations and work in a specific setting (derived from the HMS on Nurses). One thousand tests were computed in a sensitivity analysis for each of the three scenarios (Tables 4.12 - 4.16) to derive the FTE best-guess for that scenario, where the clinically inactive proportions (including those no longer practicing in the nursing profession but not retired, natural attrition/retirement, and otherwise unavailable) were drawn from the range of proportions in the HMS on nurses and presented within a 95% credible interval. Each scenario as defined is independent. In each of Figures 4.21 - 4.28 the full range of all options is illustrated by the shaded section as well as the best-guess for each scenario.

	Registered General Nurse
Scenario 1	Single registration:
	RGN only
	Single registration:
	RGN only
Scenario 2	Double registration:
	RGN & RPN
	Assume all work as RGN
	RGN & MW
	Assume all work as RGN
	Single registration:
	RGN only
Scenario 3	Double registration:
	RGN & RPN
	Assume a proportion work as RGN^{l}
	RGN & MW
	Assume a proportion work as RGN^{1}

Table 4.12 Registered general nurse FTE projection scenarios




Figure 4.20 Scenario 1, 2 and 3 RGN FTE supply projection (shaded area 95% credible interval)

	Registered Psychiatric Nurse
Scenario 1	Single registration: <i>RPN only</i>
Scenario 2	Single registration: <i>RPN only</i> Double registration: RGN & RPN <i>Assume all work as RPN</i>
Scenario 3	Single registration: <i>RPN only</i> Double registration: RGN & RPN <i>Assume a proportion work as RPN^I</i>

Table 4.13 Psychiatric nurse FTE projection scenarios




Figure 4.21 Scenario 1, 2 and 3 RPN FTE supply projection (shaded area 95% credible interval)

	Enrolled General Nurse
Scenario 1	Single registration:
	EGN only
	Single registration:
	EGN only
Scenario 2	
	Double registration:
	EGN & EPN
	Assume all work as EGN
	Single registration:
	EGN only
Scenario 3	
	Double registration:
	EGN & EPN
	Assume a proportion work as EGN^{l}

Table 4.14 Enrolled nurses FTE projection scenarios




Figure 4.22 Scenario 1, 2 and 3 EGN FTE supply projection (shaded area 95% credible interval)

	Enrolled Psychiatric Nurse
Scenario 1	Single registration:
	EPN only
	Single registration:
	EPN only
Scenario 2	
	Double registration:
	EGN & EPN
	Assume all work as EPN
	Single registration:
	EPN only
Scenario 3	
	Double registration:
	EGN & EPN
	Assume a proportion work as EPN^{l}

Table 4.15 Enrolled nurses FTE projection scenarios




Figure 4.23 Scenario 1, 2 and 3 EPN FTE supply projection (shaded area 95% credible interval)

Due to the lack of information regarding the working patterns for dual registrants (RGN/ MW), the midwife total supply FTE projections scenario considers a range of MW/RGN proportions.

	Midwifes
Scenario 1	Single registration:
	MW only
	Single registration:
	MW only
Scenario 2	
	Double registration:
	RGN&MW
	Assume all work as MW
	Single registration:
	MW only
Scenario 3	
	Double registration:
	RGN&MW
	Assume a proportion work as MW^l

Table 4.16 Midwife and enrolled nurses FTE projection scenarios






Figure 4.24 Scenario 1, 2 and 3 MW FTE supply projection (shaded area 95% credible interval)



4.6.1 Total nurses (registered and enrolled nurses, midwives)






Figure 4.26 Scenario 3 best guess for all RPN and EPN FTE supply projections (shaded area 95% credible interval)




Figure 4.27 Scenario 3 best guess for all MW supply projections. (shaded area 95% credible interval)

5 Gap analysis

The gap analysis quantified the difference between the projected demand for and supply of nurses for the base case (assumed demand and supply was at equilibrium from 2005 - 2011). The base case was further adjusted for 'Elderly and Rehabilitation Service Improvement' (including the Community Care Service Voucher (CCSV), Special Scheme on Privately Owned Sites for Welfare Users, and Continuum of Care) and the HA service enhancement externalities (10% service enhancement) jointly in a 'best guestimate' scenario.

For the supply base case, the projected FTE supply included general nurses (RNs and ENs,), psychiatric nurses (RNs and ENs) and midwives working for the HA, the private sector, the DH and the social welfare sector.

5.1 Method

Three methods (annual number of FTEs, year-on-year FTE, and the annual incremental FTE) were used to quantify FTE nurse demand and compared to the base case supply projections for Hong Kong.

5.2 Annual number of FTE

The number of FTE nurses (by SVM) required in year y was as a function of the various utilisation measures in year y as described in the previous sections where :-

Number of FTE
$$(y) = \sum_{i} n_{(i)}(y)c_{(i)}$$

 $n_{(i)}(y)$ was the projected utilisation measure *i* in year *y*, and the $c_{(i)}$ the estimated FTE: $n_{(i)}$ ratio.

5.3 Year-on-Year FTE

The year-on-year FTE method quantified the year-on-year difference between demand and supply as follows :-

$$a(y) = Demand(y) - Supply(y)$$

where a(y) was the year-on-year FTE at year y, Demand(y) was the FTE demand at year y, and Supply(y) is the FTE supply at year y.

5.4 Annual incremental FTE

The annual incremental FTE method quantified the change in the demand supply gap from the previous year as follow :-

$$I(y) = a(y) - a(y-1)$$

where I(y) was the annual incremental FTE at year y, a(y) was the year-on-year FTE at year y, and a(y - 1) is the year-on-year FTE from the previous year.

5.5 Base case scenario

For the base case scenario, the FTE demand supply gap analysis projects a surplus of general nurses RGN and EGN) (Figure 5.1 – 5-3), psychiatric nurses (RPN and EPN) (Figure 5.4 - 5.6) and midwives (Figure 5.7 - 5.9) from 2015. The on average year-on-year projected FTE surplus at 2015 and 2025 was respectively 1020, 1335, and at 2040 a shortfall of 890 for general nurses; 20, 1050, 2820 for psychiatric nurses, and 2216, 2060, 1535 for midwives (on average annual incremental FTE surplus at 2015 was 2852, and an incremental shortfall at 2025 and 2040 of 45 each respectively and; at surplus of 60, 120, 105 respectively for psychiatric nurses; and a FTE shortfall at 2015 and 2040 of 40 and 30, and a surplus of 5 at 2025 for midwives) reflecting the cumulative impact of new local graduates entering the system (Table 5.2 - 5.3).






Figure 5.1 Projected number of general nurses (RGN and EGN) FTEs: Base case supply and demand (Shaded area: 5th-95th percentile).








Figure 5.3 Annual incremental FTE gap: Base case demand model (general nurse (RGN and EGN)) (Shaded area: 5th-95th percentile)




Figure 5.4 Projected number of psychiatric nurse (RPNs and EPNs) FTE: Base case supply and demand (Shaded area: 5th-95th percentile).




Figure 5.5 Year-on-year FTE gap: Base case demand model (psychiatric nurse (RPNs and EPNs) (Shaded area: 5th-95th percentile)




Figure 5.6 Annual incremental FTE gap: Base case demand model (psychiatric nurse (RPNs and EPNs) (Shaded area: 5th-95th percentile)




Figure 5.7 Projected number of midwife FTEs: Base case supply and demand (by SVM) (Shaded area: 5th-95th percentile).




Figure 5.8 Year-on-year FTE gap: Base case demand model (midwife) (Shaded area: 5th-95th percentile)




Figure 5.9 Annual incremental FTE gap: Base case demand model (midwife) (Shaded area: 5th-95th percentile)

	General Nurses (RGN and EGN)		•	hiatric Nurses PN and EPN)	Midwifes		
	Best estimate	5 th – 95 th percentile	Best estimate	$5^{\text{th}} - 95^{\text{th}}$ percentile	Best estimate	5 th – 95 th percentile	
2015	-1021.1	-1527.1, -1014.1	-19.5	-178.5,368.5	-2216	-2216, -2216	
2020	-1614.7	-2560.7, -1613.7	-439	-589,48	-2176	-2176, -2176	
2025	-1334.3	-2758.3, -1334.3	-1050.3	-1182.3,-541.3	-2058	-2058, -2058	
2030	-914.8	-2859.8, -914.8	-1643.3	-1779.3,-1127.3	-1918	-1918, -1918	
2035	80.9	-2418.1, 80.9	-2229	-2397,-1707	-1789	-1789, -1789	
2040	888.3	-2195.7, 891.3	-2817	-3017,-2293	-1533	-1533, -15333	

Table 5.1 Base case: projected year-on-year supply-demand gap [*a negative number indicates surplus]

Table 5.2 Base case: projected annual incremental supply-demand gap [*a negative number indicates surplus]

	General Nurses (RGN and EGN)		•	tric Nurses and EPN)	Midwifes		
	Best estimate	5 th – 95 th percentile	Best estimate	5 th – 95 th percentile	Best estimate	5 th – 95 th percentile	
2015	-284.3	-367.8, -284.8	-61.5	-67,-26	37	37, 37	
2020	0.7	-90.3, 0.7	-104.6	-101.1,-95.6	34.5	34.5, 34.5	
2025	44.1	-55.4, 44.1	-121.3	-119.3,-119.3	-6.5	-6.5, -6.5	
2030	127.5	20.5, 127.5	-120.5	-127,-119	41	41, 41	
2035	214.4	98.4, 214.4	-121.3	-127.8,-120.8	41	41, 41	
2040	44	-70.5, 49	-105.4	-111.9,-104.9	31	31, 31	

5.6 Best guestimate

The base case projection models took an empirical approach rather than asserting any normative level of demand or supply assuming that supply and demand were in balance (no shortfall or surplus of human resources), historically. Because of this conservative assumption, different sensitivity scenarios are simulated to test alternative normative preferences or policy actions. Specifically, a best guestimate scenario is derived to account for new policy developments which will have implications for nursing manpower, and yet are not captured in the base case scenario.

The best guestimate model considers the net effect of four major initiatives being introduced to enhance nursing care. In brief these service enhancements include:-

a. Community Care Service Voucher (CCSV) – provides a subsidy directly for service users (instead of service providers) in the form of service vouchers. The Elderly Commission (EC) commissioned a consultancy study on community care service (CCS) for the elderly in 2010 to examine how CCS could be strengthened through a more flexible and diverse mode of service delivery. The consultancy study report was released in July 2011. EC recommended, among others, that the Government could introduce a voucher scheme to allow eligible elderly persons to choose CCS

that suited their needs. Taking on board EC's recommendations, the Government launched the First Phase (of two years) of a 4-year Pilot Scheme on Community Care Service Voucher for the Elderly (Pilot Scheme) in September 2013. The introduction of the Pilot Scheme is a significant step towards the development of a vibrant CCS market and there will be an increase of service operators leading to increase manpower demand in nursing staff. For the First Phase of the Pilot Scheme, there are 62 recognised service providers. The target service recipients are elderly persons living in the eight pilot districts namely Eastern, Wong Tai Sin, Kwun Tong, Sham Shui Po (service providers in Sham Shui Po district also serve the elderly persons living in Sham Shui Po as well as those in Kowloon City and Yau Tsim Mong districts.), Shatin, Tai Po, Tsuen Wan and Tuen Mun who have been assessed under the Standardised Care Need Assessment Mechanism for Elderly Services as moderately impaired and are waiting for subsidised CCS and/or residential care service on the Central Waiting List of the Long Term Care Services.

- b. Continuum of Care (COC) promotes a continuum of care for the elderly in subsidised residential care services. In June 2005, SWD has launched a conversion programme to convert, in phases, various kinds of residential care places without long term care element in 75 subvented residential care homes for the elderly (RCHEs) to care-and-attention places providing COC. Besides, additional resources have also been provided for the care and attention homes since 2014-15 to promote aging in place and to enhance the manpower of these RCHEs with a view to upgrading their service quality and provision of continuum of care. In this regard, additional manpower is required to provide long term care to the frail residents in these RCHEs. The Registered Nurse and Enrolled Nurse requirements for a care-and-attention home providing COC are adopted corresponding to the respective notional manpower requirements in a care-and-attention home and a nursing home.
- c. Special Scheme on Privately Owned Sites for Welfare Users encourages welfare NGOs to provide necessary welfare facilities though in-situ expansion or redevelopment. The Scheme, launched in September 2013, will provide about 17 000 additional service places for the elderly and persons with disabilities, including 9 000 places for elderly services and 8 000 places for rehabilitation services, if all the proposals received under the Scheme could be implemented smoothly. To meet the service needs of such a considerable increase of service places, additional manpower is required. The estimated FTE requirement induced by this policy option is based on

the FTE workload coefficients as estimated for the Elderly Service and Rehabilitation Service.

 d. HA service enhancement – is the estimated impact of a 10% service enhancement in the HA on FTE requirements.

The best guestimate model presents a comparison between the demand base case and the best guestimate for the number of FTEs, the year-on-year and annual incremental FTE gap for each of general nurse, psychiatric nurse, and midwife, are illustrated in Figure 5.10 - 5.18, Tables 5.3 - 5.4. The on average year-on-year FTE shortfall for the best guestimate projected at 2015, 2025 and 2040 for general nurse was 765, 430, and 3045 (on average annual incremental surplus at 2015 of 320, and shortfall at 2025 and 2040 of 50, and 75 respectively). The on average year-on-year FTE surplus for the best guestimate projected at 2015, 2025 and 2040 for psychiatric nurses was 20, 1030 and 2800 (on average annual incremental surplus of 60, 120, and 105 respectively). As compared to the base case, the best guestimate scenario did not change the midwife year-on-year or annual incremental supply projections.




Figure 5.10 Projected number of general nurse (RGN and EGN) FTEs: Base case adjusted for the best guestimate (Shaded area: 5th-95th percentile)




Figure 5.11 Year-on-year FTE gap: Adjusted for the best guestimate (general nurses (RGN and EGN)) (Shaded area: 5th-95th percentile)




Figure 5.12 Annual incremental FTE gap: Adjusted for the best guestimate (general nurses (RGN and EGN)) (Shaded area: 5th-95th percentile)




Figure 5.13 Projected number of psychiatric nurse FTE's: Base case adjusted for the best guestimate (Shaded area: 5th-95th percentile)




Figure 5.14 Year-on-year FTE gap: Adjusted for the best guestimate (psychiatric nurse (RPNs and EPNs) (Shaded area: 5th-95th percentile)




Figure 5.15 Annual incremental FTE gap: Adjusted for the best guestimate (psychiatric nurse (RPNs and EPNs) (Shaded area: 5th-95th percentile)




Figure 5.16 Projected number of midwife FTE's: Base case adjusted for the best guestimate (Shaded area: 5th-95th percentile)




Figure 5.17 Year-on-year FTE gap: Adjusted for the best guestimate (midwife) (Shaded area: 5th-95th percentile)




Figure 5.18 Annual incremental FTE gap: Adjusted for the best guestimate (midwife) (Shaded area: 5th-95th percentile)

	General Nurses (RGN and EGN)		v	uatric Nurses N and EPN)	Midwives		
	Best	$5^{\text{th}} - 95^{\text{th}}$	Best	$5^{\text{th}} - 95^{\text{th}}$	Best	$5^{\text{th}} - 95^{\text{th}}$	
	estimate	percentile	estimate	percentile	estimate	percentile	
2015	764.5	262.5, 801.5	-19.5	-172.5,-363.5	-2216	-2216, -2216	
2020	75	-861, 132	-426	-572,-52	-2176	-2176, -2176	
2025	429.8	-984.3, 497.8	-1027.3	-1155.3,-534.3	-2058	-2058, -2058	
2030	911.8	-1024.3, 981.8	-1620.3	-1755.3,-1127.3	-1918	-1918, -1918	
2035	2067	-428, 2140	-2205	-2373,-1715	-1789	-1789, -1789	
2040	3044	-45, 3118	-2793	-2994,-2308	-1533	-1533, -15333	

Table 5.3 Best guestimate: projected year-on-year supply-demand gap [*a negative number indicates surplus]

Table 5.4 Best guestimate: projected annual incremental supply-demand gap [*a negative number indicates surplus]

	General Nurses		Psychiatric Nurses		Midwives	
	(RGN and EGN)		(RPN and EPN)			cth octh
	Best	$5^{th} - 95^{th}$	Best	$5^{\text{th}} - 95^{\text{th}}$	Best	$5^{\text{th}} - 95^{\text{th}}$
	estimate	percentile	estimate	percentile	estimate	percentile
2015	-320.5	-401.5, -315.5	-61.5	-65.5,-27	37	37, 37
2020	24.9	-66.6, 38.4	-95.1	-90.6,-87.1	34.5	34.5, 34.5
2025	48.3	-51.3, 49.3	-121.3	-118.8,-120.3	-6.5	-6.5, -6.5
2030	149.5	41, 149.3	-120.5	-127.5,-120.5	41	41, 41
2035	251.3	133.8, 252.3	-121.3	-127.8,-122.3	41	41, 41
2040	72.6	-43.9, 72.1	-105.4	-111.9,-106.4	31	31, 31

6 Comparison of 2012-2041 and 2015-2064 projections

The final model presents two demand omnibus scenario (based on the 2012-2041 and the 2015-2064 CS&D demographic projections respectively) and the supply base case FTE projections as well as the year-on-year and annual incremental FTE gap for general and psychiatric nurses respectively (Figure 6.1 - 6.6, Tables 6.1 - 6.4). The demand omnibus scenario adopting the 2015-2064 vs. 2012-2041 CS&D demographic projections on average year-on-year FTE best guestimate show an increasing shortfall in the number of FTE general nurses (Figure 6.1-6.3) and an increasing surplus of FTE psychiatric nurses (Figure 6.4-6.6).




Figure 6.1 Historical and projected number of general nurse FTEs: Base case supply and omnibus scenario demand (Shaded area: 5th-95th percentile).




Figure 6.2 Year-on-year FTE gap: Omnibus demand model (Shaded area: 5th-95th percentile)




Figure 6.3 Annual incremental FTE gap: Omnibus demand model (Shaded area: 5th-95th percentile)




Figure 6.4 Historical and projected number of psychiatric nurse FTEs: Base case supply and omnibus scenario demand (Shaded area: 5th-95th percentile).




Figure 6.5 Year-on-year FTE gap: Omnibus scenario demand model (Shaded area: 5th-95th percentile)




Figure 6.6 Annual incremental FTE gap: Omnibus scenario demand model (Shaded area: 5th-95th percentile)

Table 6.1 Best guestimate: projected year-on-year supply-demand gap for general nurses	
(assuming retirement =>65 years of age) [*a negative number indicates surplus]	

(assuming remember v os years of age) [a negative namber maleates surprus]						
	Best estimate (2012-2041 demographic projection)	5 th percentile	95 th percentile	Best estimate (2015-2064 demographic projection)	5 th percentile	95 th percentile
2015	764.5	262.5, 801.5	764.5	1256	723	1285
2020	75	-861, 132	75	1147	145	1205
2025	429.8	-984.3, 497.8	429.8	1784	282	1895
2030	911.8	-1024.3, 981.8	911.8	2064	32	2235
2035	2067	-428, 2140	2067	3090	485	3334
2040	3044	-45, 3118	3044	4010	813	4342

Table 6.2 Best guestimate: projected annual incremental supply-demand gap for general nurses (assuming retirement =>65 years of age) [*a negative number indicates surplus]

	Best estimate (2012-2041 demographic projection)	5 th percentile	95 th percentile	Best estimate (2015-2064 demographic projection)	5 th percentile	95 th percentile
2015	-320.5	-401.5, -315.5	-320.5	-304	-393	-300
2020	24.9	-66.6, 38.4	24.9	259	25	269
2025	48.3	-51.3, 49.3	48.3	13	-90	49
2030	149.5	41, 149.3	149.5	110	-1	150
2035	251.3	133.8, 252.3	251.3	242	122	258
2040	72.6	-43.9, 72.1	72.6	58	-56	76

(distanting retrement > 05 years of age) [a negative number indicates surplus]							
	Best estimate (2012-2041 demographic projection)	5 th percentile	95 th percentile	Best estimate (2015-2064 demographic projection)	5 th percentile	95 th percentile	
2015	-19.5	-172.5,-363.5	-19.5	-23	-182	361	
2020	-426	-572,-52	-426	-446	-592	31	
2025	-1027.3	-1155.3,-534.3	-1027.3	-1069	-1196	-579	
2030	-1620.3	-1755.3,-1127.3	-1620.3	-1672	-1805	-1181	
2035	-2205	-2373,-1715	-2205	-2259	-2424	-1768	
2040	-2793	-2994,-2308	-2793	-2863	-3058	-2377	

Table 6.3 Best guestimate: projected year-on-year supply-demand gap for psychiatric nurses (assuming retirement =>65 years of age) [*a negative number indicates surplus]

Table 6.4 Best guestimate: projected annual incremental supply-demand gap for psychiatric nurses (assuming retirement =>65 years of age) [*a negative number indicates surplus]

	Best estimate (2012-2041 demographic projection)	5 th percentile	95 th percentile	Best estimate (2015-2064 demographic projection)	5 th percentile	95 th percentile
2015	-61.5	-65.5,-27	-61.5	-63	-69	-29
2020	-95.1	-90.6,-87.1	-95.1	-97	-97	-90
2025	-121.3	-118.8,-120.3	-121.3	-124	-124	-121
2030	-120.5	-127.5,-120.5	-120.5	-121	-127	-120
2035	-121.3	-127.8,-122.3	-121.3	-123	-130	-122
2040	-105.4	-111.9,-106.4	-105.4	-111	-117	-106

7 References

- 1. Birch S, Kephart G, Murphy GT, O'Brien-Pallas L, Alder R, MacKenzie A. Health human resources planning and the production of health: Development of an extended analytical framework for need-based health human resources planning. J Public Health Manag Pract. 2009:56-61.
- 2. Maynard A. Policy forum: Australia's health workforce medical workforce planning: Some forecasting challenges. Social Research. 2006;39(3).
- 3. O'Brien-Pallas L, Baumann A, Donner G, Tomblin-Murphy G, Lochhaas-Gerlach J, Luba M. Forecasting models for human resources in health care. J Adv Nurs. 2000;33(1):120-9.
- 4. O'Brien-pallas L, Birch S, Baumann A. Integrating workforce planning, human resources, and service planning. Policy Anal. 2001 (December 2000):9-12.
- 5. Bloor K, Maynard A. Planning human resources in health care: Towards an economic approach an international comparative review. 2003
- Chung SH, Jung DC, Yoon SN, Lee D. A dynamic forecasting model for nursing manpower requirements in the medical service industry. Service Business. 2009;4(3-4):225-36.
- 7. World Health Organisation. Models and tools for health workforce planning and projections. 2010
- 8. Roberfroid D, Leonard C, Stordeur S. Physician supply forecast: Better than peering in a crystal ball? Hum Resour Health. 2009;7:10-22.
- 9. Etzioni DA, Finlayson SR, Ricketts TC, Lynge DC, Dimick JB. Getting the science right on the surgeon workforce issue. Arch Surg. 2011;146(4):381-4.
- 10. Cooper R. Adjusted needs? Modeling the specialty physician workforce. AANS Bulletin. 2000 Spring 2000:13-4.
- 11. Etzioni DA, Liu JH, Maggard MA, Ko CY. The aging population and its impact on the surgery workforce. Ann Surg. 2003 Aug;238(2):170-7.
- 12. World Health Organisation. 2012. Available from: http://www.who.int/hrh.
- 13. World Health Organisation. Coordinated health and human resources development. Report of WHO Study Group. , 1990
- 14. World Health Organisation. Health workforce supply and requirements projection models. 1999
- 15. World Health Organisation. Assessment of human resources for health. 2002
- 16. World Health Organisation. Scaling up HIV/AIDS care: service delivery & human resources perspectives. 2004
- 17. World Health Organisation. A guide to rapid assessment of human resources for health. 2004
- 18. World Health Organisation. Assessing financing, education, management and policy context for strategic planning of human resources for health. 2007
- 19. World Health Organisation. Human resources. 2009
- 20. World Health Organisation. Measuring health workforce inequalities: methods and application to China and India. 2010
- 21. World Health Organisation. Monitoring the building blocks of health systems: A handbook of indicators and publications. 2010
- 22. Tools and Guidelines Committee GHWA. Human Resources for Health Action Framework. Cambridge, MA, USA: 2009.
- 23. Organization for Economic Cooperation and Development (OECD). 2012 [cited 2012 Dec 13]. Available from: <u>http://www.oecd.org/health/heathpoliciesanddata</u>.
- 24. Simoens S, Hurst J. The Supply of Physician Services in OECD Countries. 2006

- 25. OECD. OECD Reviews of Health Systems. OECD Publishing2012.
- 26. OECD. Health Workforce Demographics: An overview. The Looming Crisis in the Health Workforce: How Can OECD Countries Respond: OECD Publishing; 2008.
- 27. Buchan J, Calman L. Skill-mix and policy change in the health workforce: Nurses in advanced roles. 2005
- Simoens S, Villeneuve M, Hurst J. Tackling nurse shortages in OECD countries. 2005. p. 1-58.
- 29. Fujisawa R, Colombo F. The Long-Term Care Workforce: Overview and Strategies to Adapt Supply to a Growing Demand. OECD, 2009
- 30. Health Workforce Australia. http://www.hwa.gov.au/ 2012.
- 31. Health Canada. [cited 2012 Nov 28]. Available from: www.hc-sc.gc.ca.
- 32. Ministry of Health Labour and Welfare HR Development. [cited 2012 Nov 28]. Available from: http://www.mhlw.go.jp/english/policy/employ-labour/human-resources/index.html.
- 33. Netherlands Institute for Health Services Research. [cited 2012 Nov 28]. Available from: http://nivel.nl.
- 34. Health Workforce Advisory Committee. [cited 2012 Nov 28]. Available from: http://www.healthworkforce.govt.nz/about-health-workforce-nz/publications-and-reports.
- 35. Planning NSNW. http://www.workforceplanning.scot.nhs.uk/workforce-planning-resources.aspx [cited 2012 Nov 28].
- 36. Ministry of Health Singapore. Healthcare 2020: Improving accessibility, quality and affordability. Health Scope. 2012 July-August.
- 37. Department of Health Centre for Workforce Intelligence (CWI). [cited 2012 Nov 28]. Available from: <u>http://www.cfwi.org.uk</u>.
- 38. US Department of Health and Human Services. 2012 [cited 2012 Nov 28]. Available from: http://www.hrsa.gov/index.html.
- 39. American Society for Human Healthcare Resources Administration. http://www.ashhra.org [cited 2012 Nov 28].
- 40. Health Workforce Australia. Health Workforce 2025: Doctors, Nurses and Midwives Volume 2. Health Workforce Australia, 2012
- 41. Health Workforce Australia. Health Workforce 2025: Medical Specialties Volume 3. Health Workforce Australia, 2012
- 42. Health Canada. Health Human Resource Strategy Canada 2011. Available from: http://www.hc-sc.gc.ca/hcs-sss/hhr-rhs/strateg/index-eng.php.
- 43. McIntosh T. Provincial health human resource plans. Canada: 2006
- 44. Cameron Health Strategies Group Limited. An Inventory of Health Human resource Forecasting Models In Canada. Canada: 2009
- 45. Ministry of Health Labour and Welfare. Annual health, labour and welfare report 2009-2010 Japan 2010. Available from: http://www.mhlw.go.jp/english/wp/wp-hw4/02.html.
- 46. Ministry of Health Labour and Welfare. Annual health, labour and welfare report 2010-2011, medical professionals. Available from: http://www.mhlw.go.jp/english/wp/wp-hw5/dl/23010209e.pdf.
- 47. Netherlands Institute for Health Services Research. Mission and activities 2012. Available from: http://www.nivel.nl/en/mission-and-activities.
- 48. Netherlands Institute for Health Services Research. Manpower planning 2012. Available from: http://www.nivel.nl/en/manpower-planning.
- 49. Greuningen MV, Batenburg R, Velden LVD. Ten years of health workforce planning in the Netherlands: a tentative evaluation of GP planning as an example. Human Resources for Health. 2012;10(21):1-15.

- 50. Health Workforce New Zealand. Workforce Service Forecasts New Zealand 2012. Available from: http://www.healthworkforce.govt.nz/our-work/workforce-service-forecasts.
- Health Workforce New Zealand. Health workfroce projections modelling 2010: Primary health care nursing workforce. New Zealand: Health Workforce New Zealand, 2010
- 52. National Health Service Scotland. Workforce: NHS Scotland; 2012. Available from: http://www.isdscotland.org/workforce/.
- 53. NHS Scotland. Scottish Health Workforce Plan 2004 Baseline. Scotland: National Health Service Scotland, 2004
- 54. Wright M. An update on the analysis and modelling of dental workforce in Scotland. Scotland: 2006
- 55. Wright M, Crichton I. An analysis of dental workforce in Scotland. 2008.
- 56. Ministry of Health Singapore. About Us, Singapore 2012. Available from: http://www.moh.gov.sg/content/moh web/home/about-us.html.
- 57. Ministry of Health Singapore. Committee of Supply Speech Healthcare 2020: Improving Accessibility, Quality and Affordability for Tomorrow's Challenges Singapore 2012. Available from: http://www.moh.gov.sg/content/moh_web/home/pressRoom/speeches_d/2012/moh_20 12_committeeofsupplyspeechhealthcare2020improvingaccessibi.html.
- 58. Ministry of Health Singapore. Health Manpower. Available from: http://www.moh.gov.sg/content/moh_web/home/statistics/Health_Facts_Singapore/Hea lth_Manpower.html.
- 59. Centre for Workforce Intelligence. Horizon scanning report: Medical Informing medical and dental student intakes. Centre for Workforce Intelligence, 2012
- 60. Centre for Workforce Intelligence. Horizon scanning report: Dental Informing medical and dental student intakes. Centre for Workforce Intelligence, 2012
- 61. Centre for Workforce Intelligence. A Technical Report(Part 2) for a strategic review of the future healthcare workforce: informing medical and dental student intakes. Centre for Workforce Intelligence, 2012
- 62. Health Resources and Services Administration. Health Professions 2012. Available from: http://bhpr.hrsa.gov/about/index.html.
- 63. Human Resources and Services Administration. The physician workforce: Projections and research into current issues affecting supply and demand. US Department of Health and Human Services, Health Resources and Services Administration, Bureau of Health Professions, 2008
- 64. Health Resources and Services Administration. National center for health workforce analysis: health workforce reports 2012. Available from: http://bhpr.hrsa.gov/healthworkforce/allreports.html.
- 65. Health Resources and Services Administration. Projected supply, demand, and shortages of registered nurses: 2000-2020. U.S.A: 2002
- 66. Lee PP, Jackson CA, Relles DA. Demand-based assessment of workforce requirements for orthopaedic services. The Journal of Bone and Joint Surgery. 1998;80-A(3):313-26.
- 67. Joyce CM, McNeil JJ, Stoelwinder JU. More doctors, but not enough: Australian medical workforce supply 2001-2012. Med J Aust. 2006;184(9):441-6.
- 68. Chang H-C, Liou Y-M, Yen AM-F, Chen TH-H. Projection of the supply of and demand for board-certified nephrologists for ESRD in Taiwan. J Eval Clin Pract. 2008 Apr;14(2):305-15.
- 69. Barber P, Lopez-Valcarcel BG. Forecasting the need for medical specialists in Spain: Application of a system dynamics model. Human resources for health. 2010;8(24):1-9.

- 70. Health Resources and Services Administration. The physician workforce: Projections and research into current issues affecting supply and demand. Services USDoHaH; 2008.
- 71. Fehring TK, Odum SM, Troyer JL, Ioria R, Kurtz SM, Lau EC. Joint replacement access in 2016: A supply side crisis. The Journal of Arthroplasty. 2010 Dec;25(8):1175-81.
- 72. Koike S, Matsumoto S, Kodama T, Ide H, Yasunaga H, Imamura T. Estimation of physician supply by specialty and the distribution impact of increasing female physicians in Japan. BMC Health Serv Res. 2009;9:180.
- 73. Satiani B, Williams TE, Go MR. Predicted shortage of vascular surgeons in the United States: population and workload analysis. J Vasc Surg. 2009 Oct;50(4):946-52.
- 74. Craig D, Byrick R, Carli F. A physician workforce planning model applied to Canadian anesthesiology: Planning the future supply of anesthesiologists. Can J Anaesth. 2002;49(7):671-7.
- 75. Hilton CW, Plauche WC, Rigby PG. Projecting physician supply at a state level: Physicians in Louisiana in 2001 and 2006. South Med J. 1998;91(10):914-8.
- 76. Miller RH. Otolaryngology manpower in the year 2010. Laryngoscope. 1993;103:750-3.
- 77. Department of Health Education and Welfare U.S. Physicians for a growning America: Report of the surgeon general's consultant group on medical education: Public Health Service; 1959
- 78. Saman DM, Arevalo O, Johnson AO. The dental workforce in Kentucky: Current status and future needs. J Public Health Dent. 2010;70(3):188-96.
- 79. Solomon ES. Dental workforce. Dent Clin North Am. 2009;53(3):435-49.
- 80. Guthrie D, Valachovic RW, Brown LJ. The impact of new dental schools on the dental workforce through 2022. J Dent Educ. 2009;73(12):1353-60.
- 81. Chrisopoulos S, Teusner D. Dentist labour force projections 2005 to 2020: the impact of new regional dental schools. Aust Dent J. 2008 Sep;53(3):292-6.
- 82. Grytten J, Lund E. Future demand for dental care in Norway: A macro-economic perspective. Community Dent Oral Epidemiol. 1999;27:321-30.
- 83. Spencer AJ, Szuster FSP, Brennan DS, Goss AN. A consensus approach to projections of the supply of oral and maxillofacial surgeons in Australia. Int J Oral Maxillofac Surg. 1993;22:314-7.
- Nash KD, Brown LJ, Hicks ML. Private practicing endodontists: Production of endodontic services and implications for workforce policy. J Endod. 2002;28(10):699-705.
- 85. Morgan MV, Wright FAC, Lawrence AJ, Laslett AM. Workforce predictions: a situational analysis and critique of the World Health Organistaion model. Int Dent J. 1994;44(1):27-32.
- 86. Australian Research Centre for Population Oral Health. Supply and demand for oral and maxillofacial surgeons and services in Australia. Aust Dent J. 2010;55(3):346-50.
- Gallagher JE, Kleinman ER, Harper PR. Modelling workforce skill-mix: How can dental professionals meet the needs and demands of older people in England? Br Dent J. 2010;208(E6):1-9.
- 88. Brown J, Grimes L, Davis DA. ODA council on dental care special report Oklahoma dentists' workforce. 2007.
- 89. Beazoglou T, Bailit H, Heffley D. The dental work force in Wisconsin: Ten year projections. J Am Dent Assoc. 2002;133:1097-104.
- 90. Try G. Too few dentists? Workforce planning 1996-2036. Economics and Primary Dental Care. 2000;7(1):9-13.

- 91. Waldman HB. Planning for the manpower needs for the next generation of periodontal patients. J Periodontol. 1995;66:599-604.
- 92. Workforce review team NHS. Workforce summary nursing. 2008.
- 93. Buerhaus PI, Staiger DO, Auerbach DI. Implications of an aging registered nurse workforce. JAMA. 2000;283(22):2948-54.
- 94. Auerbach DI, Pearson ML, Taylor D, Battistelli M, Sussell J, Hunter LE, et al. Nurse practitioners and sexual and reporductive health services: an analysis of supply and demand. Rand Corporation, 2012.
- 95. HealthWorkforce Australia. Health workforce 2025: Doctors, nurses and midwives 2012.
- 96. Wisconsin Health Workforce. Wisconsin registered nurse supply and demand forecasting model: technical report. 2011.
- 97. Juraschek SP, Zhang X, Ranganathan V, Lin VW. United States registered nurse workforce report card and shortage forecast. Am J Med Qual. 2011;27(3):241-9.
- 98. Malyon R, Zhao Y, Guthridge S. Health workforce modelling, Northern Territory, technical report for the nursing workforce model. In: families Doha, editor. Northern Territory Government Australia2010.
- 99. Murray J. Forecasting supply, demand, and shortage of nurses in Tennesse. Tennessee Center for Nursing, Nursing TCf; 2009.
- 100. Al-Jarallah KF, Hakeem SK, Al-Khanfar FK. The nursing workforce in Kuwait to the year 2020. Int Nurs Rev. 2009:65-72.
- 101. Ghosh B, Cruz G. Nurse requirement planning: A computer-based model. J Nurs Manag. 2005;13:363-71.
- 102. Spetz J. Forecasts of the registered nurse workforce in California. University of California, San Francisco, 2009.
- 103. Tomblin-Murphy G, MacKenzie A, Alder R, Birch S, Kephart G, O'Brien-Pallas L. An applied simulation model for estimating the supply of and requirements for registered nurses based on population health needs. Policy Polit Nurs Pract. 2009 Nov;10(4):240-51.
- 104. Health Workforce Information Programme. Health workforce projections modelling 2010: perioperative nursing workforce. 2009.
- 105. Moulton P, Lang T. North Dakota nursing supply and demand projections. University of North Dakota, 2008.
- 106. LeVasseur SA. Projected registered nurse workforce in Hawaii 2005-2020. 2007.
- 107. Health Resources and Services Administration. Methods for Identifying Facilities and Communities with Shortages of Nurses. US Department of Health and Human Services 2007:1-20.
- 108. Rosenbaum DI, Ramirez JP. The supply and demand for registered nurses and licensed practical nurses in Nebraska. 2006.
- 109. Moulton PL. North Dakota nursing needs study: Direct care supply and demand projections. University of North Dakota, 2003.
- 110. Canadian Nurses Association. Planning for the future: Nursing human resource projections. 2002.
- 111. Srisuphan W, Senaratana W, Kunaviktikul W, Tonmukayakul O, Charoenyuth C, Sirikanokwilai N. Supply and requirement projection of professional nurses in Thailand over the next two decades (1995-2015 A.D). 1997:1-12
- 112. Johnson WG, Wilson B, Edge M, Qiu Y, Oliver EL, Russell K. The Arizona health care workforce: nurses, pharmacists, & physician assistants. Arizona state University, 2009.

- 113. Knapp KK, Cultice JM. New pharmacist supply projections: Lower separation rates and increased graduates boost supply estimates. J Am Pharm Assoc (2003). 2007 Jul-Aug;47(4):463-70.
- 114. Bond CA, Raehl CL, Patry R. The feasibility of implementing an evidence-based core set of clinical pharmacy services in 2020: manpower, marketplace factors, and pharmacy leadership. Pharmacotherapy. 2004;24(4):441-52.
- 115. Bond CA, Raehl CL, Patry R. Evidence-based core clinical pharmacy services in United States hospitals in 2020: Services and staffing. Pharmacotherapy. 2004;24(4):427-40.
- 116. Cooksey JA, Knapp KK, Walton SM, Cultice JM. Challenges To The Pharmacist Profession From Escalating Pharmaceutical Demand. Health Affairs. 2002;21(5):182-8.
- 117. Johnson TJ. Pharmacist work force in 2020: implications of requiring residency training for practice. Am J Health Syst Pharm. 2008 Jan 15;65(2):166-70.
- Meissner B, Harrison D, Carter J, Borrego M. Predicting the impact of Medicare Part D implementation on the pharmacy workforce. Res Social Adm Pharm. 2006 Sep;2(3):315-28.
- Knapp KK, Shah BM, Bamett MJ. The pharmacist aggregate demand index to explain changing pharmacist demand over a ten-year period. Am J Pharm Educ. 2010;74(10):1-8.
- 120. Koduri S, Shah G, Baranowski BA. Utah's pharmacist workforce. Utah: 2009.
- 121. Health Resources and Services Administration. The adequacy of pharmacist supply: 2004 to 2030. In: services Dohah, editor. U.S.A2008. p. 1-61.
- 122. Department of Health and Ageing. Pharmacy workforce planning study Australia. Australian Government, Ageing DoHa; 2008.
- 123. Fraher EP, Smith LM, Dyson S, Ricketts TC. The pharmacist workforce in North Carolina. University of North Caroline at Chapel Hill, 2002.
- 124. Knapp KK, Quist RM, Walton SM, Miller LM. Update on the pharmacist shortage: National and state data through 2003. Am J Health Syst Pharm. 2005;62:492-9.
- 125. Knapp DA. Professionally determinded need for pharmacy services in 2020. Am J Pharm Educ. 2002;66:1-9.
- 126. Health Resources and Services Administration. The Pharmacist workforce: a study of the supply and demand for pharmacists. In: services Dohah, editor. U.S.A2000. p. 1-100.
- 127. Whedon JM, Song Y, Davis MA, Lurie JD. Use of chiropractic spinal manipulation in older adults is strongly correlated with supply. Spine (Phila Pa 1976). 2012 Sep 15;37(20):1771-7.
- 128. The future of chiropractic revisted: 2005 to 2015. Institute for Alternative Futures. 2005.
- 129. Davis MA, Mackenzie TA, Coulter ID, Whedon JM, Weeks WB. The United States Chiropractic Workforce: An alternative or complement to primary care? Chiropractic & manual therapies. 2012 Nov 21;20(1):35.
- 130. Davis MA, Davis AM, Luan J, Weeks WB. The supply and demand of chiropractors in the United States from 1996 to 2005. Altern Ther Health Med. 2009.
- 131. Medical laboratory technologists in Canada. Canadian Institute for Health Information. 2010.
- 132. Laboratory medicine: A national status report. The Lewin Group. 2008.
- 133. Mirkopoulos C, Quinn B. Occupational therapy manpower: Ontario's critical shortage. Can Assoc Occu Therap. 1989;56(2):73-9.
- 134. Salvatori P, Williams R, Polatajko H, MacKinnon J. The manpower shortage in occupational therapy: implications for Ontario. Can J Occup Ther. 1992;59(1):40-51.

- 135. WRHA. Occupational Therapy Workforce Analysis. Winnipeg: Winnipeg Regional Health Authority, 2002 November 2002. Report No.
- 136. Morris LV. Occupational Therapy: A study of supply and demand in Georgia. The American Journal of Occupational Therapy. 1989;43(4):234-9.
- Tuulonen A, Salminen H, Linna M, Perkola M. The need and total cost of Finnish eyecare services: A simulation model for 2005-2040. Acta Ophthalmol (Copenh). 2009 Nov;87(8):820-9.
- 138. Kiely PM, Healy E, Horton P, Chakman J. Optometric supply and demand in Australia: 2001-2031. Clin Exp Optom. 2008 Jul;91(4):341-52.
- 139. Australian Institue of Health and Welfare. Optometrist labour force 1999. Australian Institue of Health and Welfare, 2000.
- 140. Bellan L, Luske L. Ophthalmology human resource projections: are we heading for a crisis in the next 15 years? Can J Ophthalmol. 2007;42:34-8.
- 141. Pick ZS, Stewart J, Elder MJ. The New Zealand ophthalmology workforce 2008. Clin Experiment Ophthalmol. 2008 Nov;36(8):762-6.
- 142. Zimbelman JL, Juraschek SP, Zhang X, Lin VWH. Physical Therapy Workforce in the United States: Forecasting Nationwide Shortages. PM&R. 2010;2(11):1021-9.
- 143. APTA. A model to project the supply and demand of physical therapist 2010-2020. Alexandria: American Physical Therapy Association, 2012 May 3,2012. Report No.
- 144. Breegle GG, King E. Physical therapy manpower planning. Projection models and scenarios of 1985. Phys Ther. 1982;62(9):1297-306.
- 145. Winnipeg Regional Health Authority. Physiotherapy Workforce Analysis. Winnipeg: Winnipeg Regional Health Authority, 2002.
- 146. Wing P, Langelier MH. Workforce shortages in breast imaging: Impact on mammography utilization. Am J Roentgenol Radium Ther. 2009 Feb;192(2):370-8.
- 147. Workforce risks and opportunities 2012 diagnostic radiographers. Centre for Workforce Intelligence. 2012.
- 148. Medical manpower planning committee Hong Kong academy of medicine. Minutes of the 10th Meeting of Committee. 2011 18.10.2011.
- 149. Business Professionals Federation Hong Kong. Health care manpower planning. 2010
- 150. Dunn A, Ng Annora, Liem Kevin, et al. How to create a world-class medical system 2012. HKGolden50
- 151. Review on the regulation of pharmaceutical products in Hong Kong. Legislative Council Panel on Health Services. 2010.
- 152. Leung GM, Tin KYK, Chan W-S. Hong Kong's health spending projections through 2033. Health Policy. 2007 Apr;81(1):93-101.
- 153. Bartholomew DJ, Forbes AF, McClean SI. Statistical techniques for manpower planning: John Wiley & Sons.; 1991.
- 154. Huber M. Health Expenditure Trends in OECD Countries, 1970-1997. Health Care Financ Rev. 1999;21:99-117.
- 155. Medical Council of Hong Kong. Annual Reports: Medical Council of Hong Kong; 2012. Available from: <u>http://www.mchk.org.hk/annualreports.htm</u>.
- 156. The Medical Council of Hong Kong [cited 2012]. Available from: <u>http://www.mchk.org.hk/</u>.
- 157. Department of Health HK. Health manpower survey on doctors. Hong Kong: 2004
- 158. Department of Health HK. Health manpower survey on doctors. Hong Kong: 2005
- 159. Department of Health HK. Health manpower survey on doctors. Hong Kong: 2006
- 160. Department of Health HK. Health manpower survey on doctors. Hong Kong: 2007
- 161. Department of Health HK. Health manpower survey on doctors. Hong Kong: 2009

- 162. Statistics and Workforce Planning Department. Hospital Authority Statistical Report (2011-2012) Hospital Authority, 2012:1-200.
- 163. Bane F. Physicians for a growing America: Report of the surgeon general's consultant groups on medical education. US Department of Health, Education and Welfare 1959:1-95
- 164. Fraher EP, Knapton A, Sheldon GF, Meyer A, Richetts TC. Projecting surgeon supply using a dynamic model. Ann Surg 2013:257(5):867-872
- 165. Greenberg L, Cultice J. Forecasting the need for physicians in the United States: The health resources and services administration's physician requirements model. Health Serv Res. 1997;31(6):723-37.
- 166. Harrison C, Britt H. General practice: workforce gaps now and in 2020. Aust Fam Physician. 2011;40(1/2):12-5.
- 167. Tsai T-C, Eliasziw M, Chen D-F. Predicting the demand of physician workforce: An international model based on "crowd behaviors". BioMed Central Health Services Research. 2012;12:79.
- Al-Jarallah K, Moussa M, Al-Khanfar KF. The physician workforce in Kuwait to the year 2020. The International Journal of health Planning and Management. 2010 Jan-Mar;25(1):49-62.
- 169. Birch S, Kephart G, Tomblin-Murphy G, O'Brien-Pallas L, Alder R, MacKenzie A. Human resources planning an the production of health: A needs-based analytical framework. Canadian Public Policy. 2007;33:1-16.
- 170. Blinman PL, Grimison P, Barton MB, Crossing S, Walpole ET, Wong N, et al. The shortage of medical oncologists: The Australian medical oncologist workforce study. The Medical Journal of Australia. 2011;196(1):58-61.
- 171. Cooper R. Perspectives on the Physician Workforce to the Year 2020. Journal of the American Medical Association. 1995;274(19):1534-43.
- 172. Deal CL, Hooker R, Harrington T, Birnbaum N, Hogan P, Bouchery E, et al. The United States rheumatology workforce: supply and demand, 2005-2025. Arthritis Rheum. 2007 Mar;56(3):722-9.
- 173. Douglass A, Hinz CJ. Projections of physician supply in internal medicine: a singlestate analysis as a basis for planning. Am J Med. 1995;98(4):399-405.
- 174. Van Greuningen M, Batenburg RS, Van der Velden LFJ. Ten years of health workforce planning in the Netherlands: a tentative evaluation of GP planning as an example. Hum Resour Heal 2012;10:21
- 175. Health Workforce Australia. Health Workforce 2025: Doctors, Nurses and Midwives Volume 1. Health Workforce Australia, 2012
- 176. Lee P, Jackson C, Relles D. Demand-Based assessment of workforce requirements for orthopaedic services. The Journal of Bone and Joint Surgery. 1998;80(A):313-26.
- 177. McNutt R. GMENAC: Its manpower forecasting framework. Am J Public Health. 1981;71:1116-24.
- 178. Scarborough JE, Pietrobon R, Bennett KM, Clary BM, Kuo PC, Tyler DS, et al. Workforce projections for hepato-pancreato-biliary surgery. J Am Coll Surg. 2008 Apr;206(4):678-84.
- 179. Scheffler RM, Mahoney CB, Fulton BD, Dal Poz MR, Preker AS. Estimates of health care professional shortages in sub-Saharan Africa by 2015. Health Aff (Millwood). 2009 Sep-Oct;28(5):w849-62.
- 180. Scheffler RM, Liu JX, Kinfu Y, Poz MRD. Forecasting the global shortage of physicians: An economic- and needs-based approach. Bull WHO. 2008;86(7):516-23.
- 181. Shipman S, Lurie J, Goodman D. The general pediatrician: Projecting future workforce supply and requirements. Pediatrics. 2004;113:435-42.

- 182. Smith BD, Haffty BG, Wilson LD, Smith GL, Patel AN, Buchholz TA. The future of radiation oncology in the United States from 2010 to 2020: Will supply keep pace with demand? J Clin Oncol. 2010 Dec 10;28(35):5160-5.
- 183. Starkiene L, Smigelskas K, Padaiga Z, Reamy J. The future prospects of Lithuanian family physicians: A 10-year forecasting study. BioMed Central Family Practice. 2005 Oct 4;6:41.
- 184. Teljeur C, Thomas S, O'Kelly FD, O'Dowd T. General practitioner workforce planning: assessment of four policy directions. BioMed Central Health Services Research. 2010;10:148.
- 185. Weissman C, Eidelman L, Pizov R, Matot I, Klien N, Cohn R. The Israeli anesthesiology physician workforce. The Israel Medical Association Journal 2006;8:255-9.
- 186. Yang J. Jayanti MK, Taylor A, Williams TE, Tiwari P. The impending shortage and cost of training the future place surgical workforce. Ann Plast Surg 2013; (Epub ahead of print).
- 187. Health Workforce Information Programme (HWIP). Health workforce projections modelling 2010: perioperative nursing workforce. 2009.
- Juraschek SP, Zhang X, Ranganathan VK, Lin VW. United States registered nurse workforce report card and shortage forecast. Am J Med Qual. 2011 May-Jun;27(3):241-9.
- 189. Knapp K, Livesey J. The aggregate demand index: measuring the balance between pharmacist supply and demand, 1999-2001. Journal of American Pharmacists Association. 2002;42(3):391-8.
- 190. Reiner B, Siegel E, Carrino JA, McElveny C. SCAR Radiologic Technologist Survey: Analysis of technologist workforce and staffing. J Digit Imaging. 2002
- 191. Bingham D, Thompson J, McArdle N, McMillan M, Cathcart J, Hodges G, et al. Comprehensive review of the radiography workforce. Department of Health NI; 2002.
- 192. Patterson DG, Skillman SM, Hart LG. Washington State's radiographer workforce through 2020: Influential factors and available data. 2004.
- 193. Victorian medical radiations: Workfroce supply and demand projections 2010-2030. Victorian Department of Health. 2010.
- 194. Bellan L, Buske L. Ophthalomology human resource projections: are we heading for a crisis in the next 15 years? Ophthalomology Human Resources. 2007;42:34-8.
- 195. Australian Institute of Health and Welfare. Optometrist labour force 1999. Canberra: Australian Institute of Health and Welfare, 2000.
- 196. Kiely PM, Horton P, Chakman J. The Australian optometric workforce 2009. Clinical & Experimental Optometry. 2010 Sep;93(5):330-40.
- 197. Lee PP, Relles DA, Jackson CA. Subspecialty distributions of ophthalmologists in the workforce. Arch Ophthalmol. 1998;116:917-20.
- 198. The clinical laboratory workforce: The changing picture of supply, demand, education and practice. Health Resources and Services Administration. 2005.
- 199. American Physical Therapy Association. A model to project the supply and demand of physical therapists 2010-2020. US: American Physical Therapy Association, 2012.
- 200. Winnipeg Regional Health Authority. Occupational Therapy Workforce Analysis. 2002.

	Australia	Canada	Netherland
Context	 shorter working hours for all healthcare professionals ageing population increasing demand for services workforce distribution 	 utilisation-based planning failed to inform long-term workforce planning planning has been done in isolation which resulted in unintended impacts, mismatch between need, supply and demand; costly duplication, and inability to respond effectively to international issues/pressure 	 shortage of medical specialist and nursing personal steady growth in the healthcare workforce increased feminization of the workforce and contracted GPs impact of migration on health manpower planning
Objectives/ Strategic Directions	 ensure and sustain supply optimise workforce and healthcare access improve the healthcare work environment enhance and coordinate health, education, vocational training and regulatory sectors optimise use of workforce skills and ensure the best health outcomes improve policy and planning to support the provision of staff improve collaborative effort between all stakeholders 	 increase the number of qualified healthcare trainees focus on productivity and effective use of skills improve access to healthcare services, address inappropriate variation of health human resources create healthy, safe, supportive and learning workplace maintain an skilled, experienced and dedicated workforce more effective manpower planning and forecasting 	 increase professional training increase recruitment both to encourage staff to return to healthcare workforce and to recruit from overseas retain staff by increasing support for staff and flexible working arrangements change skill-mix
Framework	 align education and training supply with workforce requirements improve workforce re-entry and ethical overseas recruitment support work culture and develop flexible working environments promote skills and competence initiatives establish shared health workforce planning, research, information sharing, improve data collection establish monitoring, evaluation and reporting processes promote discussion and awareness amongst the stakeholders and community 	 assess population health needs, demand for services including Aboriginal health needs develop, implement and evaluate population need-based innovative service delivery and health human resource models enhance collaboration and provide evidence for HHR planning information align education curricula with health system needs and health policy provide opportunities for to life-long learning develop a locally, culturally and linguistically diverse workforce; accelerate and expand the assessment and integration of internationally educated health professionals; enhance healthcare career attractiveness address health and safety issues, reduce work-related illnesses, injuries, and absenteeism 	 increase collaboration between local and international institution in medical training programmes increase training capacity, staff retention and recruitment recruit healthcare professionals from within and outside EU develop flexible and family-friendly working patterns adjust the workloads for the older staff, and retirement age provide learning and development opportunities improve skill mix use and transfer of function between different professional groups develop new roles and extend the range of work
Duration	since 2004 (reviewed in 2011)	since 2005	Since 2000s

Appendix A(i): Summary of manpower planning and forecasting models (Australia, Canada, Netherlands)

	Australia	Canada	Netherland
Method for supply/ demand	 Supply and need-based model Demand utilisation of health services Supply number of hours worked per year by the number of male and female health professionals in each age group proportion of leavers and entries (graduates and migrants) into the health professional field 	 Collaborative system design and population health need-based approach to planning Supply: actual number, type and geographical distribution of regulated and unregulated providers; productivity and scope of practice/service provided labour market indicators: participation rate, provider-to-population ratios, demographic and educational characteristics of providers, employment status and sectors death, retirement, emigration, replacement, general economic trends, work incentives, life-style choices. Demand: population health needs for both curative and preventive health services 	 The Dutch Simulation and Forecasting Model (supply-based) confronted with 4 scenarios: Scenario 0: unfulfilled demand for care + demographical developments Scenario 1: Scenario 0 + non- demographical developments Scenario 2: Scenario 1 + developments in working hour Scenario 3: Scenario 2 + vertical substitution The Dutch Policy and Planning Model a multi-stakeholder and multi- process consensus model based on simulation model that generates GP training inflow advice yearly, allocation of funding and resources, and unplanned external factors to project GP workforce in coming years
Assumptions	 Demand time required for treating different conditions is binary linear growth in demand. demand model ignores labour substitution Supply no change in technology workforce entrance and exits, hours worked are disaggregated by age and sex groups. General no interactions between the supply and demand models no supplier-induced demand 	 current supply of providers meet the current demand observed trends are used to project future population size and demographic profile future age and sex-specific resources remain constant 	 historical trend continues other projection of population growth, political and technical changes is on the right direction

	Australia	Canada	Netherland
Formulae	Demand D _t = $\beta_{st}activitysimple_t + \beta_{ct}activitycomplex_t$ D _t : Demand at a specific time <i>activitysimple</i> : simple utilisation <i>activitycomplex</i> : complex utilisation Each activity has a coefficient β_{st} and β_{ct} with $\beta_{st} < \beta_{ct}$ relating activity into demand for full-time equivalent health professional hours at time <i>t</i> , <i>D_t</i> . Supply S _t = $\Sigma_g[\beta_{g,male}male_{tg} + \beta_{g,female}female_{tg}]male_{tg} = (1-\beta^{loss}_{g,male})$ male _{t-1g} + malegrads _{tg} + malemigrants _{tg} female _{tg} = (1- $\beta^{loss}_{g,female})$ female _{t-1g} + femalegrads _{tg} + femalemigrants _{tg} S _t : supply of labour hours in year <i>tg</i> : age groups $\beta_{g,male}$ and $\beta_{g,female}$: coefficients that represent the number of hours worked $\beta^{loss}_{g,male}$ and $\beta^{loss}_{g,female}$: proportion of the workforce loss every year malegrads _{tg} and femalegrads _{tg} : number of graduates malemigrants _{tg} and femalemigrants _{tg} : number of migrants	Modelling utilisation and predicted used based on needs $y_{i} = \sum_{j=1}^{L} \beta_{j} A_{ij} + \sum_{k=1}^{K} \lambda_{k} X_{ik} + \sum_{j=1}^{L} \sum_{k=1}^{K} \delta_{jk} A_{ij} X_{ik} + \sum_{l=1}^{L} \gamma_{l} Z_{il} + \sum_{m=1}^{M} \varphi_{m} R_{im} + \varepsilon_{i}$ Allocation of resources: $N_{r} = \sum_{I} r w_{i} \hat{\gamma}_{i}^{*} / \sum_{I} r w_{i}$ y _i : utilisation for individual i; A _{ij} : vector of age-sex dummies X _{ik} : vector of additional needs indicators Z _{il} : vector of non-need determinants of utilisation R _{im} : dummy variables for regions $\beta, \lambda, \gamma, \delta, \varphi$ estimated coefficient vectors N _r : per capita resource need for residents of each allocation regionw: the survey sample weight for each individual i w _i : survey sample weight for individual	 Required supply in year T vs. Required supply in year X => development required supply until T+X Available supply in year T + Development available supply until T+X => Available supply in year T+X

	Australia	Canada	Netherland
Key factors used	 numbers in the workforce in a given year (by age and sex) proportion of individuals leaving workforce by sex number of graduates and migrants utilisation of healthcare services 	 actual and perceived population health status, socio-economic status demographics health behaviours social, cultural, political, contextual, geographical, environmental financial factors categories/roles/characteristics of health workers and services, source of supply production (education + training): target vs. actual needs projected management, organization and delivery of health services (indirectly contribute to outcomes), formalization/centralization, environmental complexity, amount and quality of care provided, costs associated with delivery of services and outcomes resource deployment and utilisation health outcomes: e.g. mortality data, hospital discharge, life expectancy, and disease incidence. (depends on community's situation) 	 available supply of GPs (total full-time equivalent) unfulfilled demand for care number of GP in training inflow from abroad outflow (male/female & projection year) return on training labour market return epidemiological developments socio-cultural developments substitution
Limitations/ Challenges	Demand - binary case-mix - linear demand growth - constant returns - no labour substitution Supply - - no changes in technology - disaggregated by age and sex General - - independent supply and demand - no supplier-induced demand	 require extensive data => difficulties in management and maintenance of data collection, delivery system lack of consistent information on health human resource productivity, workload, utilisation demand and efficacy; and information about educational facilities capacity to assess health needs, and forecast demand for health human resources- funding for ongoing data and modelling initiatives compliance vs. flexibility and autonomy of local/regional planner with national strategies updating model is difficult the model is more likely to project unattainable service and staff targets 	 technically complex: many parameters, heuristics, sub-models and data source politically complex: multiple policy discussions and stakeholder involvement intentionally complex: long-term planning, short-term acting, frequent updating
Organisation	National Health Workforce Taskforce Australian Health Ministries' Advisory Council (http://www.ahwo.gov.au/index.asp)	www.hc-sc.gc.ca (Health Canada)	NIVEL (the Netherlands Institute for Health Services Research) http://www.nivel.nl/ Dutch Ministry of Health, Welfare and Sport Dutch Health professional organizations and labour unions

	New Zealand	Scotland	United Kingdom
Context	 increasing burden of chronic diseases lack of collaboration in planning and implementation of health workforce mental health, rehabilitation and aged care are an emerging a problem 	 increase the size of healthcare workforce aging healthcare workforce workforce is predominately female and predominately working fulltime 	 A number of changes in the UK population, service delivery model, and healthcare workforce demographic - a growing, aging population NHS funding and budgets service plans and reconfiguration policy (locus of care from hospital to community, from NHS to non-NHS) legislative and regulatory framework professional education role definition for each of the professions
Objectives/ Strategic directions	 innovative approaches to workforce development enhance communication - sector relationships build a responsible and rational workforce development investment plan (set workforce development priority for mental health, rehabilitation and aged care) support the healthcare workforce boards and policy makers 	 develop and implement multi-disciplinary and multi-agency models of care which are more responsive, accessible and joined up to meet the needs of local communities and ensure efficient utilisation of skills and resources motivate employees to improve their performance, provide opportunities for them to develop and contribute more promote the benefits of preventative action and measures of self-care for patients and public across a range of health issues maximise and wider access to education and training, especially for those at underserved areas 	 engage with health sector employers to ensure the authoritative sector voice on skills and workforce development for the whole sector inform the development and application of workforce policy through research and the provision of robust labour market intelligence implement solutions which deliver a skilled, flexible and modernised workforce capable of improving productivity, performance and reducing health inequalities champion an approach to workforce planning and development that is based on the common currency of national workforce competences.
Framework	 increase number of healthcare professionals train and recruit more health professionals with generic skills, to increase flexibility and respond to the increasing shift towards primary and community-based models of care and integration between institutional and community settings improve workforce activity linkages in health system, collaboration and economies of scales develop regionally aligned approaches to professional training and career planning enable health professionals to take on new tasks, responsibilities, opportunities for further development, and career satisfaction. 	 partnership with professional groups to support delivery and development of services support professional groups to achieve their full personal and professional potential funding arrangement for professional development and continuing education encourage sharing between professional groups, and learning from each others across national, regional sectors provide guideline for better care delivery models, encourage innovative approaches fund professional development courses develop better evidence base to inform policies and strategies to help promote retention of staff 	 develop workforce plans and strategies for investment commission undergraduate training and clinical placements manage post registration and post graduate training invest in continuing professional development train and develop wider healthcare workforce esp. nurse and other ancillary team allocate and monitor investment of education and training funds collaborate at all levels of the system to plan and develop the workforce for quality
Duration	HWAC: since 2000 HWNZ: since 2009	since 2000s	since 2000s

Appendix A(ii): Summary of manpower planning and forecasting models (New Zealand, Scotland, United Kingdom)

	New Zealand	Scotland	United Kingdom
Method for supply/ demand	 Primary Healthcare Nursing projection modelling (demandbased) Supply: projected proportion and distribution of healthcare professionals by age, sex, geographic entrants to and graduates from education and training programme retirement, mortality, career change, disability of healthcare workforce Demand: population growth projections by age, gender and ethnicity population health needs historical, current, and future changes of services provided anticipated development of and changes in-patient care practice impact of current and emerging technologies 	 Demand and supply-based plan Demand: rate of general practitioners - patients contact by sex and age (estimated by changes of characteristics of population) working time targets and standards and real practice working time regulations service utilisation service levels Supply: destination of GP registrants (age profile; gender profile) growth of GPs training 	 No single model/method used, but various in term of regional and local level Example: England: NHS Workforce Review Team: conduct a pilot study to develop demand-side modelling (initially for mental health service) (England) London Strategic Health Authority: used scenariobased workforce modelling (demand-based) 6-step Workforce Planning Model (NHS South West) (supply and demand) Northern Ireland: review of each professional group every three years, plan/strategies were made based on supply and demand Scotland: based on Student Nurse Intake Planning project aligned with NHS and non-NHS employers projection (supply) utilisation of service from Management Information and Dental Accounting System database (demand) Wales: annual approach will be based on national unit linked to local planning process (supply)
Assumptions	 past trends define future trends demand will increase at twice the rate of population growth 	 estimated numbers based on average calculation of past trend and prediction of change of care delivery models, technology significant work has been undertaken to ensure that workforce targets are consistent with the available resources 	- each model applied holds different assumptions
Formulae	<pre>Supply = Headcounts + net inflow (inflow less outflow) (calculated for each workforce areas) Demand = [population growth] * [type of service] * [care delivery models] * [impact of current and future technologies]</pre>	Projected demand (Whole time equivalent) = current demand * yearly growth rate Required supply = estimated adequate ratio of supply to demand * projected demand	Supply=current headcounts + net inflow; Demand = population * dentist-to-population ratio,

	New Zealand	Scotland	United Kingdom
Key factors used	 projection of population growth by age, sex population health needs: based on all types of healthcare services burden of disease technology development models of care projection of healthcare workforce growth according to population growth entries to and exits from healthcare workforce analysis of occupations, specialty education and training sources 	 workforce dynamics (characteristics of workforce development) demographic changes technology development payment scheme utilisation (service-based) shrinkage (leave, mortality, retirement) 	 Depends on model used Example: number of student intake for a professional training retirement, change of professions, expansion financial planning for education and training international recruitment health indicators, demographic and socio-economic status
Limitations/ Challenges	 difficult to collect and monitor data lack of financial support in services at rural areas, and which make coordination between care centres difficult. difficult to evaluate impact of policy changes and health outcomes 	 relies on pre and current data quality of data is an issue lack of collaborative approaches to workforce planning 	 lack of supply-side modelling lack of linkage between supply and demand projections potential deficit in current workforce- planning capacity at regional level most Strategic Health Authorities focused on improving the process, rather than planning capacity Problems in the system: too "top-down" management- service, financial and workforce planning are poorly integrated poor data to project funding arrangement medical workforce planning and development is done largely in isolation lack of long-term strategic commission quality of education, training, recruitment
Organizations	Health Workforce Advisory Committee (HWAC) http://www.healthworkforce.govt.nz/about-health-workforce- nz/publications-and-reports Workforce Services Reviews	NHS Scotland National Workforce Planning	Department of Health Centre for Workforce Intelligence (http://www.cfwi.org.uk/) Skills for Health

	Japan	Singapore	USA
Context	 shortage of physicians mal-distribution of medical practitioners in some areas ageing population ageing workforce mismatch of supply-demand in some areas 	 high density of doctors, but reported shortages in the public sector due to the low pay and long working hours compared with the private sector promote medical tourism import medical workforce, esp. nurses and doctors from Philippine and Indonesia most of doctors in Singapore are foreign-trained 	 shortage in primary care service and staff nursing shortage geographical variation in service inappropriate funding plan increased demand professional training program
Objectives/ Strategic directions	 to project the demand and supply of healthcare professionals 	 increase medical and other healthcare professional training improve working environment and benefits to attract more overseas healthcare workers develop programmes to recruit and retain healthcare workforce (esp. professional Development) 	 strengthen the Nation's Health and Human Services Infrastructure and workforce invest in the HHS workforce to meet American's health and human service needs today and tomorrow ensure that the Nation's healthcare workforce can meet increased demands enhance the ability of the public health workforce to improve public health at home and abroad strengthen the Nation's human service workforce
Framework	 train and recruit more health professionals to respond to the increasing shift towards elderly care and integration between institutional and community settings enable health professionals to take on new tasks, responsibilities, opportunities 	 Healthcare Manpower Development Programme for Intermediate and Long-term Care (since 1980) funding for advanced training skill of local staff (local or overseas institution) funding for visiting experts' lecture, fellowship programme set up websites to attract more foreign healthcare workers 	 fund medical training scholarships and loan repayment programmes focus on human capital development innovative approaches to recruiting, training, develop, retain and support a competent workforce monitor and assess the adequacy of the Nation's health professions workforce work with states to develop systems for the training and ongoing professional development, and opportunities for developing professional skills. improve the cultural competence of the healthcare workforce foster the use of evidence-based practices in human services to professionalize the field establish regular evaluation, supervision of supply and demand of healthcare workforce to inform professional development and future action.
Duration	since 2000	since 2006	since 2006

Appendix A(iii): Summary of manpower planning and forecasting models (Japan, Singapore, USA)

	Japan	Singapore	USA
Method for Supply/ Demand	 Utilisation and supply-based approach current and past trend of utilisation (esp. for aging care) expenses related to healthcare education and training sources population development advancing medical technology changing treatment patterns labour market trends 	 healthcare professionals to population ratio Doctors to population ratio: 1:620 (2008); 1:600 (2009); 1:580 (2010); 1:550 (2011) Nurse to population ratio: 1:200 (2008); 1:190 (2009); 1:170 (2010); 1:160 (2011) supply-based model was used to project healthcare workforce 	 Utilisation and supply-based model Supply: size and characteristics of current workforce (age, gender, work-hours, retirement, distribution, active in-patient care or other activities such as teaching, research) new entrants and choice of medical specialty separation from the physician workforce (retirement, mortality, disability, career change) physicians productivity: hours spent providing patient care, number of patients seen, resource-based relative value scale Demand: population growth medical insurance trends economic factors physician to population ratio technology, policy changes
Assumptions	 population projections, current patterns of employment and supply models used are susceptible to measurement error 	 assumption: current patterns of new local and non-local graduates, rates of demand will remain 	 baseline assumption: current patterns of new graduates, specialty choice, and practice behaviour continue distribution of physicians in-patient-care and other activities remains constant
Formulae	stock and flow methods	 The healthcare workforce (doctors, nurses, pharmacists, dentists and allied health professionals) will need to be increased by more than 50%, by 2020 Factors being considered include ageing and growing population, and increasing number of healthcare infrastructure. On the supply side, local and overseas graduates and role extension of healthcare professionals were considered. 	Physician Supply Model $P_{(y+1)} = P_{(y)} + P_a - P_i + P_n$ $P(y+1)$: physicians supply in the year y+1 $P(y)$: physicians supply in the year yPa: physicians remain active Pi: physicians inactive, retired, dead or disable Pn: new physicians graduated from US medical school or international institutions The model also generates Full-time equivalent (FTE) physicians, which is defined as the average hour annual hours worked in-patient care per physician in baseline year. Physicians Requirement Model - Physicians Requirements = [Population projections by age, sex, and metro/non-metro] x [Insurance distribution by age, sex, and metro/non-metro] x [physicians per population ratio by age, sex, and metro/non-metro, insurance and specialty]

	Japan	Singapore	USA
Key factors used	 population growth rate healthcare workers to population ratio utilisation indicators 	 number of physicians/nurses inflow and outflow of healthcare workforce population growth rate medical education and training registrants 	 Physician Supply Model number of physicians in the preceding years (starting with the base year 2000) number of new US medical students, International medical students attrition due to retirement, death and disability Physician Requirement Model population projections by age, sex and metropolitan/non-metropolitan location projected insurance distribution by insurance type, age, sex, metropolitan/non-metropolitan location detailed physician-to-population ratio
Limitations/ Challenges	 slow adoption of new approaches across healthcare systems loose control over supply and demand factors due to no central authority difficulty in funding allocation 	 past history may not adequately reflect future requirements limited variables include in the analysis overly reliant on ability to recruit non-local professionals 	 numerous variables included in the analysis => difficult to control => uncertainty about adequacy of the analysis no single entity in US in charge of workforce planning- lack a cohesive approach to workforce shortage
Organisation	Ministry of Health, Labour and Welfare Human Resource Development Bureau	Ministry of Health Human Resource Advisory Board	US Department of Health and Human Services (http://www.hrsa.gov/index.html) American Society for Healthcare Human Resources Administration (ASHHRA http://www.ashhra.org)

Appendix B: Manpower planning literature by healthcare professional group

Doctors

Author, year	Design, model type /analysis	Parameters included (population level or individual level)	Outcomes	Assumptions & Limitations
Supply models				
Bane et al., 1959 (163)	Stock and flow approach.	Graduates; Number of physicians; Retirees; Work locations;	Number of physicians per 100000peopleTotal output	• Estimates of future needs were projected through analysing the utilisation of services, growth of new types of services.
Craig et al., 2002 (74)	Trend analysis.	Number of specialist anaesthesiologists by age, as of January 1, 2000; Annual certificate numbers, 1971- 2000; Estimated needs for anesthesia provider, 1999 & 2006.	 Number of required FTEs Number of FTE deficits 	 Assumption that each anaesthesiologist provides 1 FTE to anaesthesiology workforce underestimates requirement.; Does not account for anaesthetic service provided by non-specialist practitioners.
Fraher et al., 2013 (164)	Stock and flow approach.	Graduate medical education pipeline; Length of training by specialty; Re-entry; Attrition (Death, retirement and career breaks); Age; Sex; Hours worked in-patient care by age and sex.	•Headcount of surgeons by age, sex and specialty in the United States from 2009 to 2028 FTE of surgeons by age, sex and specialty in the United States from 2009 to 2028	 Does not cover the complementary of physician assistant and nurses; FTE contributions to patient care were adjusted downward significantly after the age of 65 years; FTE by age and sex, retirement rates, workforce re-entry patterns and attrition from training stay the same in different specialties; Only focus on overall supply.

Author, year	Design, model type /analysis	Parameters included (population level or individual level)	Outcomes	Assumptions & Limitations
Fehring et al., 2010 (71)	Stock and flow approach.	Age; Retirement; Graduates; Number of total knee and total hip arthroplasties performed per month; Historical incidence of arthroplasty.	•Procedural shortfall	 Selection and information bias through the use of estimates that are based on survey data; Assumption of baseline scenario and conservative scenario for retirement; Assumption of baseline scenario and conservative scenario for incidence; The number of residents entering the workforce will be stable; All the surgeons will perform joint arthroplasty at the same rate, no matter their experience.
Hilton et al., 1998 (75)	Stock and flow approach.	Number of current supply of physicians; Number of new trainees; Number of licensees expected; Retirement; Population; Number of office-based physicians; Hospital-based physicians; Specialties vs. primary care physicians; Other activities.	 Total number of office-based physicians per 100,000 population in 2001 & 2006 The number of primary care physicians per 100,000 population in 2001 & 2006 The number of specialist per 100,000 population in 2001 & 2006 	 Limited effect of growth in demand on current number of physicians to 1%/year. Limited retirement and other losses to 3%/year; Assume 70% retention rate of trainees; 1.2% of population increase annually.
Joyce et al., 2006 (67)	Stock and flow approach.	Current supply in baseline; New graduates; Immigrants; Re-entrants; Death; Retirements; Attrition exits; Movement between occupations; Number of hours worked per week by age (5-year bands) and sex.	•FTE clinicians (per 100,000) •FTE GP (per 100,000) •FTE Specialist workforce (per 100,000)	• Estimate of parameters used in the model might not be accurate – question of data quality.

Author, year	Design, model type /analysis	Parameters included (population level or individual level)	Outcomes	Assumptions & Limitations
Koike et al., 2009 (72)	Trend analysis using multistate life table.	Specialty; Impact of further increase of female physicians Age groups; Place of work.	•Headcount of estimated numbers of physicians by specialty	The characteristics and status of physicians will continue in the future;Does not project the FTE number.
Miller, 1993 (76)	Stock and flow approach.	Age distribution; Number of otolaryngologists; Number of otolaryngologists entering practice; Death rates; Retirements; Current production of residents.	•Headcount of otolaryngologists	• Older-than-65 group was excluded from further analysis.
Satiani et al., 2009 (73)	Stock and flow approach, using population and workload analysis.	Current number of certified Vascular surgeons; Number of newly certified per year; Retired numbers per year; Operations needed per 100000 people; Average number of procedures performed per VSN	 Population analysis: Shortage of surgeons in percentage Workload analysis: Shortage of surgeons in percentage 	• Surgeon to population ratio maintained for the 40-year period, number of operations performed annually remain the same, number of years in training remain unchanged.
Demand models				
Craig et al., 2002 (74)	Needs-based model.	Per capita utilisation by age and sex; Population projection by age and sex; Time spent on providing clinical anaesthesia services;	•FTE of physicians	 Lack of direct data on non-clinical anaesthesiologists; Assume that one full-time, full-year anaesthesiologist equals to 175,000 units of demand; Assume that the supply meets the demand in the base year.

Author, year	Design, model type /analysis	Parameters included (population level or individual level)	Outcomes	Assumptions & Limitations		
Etzioni et al., 2003 (11)	Demand/utilisation based model.	Population by age; Age-specific rates of surgical procedures; Relative value units (RVUs).	•Forecasted percept increases in Work RVUs by specialty	 Estimate workload/productivity; Assume that the surgical demand by age and sex will be stable. 		
Greenberg et al, 1997 (165)	Demand/utilisation- based model.	Current utilisation rates for ambulatory and in-patient medical; Specialty services, by gender, race, age group, insurance status; Population by gender, race and age.	•Physician headcount required in 2020	• Recent trends will continue into the future.		
Harrison et al., 2011 (166)	Demand/Utilisation- based model.	Number of general practice consultations by age and gender; Length consultations; Population projection.	 Increase in GP utilisation Additional GPs required 	 Assume that GPs would work similar average hours per week; Assume that current primary care model and structure of general practice will remain the same. 		
Tsai et al., 2012 (167)	Regression-based physician density model.	Mortality rate (under age 5); Adult mortality rate; Life expectancy; Fertility rate; Literacy; Population density; Age structure; Economic growth; Expenditure on health.	•Under the model, countries were labelled as Negative discrepancy or Positive discrepancy	 Cannot use the absolute number to suggest for correction in the healthcare workforce; Only be used for warning signs of workforce discrepancy 		
Mixed models	Mixed models					
Al-Jarallah et al., 2009 (168)	Supply: trend analysis; Demand: benchmark.	Population projections; Physician-to-population ratios; The average rate per annum for Kuwaiti physicians and non- Kuwaiti physicians.	 Number of indigenous physician and non-native expatriate physician Projected requirement for physician Disparity between need and actual number of physicians 	• Projecting demand and supply over a long period leads to uncertainty, did not study age and structure of the physician workforce due the lack of data.		

Author, year	Design, model type /analysis	Parameters included (population level or individual level)	Outcomes	Assumptions & Limitations
Barber et al., 2010 (69)	Supply: stock and flow approach; Demand: demand/utilization- based model.	Number of students admitted to medical school; Number of residencies available for each specialty; The mandatory retirement age; Immigration rate by specialty; Growth rate for specialists demand; Growth in population;	 Total FTE of medical specialists needed Ratio specialists/100 000 inhabitants Deficit/surplus specialists in percent 	 Supply model: realistic entry parameters; Demand model: lack normative standards, assume appropriate staff number.
Birch et al., 2007 (169)	Supply: stock and flow approach; Demand: needs-based framework using Vensim 2002 simulation model.	Number of provider by age and sex; Time spent in the production of services; Size of population by age and sex; Provider-to-population ratio by age and sex of population group; Number of services required by age and sex; Demography; Level of service; Epidemiology; Intensity of work; Technological inputs; Inputs of other types of professionals.	 Headcount of the providers FTE of the providers Need follows observed trends by different policy changes 	• Assumption of different needs scenarios to look at how it will affect the physician workforce.

	Design model type	Parameters included		
Author, year	Design, model type /analysis	(population level or individual level)	Outcomes	Assumptions & Limitations
Blinman et al., 2012 (170)	Supply: stock and flow approach; Demand: demand-based model.	Headcount by nature of practice; Current supply; Population; National chemotherapy utilisation rate; Optimal workload of new patients seen per FTE MO per year; Number of retirement; Overseas and local training MOs.	•Supply, demand and shortfall of FTE medical oncologists (MOs) •Chemotherapy utilisation rate	• Only the clinical workload of MOs related to chemotherapy was included, some responses were estimated than counted, lead clinicians were surveyed rather than individual MOs.
Chang et al., 2008 (68)	Supply: stock and flow approach; Demand: needs-based model.	Number of new entrants; Current manpower and demographics; Withdrawals by nephrologists (e.g. retirement, death and turnover to other subspecialties); Population; Incidence and prevalence of ESRD and treatment modalities.	•FTE supply, demand	• Assume the probability of wastage for general doctors and internists are small and therefore ignored.
Cooper 1995 (171)	Supply: dynamic model; Demand: demand/utilisation- based model.	Medical students; Retirement; Size of workforce; Utilisation from HMOs; Aging; Technology; Productivity; Demographic factors; Population.	•FTE physician/100000 population (supply and demand)	 Supply: limited by predictions concerning the future number of USMGs and IMGs; Demand: uncertainty of technology, data reliability from HMOs, HMOs' data not representative of the nation as a whole.
Deal et al., 2007 (172)	Supply: stock and flow approach; Demand: demand/utilisation- based model.	Healthcare utilisation - age & sex; Population projections; Retirement; Mortality rates; Hours of work; Number and fill rates of fellowship slots.	•Number of rheumatologists supplied and needed, by sex, age and specialty	• Supply and demand for rheumatology services are in equilibrium, the number of fellow position will remain static, gender differences will remain static.

Author, year	Design, model type /analysis	Parameters included (population level or individual level)	Outcomes	Assumptions & Limitations
Douglass et al., 1995 (173)	Supply: dynamic model; Demand: needs-based model.	Past and current Connecticut non- federal internist supply Present and future Connecticut internists supply and need Contribution of non-physician providers.	•FTE supply •FTE need	 Currently available data for specific specialties; Uncertain flow of physicians in and out of the province; Classifying specialty based on service provision; Calculate the supply and need in Connecticut base on the share of US supply and need.
Greuningen et al., 2012 (174)	Supply: stock and flow approach; Demand: estimation.	Graduates; Attrition; Demographic developments; Epidemiological developments; Socio-cultural developments; Change of working hours; Technical developments; Developments regarding efficiency; Developments regarding substitution.	•Number of health professionals •Total FTE of health professionals	 The basic scenario assumed that the demand will increase by 6.0% due to the demographic developments from 2009-2019; The parameters on the demand side were estimated by experts, however it was not clearly explained how they were being estimated.
Health Workforce 2025 Volume 1, 2012 (175)	Supply: stock and flow approach; Demand: demand/utilisation- based model.	Graduates; Re-entry; Working hours; Migration; Attrition (Death, retirement & career change); Age; Gender; Utilisation rates.	 Headcount of supply, demand and gap FTE of supply, demand and gap 	• Different assumption based on demand scenario.
HRSA, 2008 (63)	Supply: stock and flow model; Demand: Demand/utilisation- based approach.	Number of physicians age & sex; Graduates; Retirement and mortality by age and sex; Disability and career change; Direct patient care hours; Population projections; Insurance distribution.	•FTE active physician •Increase in demand due to aging and growth	 Limitations include using historical data to estimate future trends; Assume insurance coverage and type, economic growth, and the increased use of NPCs.

Author, year	Design, model type /analysis	Parameters included (population level or individual level)	Outcomes	Assumptions & Limitations
Lee et al., 1998 (176)	Supply: dynamic model; Demand: needs-based model.	Surgeon population; Time spent in direct care; Entry rates of residents; Retirement and mortality rate; Number of office visits; Duration of office visit; Number of procedures; Duration of procedures.	•FTE supply •FTE demand	 Need for large amounts of data; Accuracy of estimation; Time and FTEs used as common measure for both supply and demand might be vulnerable to changes in real-life practice and structure of work; Not able to address distributional issues.
McNutt, 1981 (177)	Supply: dynamic model; Demand: demand/utilisation- based model.	Medical graduates; Practitioner supply; Attrition rates; Morbidity; Prevention; Delphi panel rates.	•Head count of physicians supplied and required by each specialty (Only talked about the concept and analytic framework of the GMENAC model)	• Relied heavily on the Delphi panel to project future demand/utilisation.
Scarbrough et al., 2008 (178)	Supply: stock and flow approach; Demand: needs-based model.	Attrition (Death and retirement); Annual volume of Hepatic- Pancreatic-Biliary (HPB) procedures; Annual number of new HPB subspecialist; Level of fellowship training; Practice patterns of graduating fellows.	 Annual volume of HPB procedures per subspecialist in 2020 Annual HPB procedure volume per subspecialist in 2020 at current level of fellowship training Number of fellows needed to train each year to meet demand for HPB surgery 	 Reliance on a series of assumptions to determine the current number of practicing HPB subspecialists and the current level of fellowship training; Assume that none of the fellowship-trained HPB subspecialists first entering the workforce in 2007 would retire, die, or change fields before 2020; Different scenarios for the projected number of fellows needed to train per year to meet the demand for HPB procedures.
Scheffler et al., 2009 (179)	Supply: trend analysis; Demand: needs-based model.	Number of physicians by country; Projected population.	•Headcount supply, demand, shortage	 Poor data quality in Africa which could undercount healthcare professionals, especially in the private sector; Supply of physicians is provided from previous estimates and data (Scheffler et al., 2008).
Scheffler et al., 2008 (180)	Supply: trend analysis; Demand: needs-based model and demand- based model.	Historical data on physician numbers 1980-2001; Updated physicians numbers; Economic growth; Historical and projected population; Need-based benchmark: live births	 Supply - per capita physicians The required headcount of physicians to reach the world health report 2006 goal Demand for physicians in each country by headcount Deficit or surplus by headcount 	 Need estimated only reflects one aspect of healthcare delivery; Projection of demand and supply rely on trends of either economic growth or physician per capita.

Author, year	Design, model type /analysis	Parameters included (population level or individual level)	Outcomes	Assumptions & Limitations
Shipman et al., 2004 (181)	Supply: stock and flow approach; Demand: benchmark.	Number of paediatricians by age and sex; Annual number of graduating trainees by age and sex; International medical graduates (IMGs); Death and retirements; Population; Current proportion of outpatient office visit by children to paediatricians; Productivity; Change in work effort.	•FTE General paediatricians •Child population	 Uses different key assumptions for projection, mainly have a set rate for different variables; Assume that 25% of noncitizen IMGs will not stay in the US workforce after completing training.
Smith et al., 2010 (182)	Supply: stock and flow approach; Demand: demand/utilisation- based approach.	Age-, sex-, race-, population projections; Age-, sex-, race-, radiotherapy utilisation rates; Age-stratified and sex-stratified life-tables; Number of current board-certified radiation oncologists, 2009 residency graduates and 2010 to 2013 expected to graduates; Age- and sex-stratified proportion of radiation oncologists practicing full time, part time, and not practicing.	•Total number of patients receiving radiation therapy in 2020 •FTE radiation oncologists in 2020 •Size of residency training classes to have supply equal demand	 Extent the current supply of oncologists can accommodate increased patient volume; Estimate of modest changes in radiation therapy practice patterns may impact patient throughout without compromising quality, future technologies.

Author, year	Design, model type /analysis	Parameters included (population level or individual level)	Outcomes	Assumptions & Limitations
Starkiene et al., 2005 (183)	Supply: stock and flow approach; Demand: needs-based model and demand/utilisation- based model.	Population projections; Mortality; Retirement; Migration; Drop out from training; Enrolment numbers of trainee.	•FTE-to-population ratio by different scenarios in supply and demand	 Used different assumptions to manipulate supply and demand scenarios; Retirement Scenario 1: The retirement age was set to be 66 years and it was assumed that one fifteenth of the group of FPs aged more than 50 years would retire annually; Retirement Scenario 2: The retirement age was set to be 71 years and it was assumed that one fifteenth of the group of FPs aged more than 55 years would retire annually.
Teljeur et al., 2010 (184)	Supply: stock and flow approach; Demand: demand/utilisation- based approach.	GP visit rates; Age-sex rates of GP attendance; Population projection 2009-2021; Mortality rate for higher professionals; Work practice; Services provided; Practice structure; Overseas graduates; Education/training; Retirement; Nurse substitution.	•GPs needed to meet population demand •GP numbers by different supply scenarios	 Nurse substitution Scenario 1: Nurses were equivalent to 0.25 FTE GPs; Nurse substitution Scenario 2: Nurses were equivalent to 0.5 FTE GPs; Assume that the number of GP vocational training places would increase by 20% in 2011; Later retirement has been considered; Lack of regional data resulted in failing to test potential impact of each intervention on geographical differences.

Author, year	Design, model type /analysis	Parameters included (population level or individual level)	Outcomes	Assumptions & Limitations
Weissman et al., 2006 (185)	Supply: stock and flow approach; Demand: needs-based model and demand- based model.	Age and sex distribution of anaesthesiologist population; Employment status (full-time/part- time); Country of medical school education; Last anaesthesiologist residency; Professional status (resident, certified specialist anaesthesiologist); Medical school academic appointment; Historical and projected age distribution and birth rate of the Israeli population; Immigration data on physicians; Physicians required per capita; Number of surgeries per anaesthesiologist.	 Anaesthesiologists per 100000 population New anaesthesiologists needed 	• Based on status quo of 10.8 anaesthesiologists per 100000 population.
Yang et al., 2013 (186)	Supply: stock and flow approach; Demand: population- based analysis.	Population growth; Number of plastic surgeons certified in 2010; Retirement; Graduate; Growth of the number of invasive and non-invasive cosmetic procedures.	 Headcount of practicing plastic surgeons Headcount of plastic surgeons needed 	 Only focus on plastic surgeons in US; The number of new graduates would be constant; The number of trainee positions would be static; All practicing plastic surgeons would retire after 35 years' post residency work.

Nurses	Nurses				
Author, year	Design (Model type /analysis)	Parameters included (population level or individual level)	Outcomes	Assumptions & Limitations	
Supply model	•	•		-	
Buerhaus et al, 2000 (93)	Using retrospective analysis of employment trends to project long- term age and employment of RNs (Trend analysis)	Forecast of US population through 2020 by age; The propensity of individuals from a given cohort to work as RNs; The relative propensity of RNs t work at a given age.	•Supply projection, 2001-2020. •Annual FTE employment of RNs in total and by single year of age	 Future cohorts will enter nursing at a rate similar to current cohorts; Changes of the workforce over time only depend on the age of the cohort. 	
National Health System, 2008 (92)	Dynamic model	Annual growth in 3 year pre reg commissions; FTE/Head count; Attrition; New registrants; International recruitment; Return to practice change; Other joiners; Other leavers;	•Number of registered nurses in 2008-2016	 Annual growth in 3 year pre registration commissions based on WRT assumptions; FTE/Head count based on historic trend; International recruitment based on 3-year average; 	

	Design (Medal toma	Parameters included					
Author, year	Design (Model type /analysis)	(population level or individual level)	Outcomes	Assumptions & Limitations			
Demand models	emand models						
Ghosh et al, 2005 (101)	Computer-based model, given certain prescribed patient-nurse ratios (Benchmarking)	In-patient units: bad capacity, bed occupancy rate, and the percentage share of patients in each unit according to an accepted patient classification system. Outpatient Department: Required physical allocation, Total OPD working days in a year, Total working days/nurse/year; Operating theatres: planned OT shifts per week, number of weeks per year, nurses per OT per shift, Total working days/nurse/year; A&E: Nurses/shift, Number of shifts in a day, Number of days in a year, Total working days/nurse/year; Renal dialysis: Number of stations, Number of weeks in a year, Nurse/station, Total working days/nurse/year. Sickness, maternity & deputation leave.	•Overall nurses required adjusted for sickness, maternity & deputation leave.	• No variation included, all parameters are constant over years.			

Author, year	Design (Model type /analysis)	Parameters included (population level or individual level)	Outcomes	Assumptions & Limitations		
Mixed models	ixed models					
Al-Jarallah, et al. 2009 (100)	Supply: Dynamic model. Demand: Projected by using the average nurse-to- population ratio for 1994-2006. (Benchmarking)	Supply: Graduates. Demand: Population growth; Nurse-to-physician ratio.	Workforce projection, 2007-2020. Supply: •Number of nurses. Demand: •Number of nurses needed.	• Changes in healthcare policies or nursing education can greatly affect the workforce.		
Auerbach, et.al. 2012 (94)	Supply Demand: Utilisation-based model	Hours worked; Utilisation of services; Sector; Education; Marital status; Age group; Poverty; Insurance status; Race/ethnicity classification; Number of RN and NP;	Supply •Number of Nurse Practitioners (NP) and RN specializing in SRH. Demand •Utilisation of SRH services	 Different assumption used for various scenarios to predict the workforce for NPs in SRH. Only focus on SRH service. 		

	Design (Model type /analysis)	Parameters included		
Author, year		(population level or individual level)	Outcomes	Assumptions & Limitations
Canadian Nurse Association. 2002 (110)	Supply: Dynamic model. Demand: Need-based model and utilisation-based model.	Supply: Age; Sex; Population; Working hours; Graduates; Retirement; Migration Demand: Population;	Workforce projection, 2011 and 2016. Supply: •Number of RNs by age; •Percentage of RNs employed in Nursing by age. Demand: •Number of employed RNs required.	• Assume the average utilisation of services at any given age remains constant.
Health Resources and Services Administration, 2007 (107)	Supply: Measuring RN supply at the county level taken from the 2000 U.S. Census data. Demand: Utilisation-based model and benchmarking. Simplified Nurse Demand Model from HRSA's models	Population; Population; Number of registered nurse; Short-term in-patients days; Long-term in-patient days; Psychiatric hospital in-patient days; Nursing home unit in-patient days; Outpatients visits; Emergency department visits; Population demographic; RNs per 100 hospital beds; Local nursing wages; Numbers of nursing schools and graduates; Number of new RNs passing exam; Turnover rates; Vacancy rates; Hard-to-fill positions; Staffing ratios; Poor facility outcomes; Case mix and acuity; Worker satisfaction; Turnover leadership;	Demand: •Utilisation: in-patient day. •Staffing ratio: Projected RNs per 100000 age-adjusted population, RNs per in-patient days, and RNs per visits, etc. •RN demand by county: staffing ratio*utilisation.	• Assumes that current staffing patterns at the national level reflect a balance of supply and demand, differences within types of care in factors such as patient acuity do not vary substantially across counties, and RN commuting patterns are similar to the commuting patterns of other workers in terms of county flow and outflow.

Author, year	Design (Model type /analysis)	Parameters included (population level or individual level)	Outcomes	Assumptions & Limitations
Health Resources and Services Administration 2002 (65)	Supply: Dynamic model Demand: Project the required nursing services by forecasting the future staffing intensity. (Benchmarking)	Supply: Graduates; Attrition; Aging of RN workforce; Decline in relative earnings; Alternative job opportunities. Demand: Population growth and aging; Per capita demand for healthcare; Trend in healthcare financing (health insurance); Workload by settings; Staffing intensity	Workforce projection, 2000-2020. Supply: •Number of FTE RNs by states •Employment distribution by settings Demand: •Number of FTE RNs by states	• Applying national estimate to the State level
Health Workforce Australia 2012 (95)	Supply: Dynamic model. Demand: Utilisation-based model and benchmarking.	Supply: Graduates; Migration Retirement; Illness and death; Career change; Working hours; Demand: Area of practice; Productivity; Working hours;	 Workforce projection, 2009-2025. Supply: Projected Number of nurse headcount. Demand: Acute care nursing: number of bed-days; Emergency care nursing: number of attendances at emergency departments; Midwives: calculated from the total number of projected births based on the actual number of births from 2006 to 2008 by population projection ratio from 2009 to 2021. 	• Only headcount numbers were presented in the report.

Author, year	Design (Model type /analysis)	Parameters included (population level or individual level)	Outcomes	Assumptions & Limitations
Health Workforce Information Programme, 2009 (187)	Supply: Dynamic model. Demand: Need-based model.	Population growth; Age; Surgical intervention; Career changes; Job patterns; Education; Outflows; Sectors (public and private);	Workforce projection of perioperative nurse (PN), 2009- 2031. Supply: •Number of PN by sectors Demand: •Number of PN by sectors	 Only focus on perioperative nursing. Assumes there will be an increase in the scope of practice for nurses. Also assumes that more non-nursing occupation groups will perform support roles for both medicine and nursing.
Juraschek et.al, 2011 (188)	Supply: Trend analysis. Demand: Linear Regression Model and Trend Analysis.	Population; Age; Personal health expenditure; FTE; RN job shortage ratios; RNs per 100,000 population;	Workforce projection, 2008-2020. Supply: •Number of RN jobs Demand: •Number of RN jobs needed	 Supply: the current RN utilisation, the education of new RNs and the national propensity of an individual to choose nursing as a career is the same across states in coming decades. Demand: Used 2009 national mean as a baseline of demand model means there is no shortage in 2009 but in fact most studies consider the nation to already experience a large shortage. Using RN jobs as measurement cannot take working hours into account.

Author, year	Design (Model type	Parameters included (population level or individual	Outcomes	Assumptions & Limitations
	/analysis)	level)		
LeVasseur. 2007 (106)	Supply: Dynamic model Demand: Estimating the demand for FTE RNs by calculating the RN staffing intensity by healthcare setting, e.g. RNs/1,000 in-patient days in in-patient setting and RNs/10,000 population in the physicians' office (Benchmarking)	Supply: Based RN population (2000); Migration; Highest level of education; Attrition; State population and potential pool of applicants to nursing programs. Demand: Population uninsured; Medicaid eligible; Per capita income; Demographics; Geographic location; RN staffing intensity by healthcare setting.	Workforce projection, 2005-2020. Supply: •Estimated number of licensed RNs; •Active RN supply; •FTE RN supply. Demand: •Number of FTE RNs	 The supply and demand sides are independent of each other. The demand model cannot model the substitution between different types of nurses and between nurses and other healthcare professions. The demand model cannot capture the interaction between settings.
Author, year	Design (Model type /analysis)	Parameters included (population level or individual level)	Outcomes	Assumptions & Limitations
Malyon, et al. 2010 (98)	Supply: Dynamic model. Demand: Need-based model and trend analysis.	Supply: Age; Working hours; Graduates; Migration; Retirements; Maternity; Productivity. Demand: Population Burden of disease and injury; Technology impacts.	Workforce projection, 2006-2022. Supply: •Number of Nurse Headcount; •Number of Nurse FTE; Demand: •Number of Nurse Headcount	 Assumption of no productivity changes; Assumption of no technology impacts.

Author, year	Design (Model type /analysis)	Parameters included (population level or individual level)	Outcomes	Assumptions & Limitations
Moulton et.al, 2008 (105)	Supply: Trend analysis, Nursing Supply Model (HRSA) Demand: Trend analysis, Nursing Demand Model (HRSA)	Age; Sex; Education; Graduates; Retirements; Population;	Workforce projection, 2008-2020. Supply: •Number of FTE RNs Demand: •Number of FTE RNs	• Assumed that the number of new RN graduates will remain constant over time; Trend and rates remain constant throughout.
Moulton, 2003 (109)	Supply and Demand Trend Analysis	Licensed nurses; Graduates; New license by exam, endorsement; Age; Aging population; Variation in strength of the economy; Part-time/full-time nurses;	Workforce projection for direct care nursing, 2003-2013. Supply: •Number of RNs and Licensed practical nurses (LPNs) Demand: •Number of RNs and (LPNs)	• Trend analysis that means the report assumes the trend will be the same rate though 2013.
Murray, 2009 (99)	The HRSA Nurse Supply and Demand Models, revised and updated in 2004, were used to create the Tennessee's projection. Supply: Dynamic model Demand: Project the required nursing services by forecasting the future staffing intensity. (Benchmarking)	Supply: Graduates; Retirement; Migration; Working hours; Renew rate; Demand: Population; Healthcare market conditions; Economic conditions; Patient acuity in different settings; Working hours;	Workforce projection, 2008-2020. Supply: •Number of RN FTE; •Number of Licensed Practical Nurse (LPN) FTE; Demand: •Number of RN FTE; •Number of Licensed Practical Nurse (LPN) FTE;	• The supply and demand sides are independent of each other. e.g. the projection of demand didn't consider the potential supply of nurses.

Author, year	Design (Model type /analysis)	Parameters included (population level or individual level)	Outcomes	Assumptions & Limitations
Rosenbaum, and Ramirez. 2006 (108)	Supply: Dynamic model. Demand: Convert the population projection into numbers of people needing care (Need-based model); Calculate the required FTE RNs per capita (Benchmarking).	Supply: Working hours; Migration; Nurse education; Attrition; Graduates; Demand: Aging population; Working hours;	 Workforce projection, 2006-2020. Supply: •FTE Nursing supply Demand: •Estimated FTE RN demand = the units of healthcare usage in each setting * FTE RNs per unit of healthcare usage. 	
Spetz. 2009 (102)	Supply: Dynamic model Demand: RN-to-population ratio (Benchmarking) and future hospital utilisation (utilisation- based model)	Supply: Graduates; Retirement; Migration; Working hours; Population. Demand: Population growth and aging; Working hours; Proportion of RNs who worked in hospital setting.	Workforce projection of RNs, 2009-2030. Supply: •Forecasted FTE supply of RNs; •Forecasted employed RNs per 100,000 population; Demand: •Forecasted FTE demand for RNs; •RNs per capita; •RNs per patient day;	 Do not account for short-term changes, e.g. economic conditions. The utilisation-based model was only for hospital setting. The total demand was calculated by dividing the Hospital FTE by the proportion of RNs who worked in hospital setting.

Author, year	Design (Model type /analysis)	Parameters included (population level or individual level)	Outcomes	Assumptions & Limitations
Srisuphan et al. 1997 (111)	Supply: Dynamic model Requirement: Health demand analysis: Demand-based model determined by econometric projections. Health service development analysis: Demand-based model for public sector and trend analysis for private sector. Nurse population ratio: Demand-based model projected by estimating future economic and population growth.	Supply: Graduates; Attrition. Demand: Future economic; Population; Staff norms; Death rate; Urbanization; Health insurance coverage; Demand components (e.g. nursing services, teaching, and management).	Workforce projection, 1995-2015. Requirements: •Nurse-Population ratio; •Projected demand for nurses by units; •Projected demand for nurses by fields of practice. Supply: •Expected graduates; •Expected number of RNs.	

Author, year	Design (Model type /analysis)	Parameters included (population level or individual level)	Outcomes	Assumptions & Limitations
Tomblin Murphy, et al. 2009 (103)	Simulation model for supply and requirement. Supply: Stock and flow approach. Requirement: Need-based model	Supply: Graduates; Migration; Attrition (Death and Retirement) Relocation; Change of profession. Requirement: Population size and profile Level and distribution of health and illness in the population; Risk factors of illness in the population; Level of service; Productivity; Sectors	 Workforce projection, 2005-2020. Supply: Number of new RNs entrants; Number of exits from the stock over time. Requirements: Estimates of RN productivity (e.g. number of acuity-adjusted episodes of care per RN FTE per year); Estimates of the number of RN required. 	 The efforts to support the projection would be significantly hindered by the data reliability and availability relevant to the work of RNs. Sectors included acute care, long-term care, home care, community and public health.
Wisconsin Department of Workforce Development. 2011 (96)	Supply: constant RN-to- population ratios (Benchmark) Demand: constant nurse staffing intensity and healthcare usage by employment setting and by age. (Benchmark)	Supply: Graduates; Change in labour force participation; Retirement; Death and disability; Migration; Demand: Staffing intensity; Healthcare use by setting and by age;	 Workforce projection, 2010, 2015, 2020, 2025, 2030, 2035. Headcount and FTE of RNs for direct patient care, broad nursing workforce. 	 Assumed that the 2010 RN-to-population ratios would remain constant. Better data required to determine quality of RN FTE. Severity of illness or demand by diagnosis.

Dentist				
Author, year	Model type/analysis	Parameters included (population level or individual level)	Outcomes	Assumptions & Limitations
Supply models				
Chrisopoulos and Teusner, 2008 (81)	Stock and flow	Baseline number of dentists; Australian university Graduates; Overseas entrants; Return to practice (RTP): return from overseas, return after cessation of practice; Migration; Retirements Death; Alternative career; Study and parental leave.	Number of dentists;Dentists-to-population ratio.	• Hard to predict the trends in the future, practice activity of new graduates trained by new schools may be different from previously observed patterns.
Grytten and Lund, 1999 (82)	Dynamic model	Retirement; New entrants;	•Net change in man-labour years 1999-2015	• Assuming the number of new entrant remains constant.
Guthrie, et.al., 2009 (80)	Dynamic Model Plateau, linear, and exponential increases for new graduates; population growth was projected to be linear.	Productivity; Gender mix; Retirement rate; Projection of the number of graduates; Number of new dental schools ; Population growth.	 •No. of dentists per 100,000; •Dentist-to-population ratio. 	• Assumes that the dental services are delivered largely through private markets subject to the effects of supply and demand and that enrolment in dental schools reflects the rate of return of a career in dentistry in comparison to other options for college graduates

Dentist

Author, year	Design (Model type /analysis)	Parameters included (population level or individual level)	Outcomes	Assumptions & Limitations
Saman, et.al., 2010 (78)	Poisson regression modelling and geospatial analyses, System Dynamic Model (iThink, iSee Systems, Version 9.1)	Number of dentists retiring per year; Number of dentists entering profession; Population estimates.	Number of dentists entering profession;Dentist-to-population ratios	 The dentist-to-population ratio is not a sufficient measure by itself. Fixed retirement rate at 82 per year, and fixed incoming rate at 55 per year.
Solomon, 2009 (79)	Dynamic Model	Number of graduates; Gender ratio; Retirements; Population; Specialists; Full time and part time.	 Number of dentists working full- time and part-time; Number of dentists by specialty status; Number of dentists per 100,000 populations. 	• The paper isolates the different parameters and looks at it differently, does not tie in the parameters together
Spencer, et al. 1993 (83)	Dynamic model	Number of new surgeons per year recruited; Wastage rates.	Number of surgeons;Population-to-surgeon ratio.	• Wastage rates are not explicitly given, so assumptions not easy to ascertain
Demand models	•			
Morgan et al. 1994 (85)	Need-based and demand-weighted method.	Age-specific Decayed, missing and filled teeth (DMFT) rates; Prostheses rates; Rates for other dental procedures (not listed); Population projection;	•Required operator-to-population ratio	 Assume DMFT would decline, but at different rates for different age groups, and also rate of decline will decrease. Assume prosthetic needs would increase. Other assumptions for changes in demand.
Nash et al. 2002 (84)	Utilisation-based model	Population projection; Assumed yearly % increase in utilisation	•Number of endodontists required	Assuming different scenario for utilisation increase.

Author, year	Design (Model type /analysis)	Parameters included (population level or individual level)	Outcomes	Assumptions & Limitations
Mixed models		, , , , , , , , , , , , , , , , , , ,	L	
Australian Research Centre for Population Oral Health, the University of Adelaide, South Australia. 2010 (86)	Supply: stock and flow; Demand: Utilisation- based model.	Supply Recruitment; Retirement; Death; Outflow overseas; Cessation of practice; Practice sectors	Supply: •Number of OMF surgeons; •Practicing OMF surgeons per 100,000 populations Demand •Number of services.	 Only focus on Oral and maxillofacial surgeons (OMF). In/out-flow probabilities stay constant over time. Changes in demand not directly linked to external factors, e.g. technological advance or increased Medicare funding
		Demand: People with OMF diseases or conditions; Population.		
Beazoglou, et.al., 2002 (89)	Supply: Dynamic model. Demand: Utilisation-based model.	Specialty distribution; Retirement; New entrant; Types of auxiliaries employed; Population; Income of population; Socio-demographic characteristics Productivity;	Supply •Number of dentists Demand: •Per capita utilisation; •Population-to-dentist ratio; •Number of dentists; •Number of dentists needed to	 Assumes that the past rate of productivity improvement will continue for the next 10 years, low sampling due to national surveys. Population not stratified. Demand proxied by national expenditure on dentistry
Brown, et al. 2007 (88)	Trend analysis and need-based model	Supply: Female dentists; Productivity; Practice patterns; Demand: Population; Economic buying power; Knowledge and appreciation of dental services; Amount of disease;	maintain current levels of access to care. Supply: •No of dentists. Demand: •No. of dentists needed.	Supply: Considered both adjusting and not adjusting for productivity increase.

	During (Madalata	Parameters included		
Author, year	Design (Model type /analysis)	(population level or individual level)	Outcomes	Assumptions & Limitations
Gallagher, et al. 2010 (87)	Supply: Trend analysis and dynamic model. Demand: Utilisation-based model.	Supply: percept yearly increase over the previous 9 years; Short-term recruitment drive of over 1,000 dentists; Increased dental student intake; percept of time devoted to older people; percept devoted to NHS patients; percept women dentists; Number of dental hygienists and therapists and clinical dental technicians (CDTs). Demand: Rate of edentulousness; Dental attendance pattern; Treatment rates; General dental services (GDS). Treatment times Treatment type	Supply: •Number of WTE dentists; •Shortfall or surplus of WTE dental staff (not just dentists) Demand: •Total number of treatments; •Total demand for treatment hours; •Per capital demand.	 Supply of government dentists only. Made various assumptions on which treatment can be performed by hygienists, therapists, and CDT. Demand, only focus on the population aged over 65.
Try, 2000 (90)	Supply: Dynamic model. Demand: Utilisation-based model.	Supply: Graduates (net inflow); Working hours; Female dentists; Productivity; Demand: Population; Patterns of disease; Dental diagnosis; Age-sex-specific no. of courses of dental treatment;	Supply: •Whole Time Equivalent (WTE) of dentists. Demand: •Number of courses of treatment; •Courses of treatment per WTE dentist.	 Assumed that the proportion of female stays the same. Assumed that Part-time working becomes more common.

Author, yearDesign (Model type /analysis)(p	Parameters included population level or individual evel)	Outcomes	Assumptions & Limitations
PC PC	Demand: Population projection (state-wise) Population : dentist ratio Assumptions on retirement	Supply: •Number of new periodontists available to practice Demand: •Number of active periodontists needed; •Number of new periodontists	 Only focus on periodontal patients; Assumed that 18.6% of graduates are not from the US and will go back. Assumed that in 2020, all dentists ≥ 40 in 1991 will have retired/died. All dentists < 40 still practicing

Pharmacist

Author, year	Design Model type/ analysis	Parameters included (population level or individual level)	Outcomes	Assumptions & Limitations
Supply models				
Bond, et al. 2004 (114)	Dynamic model	Graduation; retirement	 Net increase in pharmacists from 2000-2020 Increase in pharmacists who complete residencies from 2000-2020 	•Data from a survey in 1998 may not be representative of the healthcare in 2020.
Cooksey, et al. 2002 (116)	Dynamic model	Graduation; Workload (average number of Prescriptions dispensed annually); Working hour; Productivity increase; Percentage of female pharmacist	 Projected pharmacists per 100,000 population ratio in 2005. Projected female pharmacists (%) in 2005. 	•No analysis of urban or rural practice
Johnson, et al.2009 (112)	Dynamic model Pharmacist to population ratio.	New graduate and training capacity; Increasing number of female pharmacist; working hour; Reference period: 2000-2008	•To project target workforce in 2008-2020 by using FTE measures.	 •FTE definition: •One who works average 1890 hours per year (40 hours per week times 47.2 weeks per year)
Knapp and. Cultice, 2007 (113)	Stock-flow model	Age; Retirement and death; Graduates; Working hour; Number of female pharmacist Parameters included (population level or individual level)	•Age and gender based pharmacist supply projection 2004-2020.	Assumption: •All the pharmacists would retire by age 75. •The increase of female pharmacist percentage would continue.

Author, year	Design Model type/ analysis	Parameters included	Outcomes	Assumptions & Limitations		
Demand models	emand models					
Bond, et al. 2004 (115)	Trend analysis (clinical pharmacist)	Pharmacist time (hrs./wk.); Pharmacist time (min/patient); Number of patients who received each decentralized clinical pharmacy service; Working hour;	 •Total No. of Clinical Pharmacists FTEs per Hospital needed in 2020 •Total No. of Clinical Pharmacists FTEs needed in 2020 	•Data from a survey in 1998 may not be representative of the healthcare in 2020.		
Johnson, 2008 (117)	Trend analysis	Graduation rates; Residency training	•Projected the no. pharmacists needed in 2020	•No detail of pharmacist-to-population ratio; no data of gender difference		
Meissner, et al. 2006 (118)	Demand/utilisation base	Medicare Part D (Drug coverage); ADI (Aggregate Demand Index); Percentage of costs paid by third- party payer; prescription volume; pharmacist-to-technician ratio; Direct-to-Consumer (DTC); mail order; graduates; retirement; pharmacist wages;	 Projected Aggregate Demand Index (ADI) for 2009. Prediction of no. of pharmacists needed in 2010. Prediction of pharmacist shortage in 2020. 	•Mainly focusing on drug coverage, not considering other services provided by pharmacists and the expanding roles.		

Author, year	Design Model type/ analysis	Parameters included (population level or individual level)	Outcomes	Assumptions & Limitations
Mixed models				
Department of Health and Ageing, Australian Government. 2007 (107)	Dynamic model Demand utilisation model	Supply: Working hour; Graduates; Immigration and emigration; Retirement, death and disability; Inactive workforce Demand: Population growth and ageing; Working hour; Sex- and age-specific ratios of scripts to persons per annum; Productivity of dispensing workforce; Technician-to-pharmacist ratio; Technician equivalence to pharmacist; Community pharmacy share of total service; Further expansion of the role of both hospital and community pharmacist; Number of people attending hospitals; The ratio of pharmacists to hospital separations(discharge or death);	Forecast on annual supply of pharmacist through 2025. Supply: •Total Graduates Active and inactive % (2006) •Active •Inactive •Working outside pharmacy workforce Forecast on Demand: •Community pharmacist •Hospital pharmacist	 •Unidentified variables; •Insufficient magnitude of change for some variables, e.g. global financial crisis. Assumption: •2.48% population growth; Community pharmacist: •Ratio of technicians to pharmacists would increase to 0.3 by 2025; •Scripts to persons increase by 0.5% per annum; •Dispensing productivity stays constant. Hospital pharmacist: •Highest estimates of future growth; •With declining ratio of separations to hospital pharmacists (ceases in 2012)

Author, year	Design Model type/ analysis	Parameters included (population level or individual level)	Outcomes	Assumptions & Limitations
Fraher, et al. 2002 (123)	Trend analysis Dynamic model.	Demand: Population growth and ageing; Insurance (prescription drug coverage); Direct-to-consumer (dtc) advertising; Supply: Age; Gender; Working hour; Graduates	Demand: •Prescriptions dispensed per population Working hour per week (1989- 1998) •Male •Female	•Not projection model
Health Resources and Services Administration. (HRSA) 2008 (121)	Demand/utilisation base Dynamic model	Demand: Population growth and aging; New and more complex pharmaceuticals; Evolving societal attitudes; Increased affordability and Availability of generic drugs; Increase in pharmaceuticals for Chronic conditions; Role of pharmacist; Supply: Number of graduates (local and overseas); Male-female ratio; Working hour; Attrition	 FTE shortfall projection Examine the adequacy of previous pharmacist supply projection. Projection for total pharmacist supply. Projected male-to-female ratio in workforce. 	 Assumption: Moderated prescriptions /capita growth; No growth in educational capacity Factors such as technology development and the number of graduates are uncertain.

Author yoor	Design Model type/	Parameters included	Outcomos	Assumptions & Limitations
Author, year	analysis	(population level or individual level)	Outcomes	Assumptions & Limitations
Health Resources and Services Administration. (HRSA) 2000 (126)	Trend analysis	Demand: Volume of prescription medication dispensed (in different settings); Population growth and aging; Increased third-party prescription coverage; Growth of the economy; Expending roles; Introduction of new and innovative drug therapies; Direct-to-consumer marketing; Increased number of prescription providers Supply:	 Supply of Active Pharmacists (pharmacists per 100,000 resident U.S. population) Per cent of female active pharmacists 	•No projection of the demand for pharmacists.
		Graduates; Male-female ratio; Losses due to death, retirement and leaving practice; Region; Working hour		
Knapp, et al. 2002 (189)	Trend analysis Dynamic model	Demand: Unemployment rates; Retail prescription growth rate Supply: Number of graduates	 Looked at ADI trend from year 1999=2010 Pearson Correlation between ADI and below factors: Unemployment Graduates Prescription growth rate 	•Data unavailability, e.g. retail prescription data for 2010 and actual graduate data for 2010.

		Parameters included		
Author, year	Design Model type/ analysis	(population level or individual level)	Outcomes	Assumptions & Limitations
Knapp, et al. 2005 (124)	Trend analysis	ADI (5-point rating system): 5= high demand for pharmacists, difficult to fill positions, 4 = moderate demand, some difficulty filling positions, 3 = demand in balance with supply, 2 = demand is less than the pharmacist supply available, and 1 = demand is much less than the pharmacist supply available.	•Rating distribution among different regions:	 The usefulness of the ADI is limited by the fact that panellists may choose different ratings for the same scenario. Replacement panellists may not rate the severity of the shortage the same as did the original panellists within the same organization.
Knapp. 2002 (125)	Dynamic model	Graduation; Working hour; improvement of therapy; growth of distance therapy; increased intensity of hospital; growth in size and complexity of hospital system; Functional area (order fulfilment, primary care, secondary & tertiary care and non patient care)	•Current use of FTE pharmacist 2001 •Projected need for FTE pharmacist 2020 •Total estimated FTE supply •FTE pharmacist shortfall	 Mainly about the factors needed to be considered; Projection model was not clearly described.
Koduri, et al. 2009 (120)	Benchmark Dynamic model Design Model type /analysis	Pharmacist to population ratio Expanded roles; Prescription volumes growth; Population growth and aging; Insurance coverage; DTC Marketing; Expiring drug patents;Attrition Number of graduates; Working hour; Gender FTE adjustment	•Projected future trends for FTE demand and supply. Outcomes	Assumptions: •79 pharmacists would enter the field each year (in Utah); •Each female pharmacist provides 0.79 FTE of pharmacy services;

Radiographer		Parameters included		
Author, year	Design Model type /analysis	(population level or individual level)	Outcomes	Assumptions & Limitations
Supply model		•	·	
Reiner, et al. 2002 (190)	Supply description	Type of facility; Facility size; Modality;	 Average FTEs Average number of FTE for different modalities Radiography CT Ultrasonography MRI Nuclear medicine Mammography Interventional/angiography 	 Limitations: Only give out the average FTE numbers in different types of facilities; Do not have a trend of FTE numbers.
Wing, et al. 2009 (146)	Age cohort flow model	Population growth; New entrants; Attrition; Age; Working hour;	 Projection of FTE Supply of Radiologic Technologists Status Quo Projection Projection on radiologic Technologists per 100,000 Women 	Assumptions: •Future resource inputs proportional to current practitioner-to-population ratio. Limitations: •Do not account for productivity increase; •Only focus on mammography.
Mixed model				
Bingham, et al. 2002 (191)	Demand: Trend analysis Supply: Trend description	Demand: Extension of NHS Breast Screening Programme from females; skill mix (radiographer assistant); population ageing and growth; WTE Supply: Graduates; Working part-time and work-life balance; Retirement; Student attrition; Career progression	 Projection of overall radiography workforce demand (2002-2006 plan): Diagnostic Therapeutic Projection in Supply: overall radiographers diagnostic radiographers therapeutic radiographers Projected supply against projected demand (2002-2006) 	Assumptions: •8% of attrition rate for radiographer students; •All radiographers would retire on earliest eligible retirement age (60 years); •Workforce capacity lost due to increase of part-time working and work-life balance (1.75%), would increase to 2.15% (0.1% per annum.

Author, year	Design Model type /analysis	Parameters included (population level or individual level)	Outcomes	Assumptions & Limitations
Centre for Workforce Intelligence. 2012 (147)	Trend analysis	Data from DH: Age; Graduates; Field of practice; Training attrition; Retirement; Ageing population; Increased demand in related groups;	 Project increase in demand Projection available workforce supply from 2010 to 2016 in headcount and FTE 	Limitations: •Only focus on diagnostic radiographers.
Patterson, et al. 2004 (192)	Demand: Population projections Supply: Trends description	Demand: Aging workforce and population; Hospital radiographer employees and vacancies Supply: Total license grows; Retirement; Proportion of active licensees currently practicing; Aging workforce and population; Education capacity	Supply: •Active licensees (currently practicing) •Projection on retirement •Demand (Vacancies)	 Assumptions: A demand of 69.0 providers per 100,000 populations. Limitations: Scarcity of data related to the state's radiographer workforce; Size of radiographer workforce is small, making the projections more volatile. Unavailable data, e.g. FTE, migration in and out of state. The data of demand projection was based on hospital radiographer only. Active license may not be able to represent the active practitioners.
Victorian Department of Health. 2010 (193)	Demand: demand/utilisation model Supply: Stocks and flow model	Working hour; Graduates; Attrition; Immigration; Adjusted training requirement;	 Projected FTE Demand: 2009 - 2030 Projected number of graduates: 2010-2029 Projected FTE Shortage (based on current trends in workforce supply) 	Limitations: •Assuming that no significant changes in radiation technology;

Optometrist				
Author, year	Model type /analysis	Parameters included (population level or individual level)	Outcomes	Assumptions & Limitations
Supply models				
Bellan, et.al. 2007 (194)	Dynamic (Stock and flow) model	Retirement; Death; Emigration; Age; Sex; Graduates; Population.	 Number of FTEs; FTEs per 100000 populations; Percentages of female FTEs. 	•Assumes a status quo scenario in terms of attrition and gain factors.
Demand based utili	sation models (includes 'n	need', 'requirement' etc.)		
Tuulonen, et.al. 2009 (137)	Computer simulation model using system dynamics approach	Number of cataract, glaucoma, diabetic retinopathy, and macular degeneration; Cost of those disease; Number of ophthalmologists; Number of physicians; Population data	 Number of patients; Service increase (e.g. Cataract surgery and Bilateral surgery) 	•Different number of assumptions based on what kind of disease they are looking at, have various scenarios
Mixed models	•	÷	•	
Australian Institute of Health and Welfare. 2000 (195)	Trend analysis	Age; Number of optometrists; Number of optometrists; Migration; Sex; FTE; Population demographics; Graduates; Utilisation of services;	Supply: •Number of FTEs optometrists; Demand: •Number of FTEs needed;	•Assume that there will be no significant change from the current pattern of use of optometrist services, the number of graduates, workforce participation and average number of services per optometrist.

Author, year	Model type /analysis	Parameters included (population level or individual level)	Outcomes	Assumptions & Limitations
Kiely, et al 2010 (196)	Supply: Dynamic model Demand: Utilisation-based model	Graduates; Retention rates; Immigration; Age; Attrition; Population; Service utilisation rates	Supply: •Number of FTEs; •Percentage of female optometrists. Demand: •Number of FTEs required	•Assumes different scenarios for practice and how it affects supply and demand.
Lee, et.al 1998 (197)	Supply: Unclear Demand: Need-based model	Subspecialty; (not very specific on how they calculated)	•Number of FTEs by subspecialty	•Does not specifically show how the FTE were calculated with certain parameters
Pick, et.al. 2008 (141)	Trend analysis	Retirement age and rates; Graduates; Retention rates; Number of ophthalmologists; Service hours; Population	Supply: •Total number of ophthalmologists Demand: •Require number of ophthalmologists	•Assumes no change to working hours or the number of trainees, lack full-time equivalent data for the workforce, did not collect gender-specific data for the workforce, did not consider overseas

		Parameters included		
Author, year	Model type /analysis	(population level or individual level)	Outcomes	Assumptions & Limitations
Supply models				
Canadian Institute for Health Information (CIHI) 2010 (131)	Supply description	Graduates; Working hours; Age; Gender; Pass rate of the certification examinations; Field of practice; Place of employment;	 •FTE of active registrations in the previous years; •Proportion of professions by field of practice. 	Assumptions: •Standard full-time weekly hours of 37.5 hours.
Mixed models				
Health Resources & Services Administration2005 (198)	Supply and demand:	Supply: Population; Graduates; Career attraction (wages and career growth); Demand: Demographics; Changing biomedical and information technologies; Utilisation of laboratory test;	•Shortages by types of workers and geographic area.	Limitations: •No numbers of supply and demand.

Medical Laboratory Technician

Chiropractor

Author, year	Model type /analysis	Parameters included (population level or individual level)	Outcomes	Assumptions & Limitations
Supply models				
Davis, et al. 2012 (129)	Supply description	Geographic variation; Age; Adult population; Population educational levels;	Total number of Chiropractors;Chiropractors per capita.	Limitations: •Lack of information about working hours; •Only included the chiropractors in Medicare.
Davis, et al. 2009 (130)	Supply description	Age; Adult population; Graduates;	•Total number of chiropractors; •Chiropractors per 10,000 adult population (age>18).	Limitations: •Lack of information about working hours and number of visits.
Mixed models	•			
Institute for Alternative Futures 2005 (128)	Supply: stock and inflow Demand: need-based model	Ageing; Adult population; Graduates; Retirement; Technology; Conditions treated (e.g. low-back pain, neck pain); Types of practice (e.g. solo private practice)	 Percentage of using chiropractic care annually (age>18); Percentage of chiropractic care provided to patients below 18 annually; No. of practicing chiropractors; Patient visits per week. 	Assumptions: •Four alternative future scenarios were being described and used for projection.
Whedon, et al. 2012 (127)	Supply and utilisation description	Geographic variations; Population (aged 65 to 99);	 Chiropractors per 100,000 population (2008); Annual services per chiropractic user; Chiropractic users per 1000 Medicare beneficiaries. 	Limitations: •The chiropractic use may be underestimated due to the availability of chiropractic service in veteran's administration health service.

Physiotherapist				
Author, Year	Design (Model/type analysis)	Parameters included (population level or individual level)	Outcomes	Assumptions & Limitations
Supply models				
WRHA, 2002 (135)	Dynamic Model	Position/vacancy data; Retirement data; Graduates; New registrants	•Vacancy percentage by Equivalence of Full Time	 The calculation of FTE, it assumed that all persons employed were full time. It is not known whether any of the positions are filled by therapists working at more than one location.
Mixed models			·	•
Breegle, 1982 (144)	Supply: Dynamic Model Demand: Trend Analysis Need Model	Population; Number of patient visits a year; Average admissions; average length of stay; Possible outpatient visits per year; Estimated home-bound patient visit needs Practitioners; Graduates;	•Ratio of PT per 10,000 Population	 Trend analysis: assuming factors influencing the historical trend remain constant. Health-Needs Method: assuming one third of the possible visits were physiotherapy related, non-institutionalized people received 0.87 home visits. Supply based on the historical data.
American Physical Therapy Association, 2012 (199)	Supply: Dynamic Model Demand: Linear Regression Analysis	Number of licensed PT; Graduates; International PT; Attrition/retirement rate; Working hour per week; Population with insurance; Vacancy rate	•Full Time Equivalent	 Number of international PT will remain constant. Constant attrition rate. The percentage of insured population is based on current rate. However the percentage can change based on the Affordable Care Act. Vacancy rate only reflects the situation in 2010.
Zimbelman, 2010 (142)	Supply: Dynamic Model Demand: Linear Regression Analysis	Number of PT available job vacancy; Projected population; Personal healthcare expenditure(PHE); Likelihood of being employed; Population; Baseline number of PT	•Shortage ratios per 10,000 people	 The demand model is determined only by age and population growth. 2. Assumption of linear growth was made; Does not incorporate workplace settings, part-time or full-time employment status;

Occupational Therapist

Author, year	Design (Model type/analysis)	Parameters included	Outcomes	Assumptions & Limitations
Supply models				
Salvatori et al, 1992 (134)	Dynamic Model	Population level data: Actual 1988 employment data; annual inactivity rate; Graduates; Immigration; Re-entry figures; A part-time to full-time FTE ratio	•Number of Occupational Therapists	 Numbers may not be accurate. Many rates kept constant over years.
WRHA 2002 (200)	Dynamic Model	Individual level data: Current position and vacancy, predicted new graduates, Past retention rate for new graduates, new registrants over the past 5 years, retirement rate.	•Vacancy rate by Equivalence of Full Time	 Information was based on previous data and representing status at one point in time, and only based on requirements for the year of 2001. Difficult to measure the impact of the availability of work within private sector, with the possibility of improved benefits and flexibility.
Demand based utilis	ation models (includes 'ne	eed', 'requirement' etc.)		
Mirkopoulos et al, 1989 (133)	Demand Analysis by growth per year	Population level data: Current number of paid full-time and part-time OT's, Vacancy numbers, Attrition rates in physiotherapy, hospital average growth rate, Home care average growth rate for OT.	•Full Time Equivalent	 It was assumed that the factors affecting attrition would be very similar for physiotherapy and occupational therapy. Baseline data didn't represent the whole picture, therefore there was underestimate of the true requirement projection.
Mixed models				
Morris 1989 (136)	Supply: Dynamic Model Demand: Analysis by growth per year	Individual level data: Predicted number of additional positions by respondents from different sectors, Projected population in Georgia, national population ratio, Average annual number of graduates between 1980-1986.	•Full Time Equivalent	•Future demand was based on professions prediction. •All Georgia graduates accept employment within the state, and no separations from the work force occur.

Registered Nurse	es				
Funding Agency	Institution	Programme name	Nursing type	Mode of study	Duration
		B.Nurs. Nursing	G	FT	4
	СИНК	B.Nurs. Nursing	G	FT	5
		B.NursNursing (post-registration)	G	PT	4
		Bachelor of Nursing	G	FT	4
	HKU	Bachelor of Nursing	G	FT	5
UGC		HD Nursing	G	FT	3
programmes		BSc (Hons) Nursing	G	FT	4
	D 1 11	BSc (Hons) Nursing	G	FT	5
	PolyU	BSc (Hons) Mental Health Nursing	Р	FT	4
		BSc (Hons) Mental Health Nursing	Р	FT	5
		BSc (Hons) Nursing	G	PT	2
		Bachelor of Science in Nursing(Psychiatric stream) (PT) (RGN-RPN Conversion	Р	РТ	3
	PolyU	programme) Master of Nursing Science (a joint programme with Hong Kong Sanatorioum and Hospital)	G	FT	3
	нки	Bachelor of Nursing(PT) for EN (EN-RN conversion programme)	G	PT	4
	СИНК	Master of Nursing Science(Pre-registration)	G		3
		Higher Diploma in Mental Health Nursing (an Enrolled Nurse (Psychiatric) Conversion Programme)	Р	РТ	3.5
Non-UGC programmes		Higher Diploma in Nursing (an integrated Conversion Programme for Enrolled Nurse (General) to Registered Nurse (General))	G	РТ	3.5
	OUHK	Bachelor of Nursing with Honors in General Health Care Program	G	FT	4
		Bachelor of Nursing with Honors in General Health Care Program	G	FT	5
		Bachelor of Nursing with Honors in Mental Health Care Program		FT	4
		Bachelor of Nursing with Honors in Mental Health Care Program	Р	FT	5
	HKU SPACE	Higher Diploma in Nursing (General)(EN- RN Conversion programme)	G	РТ	3
	Queen Elizabeth Hospital	HA Higher diploma in Nursing Programme	G	FT	3

Appendix C Nursing programmes in Hong Kong

				<u> </u>	
	Caritas Medical Centre	HA Higher diploma in Nursing Programme	G	FT	3
	Tuen Mun Hospital	HA Higher diploma in Nursing Programme	G	FT	3
	Hong Kong				
	Sanatorium and	HA Higher diploma in Nursing Programme	G	FT	3
	Hospital				
	Castle Peak Hospital	HA Higher diploma in Nursing Programme	Р	FT	3
	Tung Wah College	Bachelor of Health Science(Honors) in	G	FT	5
	Tung wan Conege	Nursing	U	1 1	5
Midwives	•			•	
Funding Agency	Institution	Programme name	Nursin g type	Mode of study	Duration
Non-UGC programmes	Prince of Wales Hospital	Post-registration Diploma in Midwifery	MW	РТ	1.5
Enrolled nurses	· ·	·			
Funding Agency	Institution	Programme name	Nursin g type	Mode of study	Duration
	OUUW	Higher Diploma in Nursing Studies (General Health Care)	G	FT	2
	OUHK	Higher Diploma in Nursing Studies (Mental Health Care)	Р	FT	2
	Tung Wah College	Higher Diploma in Nursing Programme (Enrolled Nurses - General)	G	FT	2
	Hong Kong Baptist Hospital	Diploma in General Nursing (Enrolled Nurse)	G	FT	2
	Hong Kong Sanatorium and Hospital	Higher Diploma in Nursing (Enrolled Nurse - General)	G	FT	2
	Shatin International Medical Centre Union Hospital	Diploma in General Nursing (Enrolled Nurse)	G	FT	2
Non-UGC programmes	St. Teresa's Hospital	Enrolled Nurses (General) Nursing Programme	G	FT	2
	Grantham Hospital	Enrolled Nurses (General) Training Programme	G	FT	2
	Pamela Youde Nethersole Eastern Hospital	Enrolled Nurses (General) Training Programme	G	FT	2
	Prince of Wales Hospital	Enrolled Nurses (General) Training Programme	G	FT	2
	United Christian Hospital	Enrolled Nurses (General) Training Programme	G	FT	2
	Kowloon Hospital	Enrolled Nurses (General) Training Programme for the Welfare Sector	G	FT	2
	Castle Peak Hospital	Enrolled Nurses (Psy) Training Programme for the Welfare Sector	Р	FT	2

Appendix D Projected nurses supply - HKU

Year	2013	2014	2015	2016	2017	2018
A. Local universities and tertiary institutions						
UGC Funded – RN	812	821	845	625	685	685
Self-financed – RN	220	242	338	220	531	530
EN	326	225	94	94	94	94
Total	1358	1288	1277	939	1310	1309
B. HA Nursing School						
RN	283	293	299	300	300	300
EN^1	349	336	252	364	239	104
Total	632	629	551	664	539	404
C. EN private hospital based training						
Total	212	219	230	230	230	230
D. EGN/RGN adjustment ²	260	296	304	295	295	275
E. Total supply of nurses ² (A) + (B) + (C)	2202	2136	2058	1833	2079	1943

Projected nurses supply (headcount) for general nurses - HKU

¹ High variation with the HA figures due to SWD nurse training ² EGN/RGN adjustment = graduates from EN/RN transition programmes. This figure is not included in the total supply. ³ Total supply = local university and tertiary institution + HA nursing school + EN private hospital based training

Projected nurse supply (headcount) for psychiatric nurses - HKU

5 11 5 7 1 5						
Year	2013	2014	2015	2016	2017	2018
A. Local universities and tertiary institutions						
UGC Funded – RN	27	27	30	70	70	70
Self-financed – RN	46	43	52	0	52	53
EN	60	63	68	68	68	68
B. HA hospital based training for EN						
Total						
C. EPN/RPN adjustment ¹	12	23	30	30	30	30
D. Total supply of nurses ² (A) + (B)	193	187	210	168	220	221

^T EPN/RPN adjustment = graduates from EN/RN transition programmes. This figure is not included in the total supply. ² Total supply = local university and tertiary institution + HA nursing school for EN

Projected nurse supply (FTE) for general nurses - HKU

Year	2013	2014	2015	2016	2017	2018
A. Local universities and tertiary institutions						
UGC Funded – RN	801	810	834	617	676	676
Self-financed – RN	217	239	334	217	524	523
EN	323	223	93	93	93	93
Total	1342	1272	1261	927	1293	1292
B. HA Nursing School						
RN	279	289	295	296	296	296
EN^1	346	333	250	361	237	103
Total	625	622	545	657	533	399
C. EN private hospital based training						
Total	210	217	228	228	228	228
D. EGN/RGN adjustment ²	257	292	300	291	291	271
E. Total supply of nurses ³ (A) + (B) + (C)	2176	2111	2033	1812	2054	1919

¹ High variation with the HA figures due to SWD nurse training ² EGN/RGN adjustment = graduates from EN/RN transition programmes. This figure is not included in the total supply. ³ Total supply = local university and tertiary institution + HA nursing school + EN private hospital based training

Projected nurse supply (FTE) for psychiatric nurses - HKU

Year	2013	2014	2015	2016	2017	2018
A. Local universities and tertiary institutions						
UGC Funded – RN	26	26	29	68	68	68
Self-financed – RN	45	42	51	0	51	52
EN	58	61	66	66	66	66
Total	129	129	146	134	185	186
B. HA hospital based training for EN						
Total	58	53	58	29	29	29
C. EPN/RPN adjustment ¹	12	22	29	29	29	29
D. Total supply of nurses ² (A) + (B)	188	182	205	164	214	215

¹ EPN/RPN adjustment = graduates from EN/RN transition programmes. This figure is not included in the total supply. ² Total supply = local university and tertiary institution + HA nursing school for EN